



凡例

測定値 μSv_h

0.0 - 0.1
0.1 - 0.2
0.2 - 0.3
0.3 - 0.4
0.4 - 0.6
0.6 - 0.8
0.8 - 1.0
1.0 - 1.2
1.2 - 1.4
1.4 - 1.6
1.6 - 1.8
1.8 - 2.0
2.0 - 2.5
2.5 - 3.0
3.0以上

1-1	1-2	1-3	1-4	1-5	1-6	1-7	1-8	1-9	1-10	
	豪倉前									
	2-2			2-5		2-7			2-10	
3-1	3-2	3-3	3-4	3-5	3-6	3-7	3-8	3-9	3-10	
		4-3		4-5		4-7	4-8	4-9	4-10	
		5-3	5-4	5-5	5-6	5-7	5-8	5-9	5-10	
6-1	6-2	6-3		6-5		6-7		6-9		
7-1		7-3		7-5		7-7	7-8	7-9	7-10	
8-1	8-2	8-3	8-4	8-5	8-6	8-7	8-8	8-9		
		9-3	9-4	9-5		9-7		9-9	9-10	
10-1	10-2	10-3				10-6	10-7	10-8	10-9	10-10

南相馬市

新田原

北長野

長野

西高松南

新田川

石神第一幼稚園
石神第一小学校