



凡例

測定値 μSv_h

0.0 - 0.1
0.1 - 0.2
0.2 - 0.3
0.3 - 0.4
0.4 - 0.6
0.6 - 0.8
0.8 - 1.0
1.0 - 1.2
1.2 - 1.4
1.4 - 1.6
1.6 - 1.8
1.8 - 2.0
2.0 - 2.5
2.5 - 3.0
3.0以上

1-1	1-2	1-3	1-4	1-5		1-7	1-8	1-9	1-10
2-1	2-2	2-3	2-4				2-8		2-10
3-1	3-2	3-3					3-8	3-9	3-10
	4-2	4-3				4-7	4-8	4-9	
		5-3	5-4	5-5	5-6	5-7	5-8	5-9	5-10
		6-3	6-4	6-5	6-6	6-7	6-8	6-9	6-10
7-1		7-3	7-4	7-5	7-6	7-7	7-8	7-9	7-10
8-1		8-3			8-6	8-7	8-8	8-9	8-10
9-1		9-3	9-4	9-5	9-6	9-7	9-8	9-9	9-10
10-1	10-2	10-3				10-7	10-8		

西袋第二小学校

西袋地域体育館

新安積疏水

岩根川

二枚橋

越久

向山

向袋田

袋田

須賀川市