

福島県原子力発電所周辺環境放射能測定結果（速報）

平成29年度（平成29年11月）測定分

1 測定項目

（1）空間放射線

項目	地点数	測定頻度	実施機関
空間線量率	39	連続	環境創造センター
空間積算線量	64（結果は3ヵ月毎）	3ヵ月積算	

（2）環境試料

区分	試料名	地点数	採取頻度	採取回数 (11月)	測定試料数(11月)						実施機関	
					全β 連続 全α全β	γ	¹³¹ I	³ H	Sr	Pu		Am,Cm
大気	大気浮遊じん	17	毎月	1		17						環境創造センター
		9		1		9						
		16	毎週	4		64						
降下物	降下物	10	毎月	1		10						
陸土表土	土	15	年2回	1		15						
			年1回	0				0	0	0		
陸水上水	水	11	年4回	0		0		0				
			年1回	0				0	0			
海水海	水	6(*1)	毎月	1	6	6		6	6	6		
		2(*2)	年4回	1	2	2		2				
			年1回	0				0	0			
海底土海	底土	6(*1)	年4回	1		6			6	6		
		2(*2)	年4回	1		2						
			年1回	0				0	0			
指標植物	松葉	15	年4回	1		15	15					

*1 東京電力ホールディングス（株）福島第一原子力発電所周辺海域

*2 東京電力ホールディングス（株）福島第二原子力発電所周辺海域

2 測定項目（比較対照地点調査）

（1）空間放射線

項目	地点数	測定頻度	実施機関
空間線量率	3	連続	環境創造センター

（2）環境試料

区分	試料名	地点数	採取頻度	採取回数 (11月)	測定試料数(11月)						実施機関
					全β	γ	¹³¹ I	³ H	Sr	Pu	
大気	大気浮遊じん	7	毎月	1		7					環境創造センター
	大気中水分	1		1			1				
降下物	降下物	2	毎月	1		2					
陸土表土	土	7	年1回	0		0		0	0	0	
陸水上水	水	2	年1回	0		0		0	0	0	
海水海	水	1	年1回	0	0	0		0	0	0	
海底土海	底土	1	年1回	0		0		0	0	0	
指標植物	松葉	5	年4回	1		5	5				

（注）次ページ以降の黄色網掛け部分が、今回の公表分です。

第5 原子力発電所周辺環境放射能測定値一覧表

5-1 空間放射線

5-1-1 空間線量率

No.	測定年月 測定項目 測定地点名	H29.4		5		6		7		8		9		10		11		12		H30.1		2		3	
		線量率	測定時間	線量率	測定時間	線量率	測定時間	線量率	測定時間	線量率	測定時間	線量率	測定時間	線量率	測定時間	線量率	測定時間	線量率	測定時間	線量率	測定時間	線量率	測定時間	線量率	測定時間
1	いわき市 小川	54 (65)	720	51 (67)	744	50 (66)	720	51 (80)	744	50 (63)	744	52 (67)	720	53 (87)	744	54 (70)	713								
2	いわき市 久之浜	88 (94)	720	88 (99)	744	88 (96)	720	87 (105)	744	86 (92)	744	86 (102)	720	85 (105)	744	85 (94)	712								
3	いわき市 下補光	59 (70)	720	59 (79)	744	59 (72)	720	59 (87)	744	58 (70)	744	58 (76)	720	58 (71)	744	58 (71)	720								
4	いわき市 川前	69 (84)	720	70 (84)	744	69 (82)	720	70 (103)	744	68 (87)	744	68 (88)	720	68 (82)	744	69 (83)	713								
5	田村市 都路馬洗戸	97 (107)	720	98 (113)	744	97 (109)	720	97 (133)	744	94 (109)	744	94 (108)	720	93 (107)	744	93 (108)	713								
6	広野町 二ツ沼	100 (126)	720	100 (120)	744	99 (115)	720	98 (124)	744	95 (119)	744	96 (123)	720	94 (124)	737	95 (123)	720								
7	広野町 小滝立	93 (106)	720	94 (114)	744	93 (101)	720	92 (112)	744	90 (102)	744	90 (111)	720	89 (119)	744	90 (103)	714								
8	楡葉町 山田岡	70 (82)	720	71 (88)	744	70 (85)	720	72 (92)	743	70 (83)	741	69 (89)	720	68 (95)	744	68 (85)	720								
9	楡葉町 木戸ダム	114 (129)	720	116 (131)	744	115 (125)	720	115 (140)	744	111 (126)	744	110 (130)	720	109 (128)	744	108 (122)	714								
10	楡葉町 繁岡	218 (227)	720	214 (233)	744	214 (227)	720	213 (235)	741	208 (226)	744	208 (232)	720	207 (232)	744	211 (224)	720								
11	楡葉町 松館	243 (254)	720	240 (266)	744	235 (248)	720	208 (239)	744	199 (216)	744	200 (231)	720	197 (223)	738	199 (211)	720								
12	楡葉町 波倉	284 (292)	720	284 (296)	744	282 (293)	720	278 (297)	741	271 (281)	744	271 (288)	720	269 (279)	744	271 (282)	720								

単位:線量率:μSv/h 測定時間:h
上段:平均値 (下段):最大値

No.	測定年月		H29.4		5		6		7		8		9		10		11		12		H30.1		2		3		
	測定項目	測定地点名	線量率	測定時間	線量率	測定時間	線量率	測定時間	線量率	測定時間	線量率	測定時間	線量率	測定時間	線量率	測定時間	線量率	測定時間	線量率	測定時間	線量率	測定時間	線量率	測定時間	線量率	測定時間	
28	浪江町	請戸*	124 (143)	720	127 (140)	744	125 (142)	720	127 (150)	744	124 (143)	744	120 (136)	720	117 (141)	744	117 (138)	720									
29	浪江町	柳瀬*	84 (98)	720	86 (102)	744	84 (99)	720	86 (120)	744	84 (100)	744	84 (100)	717	81 (111)	744	82 (103)	720									
30	浪江町	浪江	173 (181)	720	173 (181)	744	170 (183)	720	171 (189)	744	166 (179)	742	165 (174)	720	160 (178)	739	161 (174)	720									
31	浪江町	幾世橋	112 (125)	720	112 (124)	744	109 (120)	720	110 (133)	740	106 (117)	744	105 (117)	720	103 (123)	740	103 (116)	720									
32	浪江町	大柿ダム	890 (912)	720	890 (915)	744	884 (905)	720	893 (924)	744	877 (905)	744	875 (896)	720	842 (881)	744	832 (859)	713									
33	浪江町	南津島	1,350 (1,420)	720	1,370 (1,450)	744	1,350 (1,410)	720	1,330 (1,430)	744	1,280 (1,370)	744	1,290 (1,340)	720	1,250 (1,350)	744	1,270 (1,340)	714									
34	葛尾村	夏湯	162 (172)	720	162 (177)	744	161 (179)	720	161 (189)	744	156 (168)	744	156 (175)	720	154 (179)	744	155 (168)	712									
35	南相馬市	泉次	135 (147)	720	135 (152)	744	132 (148)	720	133 (162)	744	126 (144)	744	127 (143)	720	125 (149)	744	126 (139)	714									
36	南相馬市	横川ダム	273 (286)	720	275 (288)	744	272 (283)	720	272 (293)	744	261 (276)	744	264 (273)	720	259 (274)	744	262 (271)	713									
37	南相馬市	蘆浜	46 (66)	720	46 (72)	744	46 (66)	720	47 (88)	741	45 (62)	744	46 (63)	720	46 (65)	744	46 (60)	720									
38	飯館村	伊丹次	234 (249)	720	236 (251)	744	239 (258)	720	232 (255)	739	225 (245)	744	232 (242)	720	241 (288)	744	183 (246)	720									
39	川俣町	山木屋	170 (185)	720	171 (187)	744	169 (181)	720	163 (193)	740	157 (169)	744	158 (168)	720	155 (170)	744	156 (181)	720									

(注) 1 No.の網掛け部分は東京電力株式会社福島第一原子力発電所から半径5km未満の地域

2 *1 可搬型モニタリングポストによる測定

3 *2 空間線量率の測定はモニタリングポスト (NaIシンチレーション検出器、単位：ナノグレイ/時) により行ったが、概ね10,000nGy/h (10μGy/h)を超えた場合は、併設している高線量用モニタリングポスト (電離箱検出器、単位：ナノグレイ/時) の測定値で補完した。

5-2 調査材料

5-2-1 大気汚染物質の全アルファ放射能及び全ベータ放射能

単位: 線量率: Bq/m² 測定時間: h
上段: 平均値 (下段): 最大値

No.	測定地名	測定項目	H29.4		5		6		7		8		9		10		11		12		H30.1		3	
			測定値	測定時間	測定値	測定時間	測定値	測定時間	測定値	測定時間	測定値	測定時間	測定値	測定時間	測定値	測定時間	測定値	測定時間	測定値	測定時間	測定値	測定時間	測定値	測定時間
1	いわき市 <small>いわき市</small>	全アルファ放射能	0.043	744	0.036	720	0.045	660	0.033	744	0.031	720	0.033	744	0.036	720	0.033	744	0.036	720				
		(0.23)	(0.27)	(0.26)	(0.20)	(0.19)	(0.15)	(0.13)	(0.12)	(0.11)	(0.10)	(0.09)	(0.08)	(0.07)	(0.06)	(0.05)	(0.04)	(0.03)	(0.02)	(0.01)	(0.00)			
2	田村市 <small>田村市</small>	全ベータ放射能	0.067	744	0.058	720	0.068	660	0.052	720	0.052	744	0.052	744	0.058	720	0.053	744	0.058	720				
		(0.29)	(0.34)	(0.32)	(0.29)	(0.24)	(0.19)	(0.16)	(0.15)	(0.14)	(0.13)	(0.12)	(0.11)	(0.10)	(0.09)	(0.08)	(0.07)	(0.06)	(0.05)	(0.04)	(0.03)			
3	広野町 <small>広野町</small>	全アルファ放射能	0.018	690	0.017	660	0.017	732	0.011	744	0.014	720	0.011	744	0.013	720	0.013	744	0.013	720				
		(0.089)	(0.070)	(0.11)	(0.14)	(0.12)	(0.09)	(0.08)	(0.07)	(0.06)	(0.05)	(0.04)	(0.03)	(0.02)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)			
4	楢葉町 <small>楢葉町</small>	全ベータ放射能	0.042	690	0.038	660	0.040	732	0.031	744	0.036	720	0.031	744	0.034	720	0.035	744	0.034	720				
		(0.14)	(0.11)	(0.17)	(0.12)	(0.10)	(0.09)	(0.08)	(0.07)	(0.06)	(0.05)	(0.04)	(0.03)	(0.02)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)			
5	楢葉町 <small>楢葉町</small>	全アルファ放射能	0.022	744	0.020	648	0.025	744	0.016	732	0.018	720	0.016	732	0.017	720	0.016	744	0.017	720				
		(0.089)	(0.061)	(0.10)	(0.13)	(0.20)	(0.13)	(0.07)	(0.05)	(0.04)	(0.03)	(0.02)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)			
6	楢葉町 <small>楢葉町</small>	全アルファ放射能	0.057	744	0.057	660	0.066	744	0.041	744	0.049	720	0.041	744	0.059	720	0.039	744	0.059	720				
		(0.40)	(0.33)	(0.37)	(0.34)	(0.30)	(0.25)	(0.22)	(0.21)	(0.20)	(0.19)	(0.18)	(0.17)	(0.16)	(0.15)	(0.14)	(0.13)	(0.12)	(0.11)	(0.10)	(0.09)			
7	川内村 <small>川内村</small>	全アルファ放射能	0.022	678	0.019	708	0.023	744	0.014	744	0.017	720	0.014	744	0.023	720	0.015	666	0.023	720				
		(0.13)	(0.14)	(0.14)	(0.17)	(0.17)	(0.18)	(0.18)	(0.18)	(0.18)	(0.18)	(0.18)	(0.18)	(0.18)	(0.18)	(0.18)	(0.18)	(0.18)	(0.18)	(0.18)	(0.18)			
8	大郷町 <small>大郷町</small>	全ベータ放射能	0.088	744	0.069	708	0.080	744	0.051	744	0.061	720	0.051	744	0.083	720	0.057	666	0.083	720				
		(0.40)	(0.39)	(0.40)	(0.49)	(0.49)	(0.49)	(0.49)	(0.49)	(0.49)	(0.49)	(0.49)	(0.49)	(0.49)	(0.49)	(0.49)	(0.49)	(0.49)	(0.49)	(0.49)	(0.49)			

No.	測定地名	測定年月																									
		H28.4		5		6		7		8		9		10		11		12		H30.1		2		3			
		測定 値	測定 時間	測定 値	測定 時間	測定 値	測定 時間	測定 値	測定 時間	測定 値	測定 時間	測定 値	測定 時間	測定 値	測定 時間	測定 値	測定 時間	測定 値	測定 時間	測定 値	測定 時間	測定 値	測定 時間	測定 値	測定 時間		
9	大瀬町 去 ^ち とさ ^き 次	全アルファ 放射能	0.018 (0.11)	720	0.021 (0.13)	732	0.016 (0.073)	684	0.021 (0.16)	744	0.011 (0.070)	744	0.018 (0.11)	720	0.015 (0.051)	696	0.020 (0.075)	720									
		全ベータ 放射能	0.077 (0.35)	720	0.088 (0.42)	732	0.072 (0.25)	684	0.087 (0.51)	744	0.057 (0.24)	744	0.078 (0.38)	720	0.068 (0.19)	696	0.085 (0.26)	720									
10	双葉町 お ^り ヶ ^き 山	全アルファ 放射能	0.015 (0.073)	720	0.022 (0.11)	732	0.014 (0.068)	654	0.020 (0.13)	744	0.010 (0.056)	744	0.015 (0.092)	720	0.013 (0.046)	720	0.015 (0.047)	720									
		全ベータ 放射能	0.035 (0.12)	720	0.045 (0.17)	732	0.033 (0.11)	654	0.042 (0.20)	744	0.026 (0.092)	744	0.034 (0.14)	720	0.030 (0.077)	720	0.034 (0.084)	720									
11	浪江町 幾 ^せ 世 ^せ 桶	全アルファ 放射能	0.023 (0.088)	720	0.033 (0.20)	744	0.025 (0.14)	720	0.028 (0.15)	672	0.016 (0.091)	744	0.022 (0.13)	720	0.020 (0.080)	744	0.028 (0.12)	720									
		全ベータ 放射能	0.042 (0.13)	720	0.056 (0.26)	744	0.044 (0.20)	720	0.049 (0.21)	672	0.033 (0.13)	744	0.042 (0.17)	720	0.039 (0.12)	744	0.050 (0.17)	720									
12	浪江町 大 ^{おお} 船 ^{ふね} ダム	全アルファ 放射能	0.032 (0.14)	708	0.038 (0.14)	744	0.036 (0.21)	624	0.043 (0.14)	744	0.030 (0.21)	744	0.038 (0.14)	720	0.034 (0.12)	744	0.045 (0.19)	720									
		全ベータ 放射能	0.074 (0.25)	708	0.085 (0.26)	744	0.080 (0.35)	624	0.092 (0.24)	744	0.069 (0.36)	744	0.084 (0.25)	720	0.076 (0.21)	744	0.094 (0.32)	720									
13	鶴尾村 夏 ^{なつ} の ^な 湯	全アルファ 放射能	0.061 (0.34)	720	0.068 (0.37)	732	0.055 (0.32)	672	0.060 (0.28)	732	0.031 (0.18)	744	0.045 (0.26)	720	0.039 (0.17)	744	0.055 (0.20)	720									
		全ベータ 放射能	0.094 (0.44)	720	0.10 (0.49)	732	0.087 (0.44)	672	0.094 (0.39)	732	0.056 (0.25)	744	0.076 (0.36)	720	0.068 (0.25)	744	0.088 (0.28)	720									
14	藤相馬市 い ^ず み ^さ 次	全アルファ 放射能	0.020 (0.095)	708	0.025 (0.10)	744	0.018 (0.080)	660	0.024 (0.11)	744	0.012 (0.061)	744	0.017 (0.090)	720	0.014 (0.051)	744	0.019 (0.056)	720									
		全ベータ 放射能	0.041 (0.14)	708	0.048 (0.15)	744	0.038 (0.12)	660	0.045 (0.16)	744	0.029 (0.096)	744	0.036 (0.13)	720	0.033 (0.083)	744	0.040 (0.089)	720									
15	藤相馬市 い ^ば 次	全アルファ 放射能	0.021 (0.12)	720	0.026 (0.13)	744	0.016 (0.10)	720	0.022 (0.11)	732	0.008 (0.052)	744	0.016 (0.091)	720	0.013 (0.057)	744	0.020 (0.073)	720									
		全ベータ 放射能	0.080 (0.37)	720	0.095 (0.42)	744	0.065 (0.33)	720	0.084 (0.36)	732	0.040 (0.18)	744	0.066 (0.30)	720	0.056 (0.20)	744	0.079 (0.25)	720									
16	飯沼村 伊 ^い 丹 ^に 次	全アルファ 放射能	0.013 (0.14)	720	0.016 (0.083)	744	0.015 (0.14)	708	0.012 (0.10)	720	0.006 (0.037)	744	0.010 (0.058)	720	0.011 (0.068)	732	0.010 (0.065)	720									
		全ベータ 放射能	0.057 (0.40)	720	0.067 (0.26)	744	0.065 (0.45)	708	0.054 (0.32)	720	0.037 (0.13)	744	0.052 (0.20)	720	0.053 (0.22)	732	0.051 (0.21)	720									
17	川俣町 山 ^{やま} 木 ^き 屋	全アルファ 放射能	0.016 (0.096)	720	0.023 (0.16)	744	0.021 (0.10)	708	0.016 (0.14)	732	0.006 (0.027)	744	0.014 (0.087)	720	0.012 (0.058)	732	0.012 (0.083)	720									
		全ベータ 放射能	0.068 (0.29)	720	0.091 (0.45)	744	0.084 (0.33)	708	0.070 (0.43)	732	0.044 (0.10)	744	0.066 (0.27)	720	0.060 (0.19)	732	0.061 (0.26)	720									

注) 1 No.の欄付け部分は東京電力株式会社福島第一原子力発電所から半径5km圏内の地域

No.	地点名	採取期間	核種濃度 (mBq/m ³)												
			⁵¹ Cr	⁵⁴ Mn	⁵⁸ Co	⁵⁹ Fe	⁶⁰ Co	⁹⁶ Zr	⁹⁵ Nb	¹⁰⁶ Ru	¹³⁴ Cs	¹³⁷ Cs	¹⁴⁴ Ce		
5	榑葉町 繁岡 (連続ダストモニタ)	H29. 4. 1 ~ H29. 5. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.027	0.18	ND
		H29. 5. 1 ~ H29. 6. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.043	0.29	ND
		H29. 6. 1 ~ H29. 7. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.021	0.15	ND
		H29. 7. 1 ~ H29. 8. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.028	0.17	ND
		H29. 8. 1 ~ H29. 9. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.021	0.15	ND
		H29. 9. 1 ~ H29.10. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.018	0.15	ND
		H29.10. 1 ~ H29.11. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.010	0.083	ND
		H29.11. 1 ~ H29.12. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.009	0.068	ND
		H29. 4. 1 ~ H29. 5. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	0.026	ND
		H29. 5. 1 ~ H29. 6. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.005	0.035	ND
		H29. 6. 1 ~ H29. 7. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.007	0.029	ND
6	富岡町 富岡 (連続ダストモニタ)	H29. 7. 1 ~ H29. 8. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.047	ND
		H29. 8. 1 ~ H29. 9. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.027	ND
		H29. 9. 1 ~ H29.10. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.029	ND
		H29.10. 1 ~ H29.11. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.038	ND
		H29.11. 1 ~ H29.12. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.034	ND
		H29. 4. 1 ~ H29. 5. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	ND
		H29. 5. 1 ~ H29. 6. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.011	ND
		H29. 6. 1 ~ H29. 7. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.008	ND
		H29. 7. 1 ~ H29. 8. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.012	ND
		H29. 8. 1 ~ H29. 9. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.008	ND
		H29. 9. 1 ~ H29.10. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.007	ND
7	川内村 下川内 (連続ダストモニタ)	H29.10. 1 ~ H29.11. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.007	ND
		H29.11. 1 ~ H29.12. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.011	ND
		H29. 4. 1 ~ H29. 5. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	0.044	ND
		H29. 5. 1 ~ H29. 6. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	0.050	ND
		H29. 6. 1 ~ H29. 7. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.010	0.061	ND
		H29. 7. 1 ~ H29. 8. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.009	0.066	ND
		H29. 8. 1 ~ H29. 9. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.031	ND
		H29. 9. 1 ~ H29.10. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	0.040	ND
		H29.10. 1 ~ H29.11. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.009	0.066	ND
		H29.11. 1 ~ H29.12. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.038	ND
		8	大熊町 大野 (連続ダストモニタ)	H29. 4. 1 ~ H29. 5. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006
H29. 5. 1 ~ H29. 6. 1	ND			ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	0.050	ND
H29. 6. 1 ~ H29. 7. 1	ND			ND	ND	ND	ND	ND	ND	ND	ND	ND	0.010	0.061	ND
H29. 7. 1 ~ H29. 8. 1	ND			ND	ND	ND	ND	ND	ND	ND	ND	ND	0.009	0.066	ND
H29. 8. 1 ~ H29. 9. 1	ND			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.031	ND
H29. 9. 1 ~ H29.10. 1	ND			ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	0.040	ND
H29.10. 1 ~ H29.11. 1	ND			ND	ND	ND	ND	ND	ND	ND	ND	ND	0.009	0.066	ND
H29.11. 1 ~ H29.12. 1	ND			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.038	ND

No.	地点名	採取期間	核種濃度 (mBq/m ³)													
			⁵¹ Cr	⁵⁴ Mn	⁵⁸ Co	⁵⁹ Fe	⁶⁰ Co	⁹⁶ Zr	⁹⁵ Nb	¹⁰⁶ Ru	¹³⁷ Cs	¹³⁷ Cs	¹⁴⁴ Ce			
9	大熊町 夫沢 (連続ダストモニタ)	H29. 4. 1 ~ H29. 5. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.024	0.17	ND
		H29. 5. 1 ~ H29. 6. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.017	0.12	ND
		H29. 6. 1 ~ H29. 7. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.013	0.096	ND
		H29. 7. 1 ~ H29. 8. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.019	0.13	ND
		H29. 8. 1 ~ H29. 9. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.026	0.20	ND
		H29. 9. 1 ~ H29.10. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.014	0.12	ND
		H29.10. 1 ~ H29.11. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.037	0.29	ND
		H29.11. 1 ~ H29.12. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.017	0.15	ND
		H29. 4. 1 ~ H29. 5. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.21	1.4	ND
		H29. 5. 1 ~ H29. 6. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.078	0.55	ND
		H29. 6. 1 ~ H29. 7. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.051	0.37	ND
10	双葉町 郡山 (連続ダストモニタ)	H29. 7. 1 ~ H29. 8. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.12	0.88	ND
		H29. 8. 1 ~ H29. 9. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.073	0.56	ND
		H29. 9. 1 ~ H29.10. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.15	1.2	ND
		H29.10. 1 ~ H29.11. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.073	0.62	ND
		H29.11. 1 ~ H29.12. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.056	0.47	ND
		H29. 4. 1 ~ H29. 5. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.012	0.081	ND
		H29. 5. 1 ~ H29. 6. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.012	0.090	ND
		H29. 6. 1 ~ H29. 7. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.036	ND
		H29. 7. 1 ~ H29. 8. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.012	0.082	ND
		H29. 8. 1 ~ H29. 9. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.031	0.031	ND
		H29. 9. 1 ~ H29.10. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.007	0.050	ND
11	浪江町 幾世橋 (連続ダストモニタ)	H29.10. 1 ~ H29.11. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.032	ND
		H29.11. 1 ~ H29.12. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	0.050	ND
		H29. 4. 1 ~ H29. 5. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.010	0.067	ND
		H29. 5. 1 ~ H29. 6. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.018	0.12	ND
		H29. 6. 1 ~ H29. 7. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.009	0.065	ND
		H29. 7. 1 ~ H29. 8. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.009	0.072	ND
		H29. 8. 1 ~ H29. 9. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.010	0.087	ND
		H29. 9. 1 ~ H29.10. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.009	0.074	ND
		H29.10. 1 ~ H29.11. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	0.040	ND
		H29.11. 1 ~ H29.12. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	0.048	ND
		12	浪江町 大箱ダム (連続ダストモニタ)	H29. 4. 1 ~ H29. 5. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.010
H29. 5. 1 ~ H29. 6. 1	ND			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.018	0.12	ND
H29. 6. 1 ~ H29. 7. 1	ND			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.009	0.065	ND
H29. 7. 1 ~ H29. 8. 1	ND			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.009	0.072	ND
H29. 8. 1 ~ H29. 9. 1	ND			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.010	0.087	ND
H29. 9. 1 ~ H29.10. 1	ND			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.009	0.074	ND
H29.10. 1 ~ H29.11. 1	ND			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	0.040	ND
H29.11. 1 ~ H29.12. 1	ND			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	0.048	ND

No.	地点名	採取期間	核種濃度 (mBq/m ³)													
			⁵¹ Cr	⁵⁴ Mn	⁵⁸ Co	⁵⁹ Fe	⁶⁰ Co	⁹⁶ Zr	⁹⁵ Nb	¹⁰⁶ Ru	¹³⁴ Cs	¹³⁷ Cs	¹⁴⁴ Ce			
13	葛尾村 (連続ダストモニタ)	H29. 4. 1 ~ H29. 5. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.009	ND	
		H29. 5. 1 ~ H29. 6. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.030	ND	
		H29. 6. 1 ~ H29. 7. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.011	ND	
		H29. 7. 1 ~ H29. 8. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	ND	
		H29. 8. 1 ~ H29. 9. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	ND	
		H29. 9. 1 ~ H29.10. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		H29.10. 1 ~ H29.11. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	ND
		H29.11. 1 ~ H29.12. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.008	ND	0.082	0.008	ND
		H29. 4. 1 ~ H29. 5. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.003	ND
		H29. 5. 1 ~ H29. 6. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.040	ND
		H29. 6. 1 ~ H29. 7. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.012	ND
14	南相馬市 (連続ダストモニタ)	H29. 7. 1 ~ H29. 8. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.004	0.023	ND	
		H29. 8. 1 ~ H29. 9. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.020	ND	
		H29. 9. 1 ~ H29.10. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.014	ND	
		H29.10. 1 ~ H29.11. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.009	ND	
		H29.11. 1 ~ H29.12. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.012	ND	
		H29. 4. 1 ~ H29. 5. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	ND	0.026	ND	
		H29. 5. 1 ~ H29. 6. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.008	ND	0.038	ND	
		H29. 6. 1 ~ H29. 7. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.013	ND	
		H29. 7. 1 ~ H29. 8. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.009	ND	
		H29. 8. 1 ~ H29. 9. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.015	ND	
		H29. 9. 1 ~ H29.10. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.016	ND	
15	南相馬市 (連続ダストモニタ)	H29.10. 1 ~ H29.11. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.019	ND	
		H29.11. 1 ~ H29.12. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.023	ND	
		H29. 4. 1 ~ H29. 5. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.017	ND	
		H29. 5. 1 ~ H29. 6. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.042	ND	
		H29. 6. 1 ~ H29. 7. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.007	0.035	0.035	ND	
		H29. 7. 1 ~ H29. 8. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.019	ND	
		H29. 8. 1 ~ H29. 9. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.008	ND	
		H29. 9. 1 ~ H29.10. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.031	ND	
		H29.10. 1 ~ H29.11. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.027	ND	
		H29.11. 1 ~ H29.12. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.045	ND	
		16	飯館村 (連続ダストモニタ)	H29. 4. 1 ~ H29. 5. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.017
H29. 5. 1 ~ H29. 6. 1	ND			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.042	ND	
H29. 6. 1 ~ H29. 7. 1	ND			ND	ND	ND	ND	ND	ND	ND	ND	0.007	0.035	0.035	ND	
H29. 7. 1 ~ H29. 8. 1	ND			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.019	ND	
H29. 8. 1 ~ H29. 9. 1	ND			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.008	ND	
H29. 9. 1 ~ H29.10. 1	ND			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.031	ND	
H29.10. 1 ~ H29.11. 1	ND			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.027	ND	
H29.11. 1 ~ H29.12. 1	ND			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.045	ND	
H29. 4. 1 ~ H29. 5. 1	ND			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.017	ND	
H29. 5. 1 ~ H29. 6. 1	ND			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.042	ND	
H29. 6. 1 ~ H29. 7. 1	ND			ND	ND	ND	ND	ND	ND	ND	ND	0.007	0.035	0.035	ND	

No.	地点名	採取期間	核種濃度 (mBq/m ³)													
			⁵¹ Cr	⁵⁴ Mn	⁵⁸ Co	⁵⁹ Fe	⁶⁰ Co	⁹⁶ Zr	⁹⁵ Nb	¹⁰⁶ Ru	¹³⁷ Cs	¹³⁴ Cs	¹⁴⁴ Ce			
21	大熊町 向畑 (リアルタイム ダストモニタ)	H29. 4. 1 ~ H29. 5. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.065	0.44	ND
		H29. 5. 1 ~ H29. 6. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.047	0.34	ND
		H29. 6. 1 ~ H29. 7. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.047	0.15	ND
		H29. 7. 1 ~ H29. 8. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.047	0.40	ND
		H29. 8. 1 ~ H29. 9. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.062	0.63	ND
		H29. 9. 1 ~ H29.10. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.27	0.27	ND
		H29.10. 1 ~ H29.11. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.22	0.22	ND
		H29.11. 1 ~ H29.12. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.18	0.18	ND
		H29. 4. 1 ~ H29. 5. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.13	0.13	ND
		H29. 5. 1 ~ H29. 6. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.19	0.19	ND
		H29. 6. 1 ~ H29. 7. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.15	0.15	ND
22	双葉町 山田 (リアルタイム ダストモニタ)	H29. 7. 1 ~ H29. 8. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.048	0.22	ND
		H29. 8. 1 ~ H29. 9. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.18	0.18	ND
		H29. 9. 1 ~ H29.10. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.18	0.18	ND
		H29.10. 1 ~ H29.11. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.14	0.14	ND
		H29.11. 1 ~ H29.12. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.13	0.13	ND
		H29. 4. 1 ~ H29. 5. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.15	0.15	ND
		H29. 5. 1 ~ H29. 6. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.26	0.26	ND
		H29. 6. 1 ~ H29. 7. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.20	0.20	ND
		H29. 7. 1 ~ H29. 8. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.21	0.21	ND
		H29. 8. 1 ~ H29. 9. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.17	0.17	ND
		H29. 9. 1 ~ H29.10. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.18	0.18	ND
23	双葉町 新山 (リアルタイム ダストモニタ)	H29.10. 1 ~ H29.11. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.11	0.11	ND
		H29.11. 1 ~ H29.12. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.15	0.15	ND
		H29. 4. 1 ~ H29. 5. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.11	0.11	ND
		H29. 5. 1 ~ H29. 6. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.15	0.15	ND
		H29. 6. 1 ~ H29. 7. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.097	0.097	ND
		H29. 7. 1 ~ H29. 8. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.17	0.17	ND
		H29. 8. 1 ~ H29. 9. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.16	0.16	ND
		H29. 9. 1 ~ H29.10. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.18	0.18	ND
		H29.10. 1 ~ H29.11. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.079	0.079	ND
		H29.11. 1 ~ H29.12. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.11	0.11	ND
		24	双葉町 上羽鳥 (リアルタイム ダストモニタ)	H29. 4. 1 ~ H29. 5. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.11
H29. 5. 1 ~ H29. 6. 1	ND			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.15	0.15	ND
H29. 6. 1 ~ H29. 7. 1	ND			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.097	0.097	ND
H29. 7. 1 ~ H29. 8. 1	ND			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.17	0.17	ND
H29. 8. 1 ~ H29. 9. 1	ND			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.052	0.052	ND
H29. 9. 1 ~ H29.10. 1	ND			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.18	0.18	ND
H29.10. 1 ~ H29.11. 1	ND			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.079	0.079	ND
H29.11. 1 ~ H29.12. 1	ND			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.11	0.11	ND

No.	地点名	採取期間	核種濃度 (mBq/m ³)														
			⁵¹ Cr	⁵⁴ Mn	⁵⁸ Co	⁵⁹ Fe	⁶⁰ Co	⁹⁶ Zr	⁹⁵ Nb	¹⁰⁶ Ru	¹³⁴ Cs	¹³⁷ Cs	¹⁴⁴ Ce				
		H29. 3. 31 ~ H29. 4. 6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 4. 6 ~ H29. 4. 13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 4. 13 ~ H29. 4. 20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 4. 20 ~ H29. 4. 27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 4. 27 ~ H29. 5. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 5. 2 ~ H29. 5. 11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 5. 11 ~ H29. 5. 18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 5. 18 ~ H29. 5. 25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 5. 25 ~ H29. 6. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 1 ~ H29. 6. 8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 8 ~ H29. 6. 15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 15 ~ H29. 6. 22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 22 ~ H29. 6. 29	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 29 ~ H29. 7. 6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 7. 6 ~ H29. 7. 13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 7. 13 ~ H29. 7. 20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 7. 20 ~ H29. 7. 27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 7. 27 ~ H29. 8. 3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 8. 3 ~ H29. 8. 10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 8. 10 ~ H29. 8. 17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 8. 17 ~ H29. 8. 24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 8. 24 ~ H29. 8. 31	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 8. 31 ~ H29. 9. 7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 9. 7 ~ H29. 9. 14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 9. 14 ~ H29. 9. 21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 9. 21 ~ H29. 9. 28	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 9. 28 ~ H29. 10. 5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 10. 5 ~ H29. 10. 12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 10. 12 ~ H29. 10. 19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 10. 19 ~ H29. 10. 26	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 10. 26 ~ H29. 11. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 11. 2 ~ H29. 11. 9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 11. 9 ~ H29. 11. 16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 11. 16 ~ H29. 11. 22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 11. 22 ~ H29. 11. 30	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

28
 楠葉町
 山田岡
 (ダストサンブラー)

No.	地点名	採取期間	核種濃度 (mBq/m ³)																
			⁵¹ Cr	⁵⁴ Mn	⁵⁸ Co	⁵⁹ Fe	⁶⁰ Co	⁹⁶ Zr	⁹⁵ Nb	¹⁰⁶ Ru	¹³⁴ Cs	¹³⁷ Cs	¹⁴⁴ Ce						
33	富岡町 夜の森 (ダストサンブラー)	H29. 3. 31 ~ H29. 4. 6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
		H29. 4. 6 ~ H29. 4. 13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		H29. 4. 13 ~ H29. 4. 20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		H29. 4. 20 ~ H29. 4. 27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		H29. 4. 27 ~ H29. 5. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		H29. 5. 2 ~ H29. 5. 11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 5. 11 ~ H29. 5. 18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.28	ND	ND
		H29. 5. 18 ~ H29. 5. 25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 5. 25 ~ H29. 6. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 1 ~ H29. 6. 8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 8 ~ H29. 6. 15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 15 ~ H29. 6. 22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 22 ~ H29. 6. 29	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 29 ~ H29. 7. 6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 7. 6 ~ H29. 7. 13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 7. 13 ~ H29. 7. 20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 7. 20 ~ H29. 7. 27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 7. 27 ~ H29. 8. 3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 8. 3 ~ H29. 8. 10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 8. 10 ~ H29. 8. 17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.18	ND	ND
		H29. 8. 17 ~ H29. 8. 24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 8. 24 ~ H29. 8. 31	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 8. 31 ~ H29. 9. 7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 9. 7 ~ H29. 9. 14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 9. 14 ~ H29. 9. 21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.25	ND	ND
		H29. 9. 21 ~ H29. 9. 28	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 9. 28 ~ H29. 10. 5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 10. 5 ~ H29. 10. 12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.21	ND	ND
		H29. 10. 12 ~ H29. 10. 19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.77	ND	ND
		H29. 10. 19 ~ H29. 10. 26	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.23	ND	ND
H29. 10. 26 ~ H29. 11. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.42	ND	ND		
H29. 11. 2 ~ H29. 11. 9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.52	ND	ND		
H29. 11. 9 ~ H29. 11. 16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.60	ND	ND		
H29. 11. 16 ~ H29. 11. 22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.30	ND	ND		
H29. 11. 22 ~ H29. 11. 30	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.49	ND	ND		

No.	地点名	採取期間	核種濃度 (mBq/m ³)											
			⁵¹ Cr	⁵⁴ Mn	⁵⁸ Co	⁵⁹ Fe	⁶⁰ Co	⁹⁶ Zr	⁹⁵ Nb	¹⁰⁶ Ru	¹³⁴ Cs	¹³⁷ Cs	¹⁴⁴ Ce	
40	南相馬市 馬場 (簡易型ダスト サンプラー)	H29. 4. 1 ~ H29. 4. 6	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.018	0.078	ND
		H29. 4. 6 ~ H29. 4. 13	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.032	ND	ND
		H29. 4. 13 ~ H29. 4. 20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.065	ND
		H29. 4. 20 ~ H29. 4. 27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.059	ND
		H29. 4. 27 ~ H29. 5. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.041	ND
		H29. 5. 2 ~ H29. 5. 11	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.031	0.19	ND
		H29. 5. 11 ~ H29. 5. 18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.050	ND
		H29. 5. 18 ~ H29. 5. 25	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.030	0.20	ND
		H29. 5. 25 ~ H29. 6. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.11	ND
		H29. 6. 1 ~ H29. 6. 8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.052	ND
		H29. 6. 8 ~ H29. 6. 15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.051	ND
		H29. 6. 15 ~ H29. 6. 22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.061	ND
		H29. 6. 22 ~ H29. 6. 29	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.048	ND
		H29. 6. 29 ~ H29. 7. 6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.11	ND
		H29. 7. 6 ~ H29. 7. 13	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.024	0.10	ND
		H29. 7. 13 ~ H29. 7. 20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.071	ND
		H29. 7. 20 ~ H29. 7. 27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.10	ND
		H29. 7. 27 ~ H29. 8. 3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.046	ND
		H29. 8. 3 ~ H29. 8. 10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.094	ND
		H29. 8. 10 ~ H29. 8. 17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 8. 17 ~ H29. 8. 24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.087	ND
		H29. 8. 24 ~ H29. 8. 31	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.093	ND
		H29. 8. 31 ~ H29. 9. 7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.044	ND
		H29. 9. 7 ~ H29. 9. 14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.10	ND
		H29. 9. 14 ~ H29. 9. 21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.079	ND
		H29. 9. 21 ~ H29. 9. 28	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.11	ND
		H29. 9. 28 ~ H29. 10. 5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.047	ND
		H29. 10. 5 ~ H29. 10. 12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.086	ND
		H29. 10. 12 ~ H29. 10. 19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.044	ND
		H29. 10. 19 ~ H29. 10. 26	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
H29. 10. 26 ~ H29. 11. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.034	ND		
H29. 11. 2 ~ H29. 11. 9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.029	ND		
H29. 11. 9 ~ H29. 11. 16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.030	ND		
H29. 11. 16 ~ H29. 11. 22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.072	ND		
H29. 11. 22 ~ H29. 11. 30	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.030	ND		

No.	地点名	採取期間	核種濃度 (mBq/m ³)																	
			⁵¹ Cr	⁵⁴ Mn	⁵⁸ Co	⁵⁹ Fe	⁶⁰ Co	⁹⁶ Zr	⁹⁵ Nb	¹⁰⁶ Ru	¹³⁷ Cs	¹³⁴ Cs	¹⁴⁴ Ce							
41	南相馬市 大木 [※] 声 (簡易型ダスト サンプラー)	H29. 4. 1 ~ H29. 4. 6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.10	ND	ND	
		H29. 4. 6 ~ H29. 4. 13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.035	ND	ND
		H29. 4. 13 ~ H29. 4. 20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.062	ND	ND
		H29. 4. 20 ~ H29. 4. 27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.071	ND	ND
		H29. 4. 27 ~ H29. 5. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.034	ND	ND
		H29. 5. 2 ~ H29. 5. 11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.025	0.14	ND	ND	ND
		H29. 5. 11 ~ H29. 5. 18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.038	ND	ND
		H29. 5. 18 ~ H29. 5. 25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.15	ND	ND
		H29. 5. 25 ~ H29. 6. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.020	0.077	ND	ND	ND
		H29. 6. 1 ~ H29. 6. 8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.036	ND	ND
		H29. 6. 8 ~ H29. 6. 15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.051	ND	ND
		H29. 6. 15 ~ H29. 6. 22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.064	ND	ND
		H29. 6. 22 ~ H29. 6. 29	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.026	ND	ND
		H29. 6. 29 ~ H29. 7. 6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.057	ND	ND
		H29. 7. 6 ~ H29. 7. 13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.060	ND	ND
		H29. 7. 13 ~ H29. 7. 20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.059	ND	ND
		H29. 7. 20 ~ H29. 7. 27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.073	ND	ND
		H29. 7. 27 ~ H29. 8. 3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.031	ND	ND
		H29. 8. 3 ~ H29. 8. 10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.038	ND	ND
		H29. 8. 10 ~ H29. 8. 17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.023	ND	ND
		H29. 8. 17 ~ H29. 8. 24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.023	0.060	ND	ND	ND
		H29. 8. 24 ~ H29. 8. 31	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.070	ND	ND
		H29. 8. 31 ~ H29. 9. 7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.026	ND	ND
		H29. 9. 7 ~ H29. 9. 14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.053	ND	ND
		H29. 9. 14 ~ H29. 9. 21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.060	ND	ND
		H29. 9. 21 ~ H29. 9. 28	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.073	ND	ND
		H29. 9. 28 ~ H29. 10. 5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.063	ND	ND
		H29. 10. 5 ~ H29. 10. 12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.057	ND	ND
		H29. 10. 12 ~ H29. 10. 19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.035	ND	ND
		H29. 10. 19 ~ H29. 10. 26	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
H29. 10. 26 ~ H29. 11. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.031	ND	ND		
H29. 11. 2 ~ H29. 11. 9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.060	ND	ND		
H29. 11. 9 ~ H29. 11. 16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.036	ND	ND		
H29. 11. 16 ~ H29. 11. 22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.042	ND	ND		
H29. 11. 22 ~ H29. 11. 30	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.063	ND	ND		

No.	地点名	採取期間	核種濃度 (Bq/m ² (MBq/km ²))																		
			⁵¹ Cr	⁵⁴ Mn	⁵⁸ Co	⁵⁹ Fe	⁶⁰ Co	⁹⁰ Zr	⁹⁵ Nb	¹⁰⁶ Ru	¹³⁴ Cs	¹³⁷ Cs	¹⁴⁴ Ce								
9	葛尾村 相原 <small>かしのぼら</small>	H29. 4. 4 ~ H29. 5. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND				
		H29. 5. 2 ~ H29. 6. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			
		H29. 6. 1 ~ H29. 7. 3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
		H29. 7. 3 ~ H29. 8. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
		H29. 8. 1 ~ H29. 9. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
		H29. 9. 1 ~ H29. 10. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		H29. 10. 2 ~ H29. 11. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		H29. 11. 1 ~ H29. 12. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		H29. 4. 3 ~ H29. 5. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		H29. 5. 2 ~ H29. 6. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
10	川俣町 山本屋 <small>やまきや</small>	H29. 6. 1 ~ H29. 7. 3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
		H29. 7. 3 ~ H29. 8. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		H29. 8. 1 ~ H29. 9. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 9. 1 ~ H29. 10. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 10. 2 ~ H29. 11. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 11. 1 ~ H29. 12. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

(注) 1 No. の網掛け部分は東京電力株式会社福島第一原子力発電所から半径5km未満の地域

2 「ND」：検出限界未満

3 *1 試料採取期間中、試料採取容器から試料があふれたため、参考値とする。

試料名	種類 又は 部位	採取 年月日	採取地点番号 及び採取地点名	単位	全γ- 放射能 測定値	核種濃度														天然 核種									
						⁶ Cr	⁵¹ Cr	⁵⁴ Mn	⁵⁸ Co	⁵⁹ Fe	⁶⁰ Co	⁹⁶ Zr	⁹⁵ Nb	⁹⁹ Tc	¹⁰¹ Ru	¹³⁴ Cs	¹³⁷ Cs	¹⁴¹ Ce	³ H		¹³¹ I	⁸⁷ Sr	⁹⁰ Sr	²³⁸ Pu	²³⁹⁺²⁴⁰ Pu	²⁴¹ Am	²⁴⁴ Cm		
陸 土	表土	E29. 5. 30 E29. 11. 17 E29. 5. 30 E29. 11. 28 E29. 5. 30 E29. 11. 17 E29. 5. 30 E29. 11. 17 E29. 5. 30 E29. 11. 17 E29. 5. 30 E29. 11. 28 E29. 5. 30 E29. 12. 7 E29. 5. 18 E29. 12. 7 E29. 5. 18 E29. 12. 7 E29. 5. 29 E29. 11. 28 E29. 5. 18 E29. 12. 7 E29. 5. 29 E29. 12. 5 E29. 5. 29 E29. 12. 5 E29. 5. 29 E29. 12. 5	1 いわき市 久之浜 2 田村市 古道 3 広野町 下北廻 4 檜葉町 波音 5 富岡町 小浜 6 川内村 上川内 7 大熊町 天状 8 双葉町 郡山 9 浪江町 北織世橋 10 葛尾村 相原 11 南相馬市 浦尻 12 南相馬市 馬場 13 飯館村 蔵平 14 飯館村 長尾 15 川俣町 山木盛	/	⁶ Cr	⁵¹ Cr	⁵⁴ Mn	⁵⁸ Co	⁵⁹ Fe	⁶⁰ Co	⁹⁶ Zr	⁹⁵ Nb	⁹⁹ Tc	¹⁰¹ Ru	¹³⁴ Cs	¹³⁷ Cs	¹⁴¹ Ce	³ H	¹³¹ I	⁸⁷ Sr	⁹⁰ Sr	²³⁸ Pu	²³⁹⁺²⁴⁰ Pu	²⁴¹ Am	²⁴⁴ Cm	470			
					ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	54	370	ND	/	/	/	0.62	ND	ND	0.03	ND	ND	490
					ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	35	290	ND	/	/	/	0.46	ND	ND	ND	ND	720
					ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	190	1,300	ND	/	/	/	0.60	ND	ND	ND	ND	730
					ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	210	1,700	ND	/	/	/	0.60	ND	ND	ND	ND	670
					ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	140	1,000	ND	/	/	/	0.60	ND	ND	ND	ND	670
					ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	130	1,100	ND	/	/	/	0.46	ND	ND	ND	ND	780
					ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	450	3,200	ND	/	/	/	0.46	ND	ND	ND	ND	360
					ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	87	720	ND	/	/	/	0.46	ND	ND	ND	ND	740
					ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	13	93	ND	/	/	/	0.46	ND	ND	ND	ND	240
					ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.1	27	ND	/	/	/	0.46	ND	ND	ND	ND	270
					ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	110	790	ND	/	/	/	0.46	ND	ND	ND	ND	980
					ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	75	610	ND	/	/	/	0.46	ND	ND	ND	ND	920
					ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	31,000	220,000	ND	/	/	/	0.46	ND	ND	ND	ND	470
					ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	39,000	330,000	ND	/	/	/	0.46	ND	ND	ND	ND	510
ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5,400	38,000	ND	/	/	/	0.46	ND	ND	ND	ND	350					
ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5,400	45,000	ND	/	/	/	0.46	ND	ND	ND	ND	420					
ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	170	1,200	ND	/	/	/	0.46	ND	ND	ND	ND	340					
ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	170	1,500	ND	/	/	/	0.46	ND	ND	ND	ND	400					
ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	7,400	52,000	ND	/	/	/	0.46	ND	ND	ND	ND	830					
ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2,900	24,000	ND	/	/	/	0.46	ND	ND	ND	ND	860					
ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1,300	9,500	ND	/	/	/	0.46	ND	ND	ND	ND	240					
ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	140	1,200	ND	/	/	/	0.46	ND	ND	ND	ND	390					
ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	440	3,100	ND	/	/	/	0.46	ND	ND	ND	ND	250					
ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1,000	8,200	ND	/	/	/	0.46	ND	ND	ND	ND	300					
ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1,300	9,200	ND	/	/	/	0.46	ND	ND	ND	ND	620					
ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	160	1,300	ND	/	/	/	0.46	ND	ND	ND	ND	810					
ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2,000	14,000	ND	/	/	/	0.46	ND	ND	ND	ND	670					
ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2,700	23,000	ND	/	/	/	0.46	ND	ND	ND	ND	700					
ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1,000	7,200	ND	/	/	/	0.46	ND	ND	ND	ND	580					
ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	790	6,500	ND	/	/	/	0.46	ND	ND	ND	ND	580					

5-3-3 大気中水分のトリチウム濃度 (比較対照地点)

No.	地点名	採取期間	トリチウム濃度		備考
			大気中濃度 (mBq/m ³)	(参考値) 捕集水濃度 (Bq/l)	
1	福島市 ほうきだ 方木田	H29. 4. 3 ~ H29. 5. 1	6.0	0.98	大気中水分量 (g/m ³) 6.1
		H29. 5. 1 ~ H29. 6. 1	6.2	0.61	10
		H29. 6. 1 ~ H29. 7. 3	14	1.0	13
		H29. 7. 3 ~ H29. 8. 1	18	0.91	20
		H29. 8. 1 ~ H29. 9. 1	ND	ND	18
		H29. 9. 1 ~ H29. 10. 2	6.4	0.49	13
		H29. 10. 2 ~ H29. 11. 1	ND	ND	10
		H29. 11. 1 ~ H29. 12. 1	ND	ND	5.9

(注) [ND] : 検出限界未満

5-3-4 降下物の核種濃度 (比較対照地点)

No.	地点名	採取期間	核種濃度 (Bq/m ² (MBq/km ²))																								
			⁵¹ Cr	⁵⁴ Mn	⁵⁸ Co	⁵⁹ Fe	⁶⁰ Co	⁹⁵ Zr	⁹⁵ Nb	¹⁰⁶ Ru	¹³⁴ Cs	¹³⁷ Cs	¹⁴⁴ Ce														
1	福島市 ほうきざ 方木田	H29. 4. 3 ~ H29. 5. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND				
		H29. 5. 1 ~ H29. 6. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			
		H29. 6. 1 ~ H29. 7. 3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
		H29. 7. 3 ~ H29. 8. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
		H29. 8. 1 ~ H29. 9. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
		H29. 9. 1 ~ H29. 10. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		H29. 10. 2 ~ H29. 11. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		H29. 11. 1 ~ H29. 12. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 4. 3 ~ H29. 5. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		H29. 5. 1 ~ H29. 6. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		H29. 6. 1 ~ H29. 7. 3 ^{*1}	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	三春町 深 ^お 作	H29. 7. 3 ~ H29. 8. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
		H29. 8. 1 ~ H29. 9. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
		H29. 9. 1 ~ H29. 10. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		H29. 10. 2 ~ H29. 11. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		H29. 11. 1 ~ H29. 12. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	

(注) 1 [ND]: 検出限界未満 「/」: 対象外核種

2 上記の他、人工放射性核種は検出されなかった。

3 *1 前処理中に、試料の損失があったため、欠測とする。残試料の測定において、Cs-134はND、Cs-137は1.5Bq/m²であった。

5-4 試料採取時の付帯データ集
 (原子力発電所周辺等環境放射能測定)

1 上水

No.	採取地点名	採取年月日	気温 (°C)	水温 (°C)	p H
1	いわき市	H29. 4. 17	18.5	12.0	7.8
		H29. 7. 4	26.1	23.0	7.8
		H29.10. 3	27.2	22.0	7.6
2	田村市	H29. 4. 7	14.9	9.5	7.6
		H29. 7. 4	21.8	22.5	7.7
		H29.10. 3	23.8	24.0	7.7
3	広野町	H29. 4. 7	20.5	11.0	7.9
		H29. 7. 5	30.2	24.0	8.1
		H29.10. 4	22.2	20.0	7.6
4	檜葉町	H29. 4. 7	16.5	12.0	7.9
		H29. 7. 5	26.1	24.3	8.0
		H29.10. 4	27.8	21.0	7.8
5	富岡町	H29. 4. 17	15.3	14.2	7.8
		H29. 7. 5	28.6	22.8	7.8
		H29.10. 4	30.0	20.0	7.6
6	川内村	H29. 4. 7	16.3	14.5	8.0
		H29. 7. 4	23.6	18.6	8.0
		H29.10. 3	25.2	20.0	7.8
7	大熊町	—	—	—	—
		—	—	—	—
		—	—	—	—
8	双葉町	—	—	—	—
		—	—	—	—
		—	—	—	—
9	浪江町	H29. 4. 6	21.0	14.0	7.8
		H29. 7. 5	29.1	26.0	7.7
		H29.10. 4	30.6	21.5	7.6
10	葛尾村	H29. 4. 7	16.6	14.3	7.8
		H29. 7. 6	27.5	21.8	7.9
		H29.10. 5	16.8	18.5	7.8
11	南相馬市	H29. 4. 6	16.8	13.5	7.7
		H29. 7. 5	24.3	24.5	7.5
		H29.10. 4	29.7	22.0	7.6
12	飯館村	H29. 4. 20	17.8	12.0	8.0
		H29. 7. 6	27.1	22.8	8.0
		H29.10. 5	15.0	19.0	7.9
13	川俣町	H29. 4. 7	18.5	13.5	7.9
		H29. 7. 6	26.3	23.0	7.9
		H29.10. 26	27.8	13.5	7.8

2 海水

No.	採取地点名	採取年月日	気温 (°C)	水温 (°C)	p H	C ₀ ⁻ (‰)
1	第一(発)南放水口付近	H29. 4. 20	13.3	9.4	8.2	19
		H29. 5. 16	15.0	14.1	8.2	18
		H29. 6. 13	15.0	14.8	8.2	17
		H29. 7. 10	20.0	19.8	8.1	18
		H29. 8. 18	24.0	24.0	8.2	16
		H29. 9. 14	22.0	21.7	8.1	18
		H29.10.17	15.0	17.9	8.1	19
		H29.11.14	14.0	15.1	8.3	20
2	第一(発)北放水口付近	H29. 4. 20	13.0	9.6	8.2	18
		H29. 5. 16	14.0	13.9	8.2	18
		H29. 6. 13	14.9	15.0	8.2	18
		H29. 7. 10	20.0	19.2	8.1	18
		H29. 8. 18	24.0	23.4	8.2	16
		H29. 9. 14	22.0	21.7	8.1	18
		H29.10.17	15.0	17.7	8.1	18
		H29.11.14	14.0	15.2	8.3	18
3	第一(発)取水口付近 (港湾出入口の外側)	H29. 4. 20	13.0	9.8	8.2	19
		H29. 5. 16	14.5	14.2	8.2	18
		H29. 6. 13	14.4	14.7	8.2	18
		H29. 7. 10	20.0	18.6	8.1	18
		H29. 8. 18	24.0	23.4	8.2	16
		H29. 9. 14	22.0	21.8	8.1	18
		H29.10.17	15.0	17.1	8.1	18
		H29.11.14	14.0	15.1	8.4	17
4	第一(発)沖合 2 km	H29. 4. 20	11.1	9.4	8.2	18
		H29. 5. 16	14.0	13.8	8.2	18
		H29. 6. 13	14.2	14.9	8.2	18
		H29. 7. 10	21.0	19.4	8.1	18
		H29. 8. 18	23.0	23.3	8.2	16
		H29. 9. 14	22.0	21.7	8.1	18
		H29.10.17	15.0	17.8	8.1	18
		H29.11.14	14.0	15.1	8.4	19
5	夫沢・熊川沖 2 km	H29. 4. 20	11.0	9.6	8.2	19
		H29. 5. 16	14.0	13.6	8.2	17
		H29. 6. 13	14.7	14.8	8.1	18
		H29. 7. 10	21.0	20.1	8.1	18
		H29. 8. 18	23.0	23.5	8.2	16
		H29. 9. 14	23.5	21.3	8.1	18
		H29.10.17	14.0	17.6	8.1	18
		H29.11.14	14.0	15.1	8.3	18
6	双葉・前田川沖 2 km	H29. 4. 20	11.1	9.7	8.2	18
		H29. 5. 16	13.8	13.8	8.2	18
		H29. 6. 13	15.0	15.4	8.2	18
		H29. 7. 10	21.0	19.3	8.1	18
		H29. 8. 18	23.0	23.3	8.2	16
		H29. 9. 14	22.0	21.8	8.2	18
		H29.10.17	14.5	17.5	8.1	18
		H29.11.14	14.0	15.1	8.4	18
7	第二(発)南放水口	H29. 5. 10	15.5	12.0	8.1	19
		H29. 8. 21	26.0	24.0	7.7	18
		H29. 11. 8	18.4	16.0	7.3	18
8	第二(発)北放水口	H29. 5. 10	15.0	13.0	8.2	19
		H29. 8. 21	27.4	24.0	7.7	17
		H29. 11. 8	16.2	16.6	7.5	18

(比較対照地点環境放射能測定)

1 上水

No.	採取地点名	採取年月日	気温 (°C)	水温 (°C)	p H
1	福島市	H29. 4. 14	19. 8	8. 3	7. 4
2	会津若松市	H29. 4. 11	10. 0	11. 5	7. 2

2 海水

No.	採取地点名	採取年月日	気温 (°C)	水温 (°C)	p H	Cl ⁻ (‰)
1	相馬市松川浦沖	H29. 9. 27	24. 5	23. 0	8. 1	18