

相馬市松川浦の定地水温(℃)

※気象庁発表の日別海面水温に合わせ、H3年～R2年の30年平均としています。次回更新はR8年です。

月日\年	S60	S61	S62	S63	H1	H2	H3	H4	H5	H6	H7	H8	H9	H10	H11	H12	H13	H14	H15	H16	H17	H18	H19	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30	H31	R2	R3	R4	R5	R6	R7	R8	平年値(※)			
1月平均	5.4	5.9	6.9	8.3	7.0	6.7	7.9	7.6	7.2	7.3	7.6	7.1	9.1	8.0	8.4	8.6	7.0	9.3	6.6	6.9	7.7	6.6	8.2	7.7	7.9	7.2	7.0	6.3	7.8	7.0	7.7	8.4	7.6	7.0	8.0	8.0	7.2	7.1	8.9	9.7	9.8	7.7	7.6	1月		
2月平均	6.2	4.8	6.6	5.8	6.4	6.3	6.6	6.5	6.3	6.2	6.7	6.1	8.0	7.4	7.7	7.3	6.5	8.2	6.3	6.5	6.4	6.6	7.9	6.0	7.0	6.2	6.7	5.5	6.4	5.7	6.8	7.6	7.3	6.3	8.0	8.1	6.5	6.5	8.0	10.1	8.1	7.4	6.8	2月		
3月平均	6.1	5.8	7.0	6.2	7.8	7.9	7.2	7.1	7.1	7.3	7.7	7.1	8.8	8.4	8.2	7.4	7.1	8.5	6.8	7.4	6.8	6.9	8.0	8.5	7.3	6.7	6.2	6.6	8.5	7.1	7.8	8.9	8.2	8.3	9.0	8.8	8.9	7.9	10.5	9.4	9.2	8.5	7.7	3月		
4月平均	9.7	9.6	9.8	9.7	11.1	10.7	10.9	10.2	9.9	10.7	10.9	9.9	11.3	11.4	11.1	10.2	10.5	12.0	10.5	11.1	10.3	9.5	10.5	10.7	11.5	9.1	11.2	9.9	10.9	10.5	11.1	11.9	10.9	12.2	9.8	10.3	12.0	11.3	13.2	14.8	11.6	11.9	10.7	4月		
5月平均	14.3	13.5	14.1	14.7	13.5	15.5	15.6	13.3	14.4	14.9	15.5	14.3	15.4	15.6	16.3	16.0	15.1	15.4	14.8	15.0	14.0	15.0	15.0	14.5	15.7	14.5	15.0	15.8	14.8	14.6	15.2	16.3	16.4	17.2	14.6	15.3	16.7	14.7	16.7	18.0	16.1	-	15.2	5月		
6月平均	17.3	16.5	18.1	17.9	16.1	18.6	19.6	17.4	18.4	18.5	17.3	17.8	18.5	17.8	19.5	18.6	18.7	18.2	17.8	19.3	18.9	19.2	19.8	17.9	18.8	19.0	19.0	18.5	19.3	19.5	19.1	19.3	18.4	20.1	18.0	19.5	20.5	18.3	21.5	21.0	19.7	-	18.7	6月		
7月平均	20.6	19.7	21.3	19.3	20.0	21.4	21.7	20.8	19.1	22.7	21.5	21.3	21.6	22.3	22.1	22.8	23.9	21.8	19.5	22.7	21.4	21.3	21.3	21.8	20.8	23.3	24.0	21.9	20.7	22.7	22.8	22.8	23.2	24.5	21.6	21.0	23.9	23.3	25.9	24.0	23.6	-	21.9	7月		
8月平均	24.6	22.3	23.3	23.2	23.8	24.9	22.7	23.0	21.7	24.8	25.4	23.7	24.2	23.1	24.3	24.7	23.2	24.4	21.4	22.7	24.2	23.8	25.0	23.4	23.4	25.0	24.4	25.2	23.8	24.3	24.5	25.7	23.6	25.1	24.7	25.5	24.6	24.5	27.1	27.3	26.9	-	24.0	8月		
9月平均	22.1	22.6	21.9	21.5	21.8	23.8	22.0	21.8	21.3	23.5	21.8	22.2	22.6	22.6	23.6	22.7	22.5	22.7	21.5	22.2	22.7	22.7	23.6	22.5	22.0	23.7	22.9	24.3	23.6	22.5	21.2	23.0	22.3	22.6	24.1	24.0	22.2	23.1	26.4	25.0	25.5	-	22.7	9月		
10月平均	18.1	17.5	18.6	18.4	17.9	19.9	18.1	17.4	17.1	19.8	19.0	18.8	18.1	19.5	19.1	19.1	17.9	18.4	17.2	17.5	19.5	18.1	18.9	18.8	18.3	19.9	18.7	19.8	19.2	18.2	17.7	19.3	17.2	19.8	19.0	18.9	19.4	18.7	20.2	21.1	20.2	-	18.6	10月		
11月平均	14.0	12.8	13.9	12.6	15.2	15.6	14.1	13.8	14.2	14.9	13.6	14.2	14.9	14.5	15.3	14.1	13.8	12.3	14.2	15.3	14.4	14.8	14.9	14.2	14.5	15.2	15.1	14.8	14.5	14.1	15.2	13.7	13.4	15.4	14.9	14.6	15.7	15.2	16.0	16.9	14.8	-	14.4	11月		
12月平均	9.0	9.6	9.2	9.2	10.3	12.5	11.0	10.4	10.4	10.8	9.5	11.7	11.9	11.0	10.8	9.5	10.0	9.3	11.5	11.7	9.2	10.8	10.8	11.6	11.2	11.8	10.5	9.8	10.3	9.9	11.5	10.7	9.5	11.0	10.9	10.9	11.6	11.3	12.0	12.1	11.1	-	10.6	12月		
最高値	27.9	25.7	26.3	26.6	26.2	27.8	26.1	26.8	24.2	29.2	28.1	26.8	26.7	25.3	27.4	26.9	26.5	27.7	25.0	26.5	26.4	27.1	27.4	26.0	26.1	28.3	28.9	28.5	26.4	27.9	28.2	27.9	26.1	28.5	27.2	27.8	27.9	27.8	30.2	29.5	29.3	14.4	27.1	Max.		
最低値	4.6	3.8	4.9	4.2	5.4	4.5	5.7	5.2	5.3	5.2	5.8	5.1	6.4	6.2	7.0	6.0	5.5	6.4	4.8	5.5	5.1	5.6	6.6	5.4	5.6	4.9	4.9	5.1	4.5	4.6	5.5	6.4	6.0	5.0	7.0	6.7	5.8	6.0	7.1	7.2	6.7	6.2	5.6	Min.		
平均値	14.2	13.6	14.4	14.0	14.3	15.5	15.0	14.2	14.0	15.3	14.9	14.7	15.5	15.3	15.7	15.2	14.9	15.3	14.2	15.0	14.8	14.7	15.5	15.0	15.0	15.3	16.0	15.0	15.2	14.9	15.2	15.7	15.0	16.0	15.4	15.5	15.9	15.3	17.4	17.6	16.6	8.9	15.1	Ave.		
1/1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1/1	
1/2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1/2
1/3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1/3
1/4	7.2	7.6	-	8.5	7.2	8.6	9.2	8.2	8.2	9.2	8.8	6.8	-	-	7.9	8.0	8.3	8.4	-	-	9.7	6.6	7.7	9.1	-	7.7	8.4	7.6	8.0	-	-	10.5	9.0	7.2	7.6	-	8.3	7.6	8.1	11.4	-	-	8.2	1/4		
1/5	5.1	-	7.1	8.2	7.0	8.6	9.0	-	7.8	8.8	9.9	6.3	-	9.5	8.4	8.4	7.8	-	-	8.6	8.7	6.1	8.3	-	8.8	8.2	8.7	7.4	-	-	7.9	9.6	8.8	8.1	-	-	8.0	7.7	7.4	11.0	-	8.6	8.2	1/5		
1/6	-	7.0	7.4	7.9	6.4	8.6	-	8.0	7.0	8.1	8.8	-	10.2	10.4	9.0	8.8	-	-	6.3	8.3	9.0	6.4	-	-	9.3	7.7	8.0	7.2	-	8.2	8.2	9.7	8.4	-	-	8.3	8.6	7.3	7.4	-	10.1	8.4	8.1	1/6		
1/7	4.8	7.2	7.3	8.0	6.2	-	8.6	8.2	7.2	8.6	-	-	9.4	9.4	9.1	9.8	-	9.3	6.7	7.9	8.7	-	-	8.3	9.0	8.1	8.0	-	8.4	8.2	8.0	9.6	-	-	8.6	8.2	8.3	7.4	-	-	10.6	8.1	8.2	1/7		
1/8	5.2	7.4	8.0	9.2	-	7.4	8.8	7.4	7.3	-	-	7.7	10.0	9.5	8.9	-	-	10.0	6.8	7.2	-	-	-	8.5	8.6	8.2	-	-	8.4	7.8	7.9	8.9	-	-	8.5	8.5	8.4	-	-	-	10.4	8.7	8.3	1/8		
1/9	5.8	7.0	8.0	9.4	7.3	7.5	8.5	8.5	-	-	8.7	6.2	10.1	7.5	-	-	6.6	9.5	6.7	7.7	-	-	8.4	8.7	8.8	-	-	-	7.9	8.2	8.0	-	-	8.2	8.3	8.2	-	-	-	9.6	10.7	7.9	8.1	1/9		
1/10	5.8	6.4	7.4	-	7.7	7.5	8.1	8.0	-	8.1	8.6	6.7	10.2	-	-	-	7.4	9.4	6.9	-	-	6.7	9.1	8.1	-	-	-	6.8	8.2	7.2	-	-	8.0	8.2	7.8	7.9	-	-	9.6	9.8	10.5	-	7.8	1/10		
1/11	6.3	6.4	-	8.1	7.9	7.7	8.5	-	7.6	7.6	7.9	7.0	-	-	7.9	8.8	7.3	9.4	-	-	7.6	6.8	8.5	7.9	-	-	7.3	6.6	6.9	-	-	-	7.7	8.2	7.8	-	-	8.0	9.3	9.0	-	-	7.7	1/11		
1/12	5.8	-	6.4	7.9	7.6	7.4	-	-	7.4	7.8	7.6	7.4	-	7.6	8.0	8.9	7.4	-	-	7.6	6.5	8.6	-	-	7.5	7.6	6.1	-	-	-	8.7	7.9	7.8	-	-	6.5	7.8	9.5	9.4	-	-	7.5	1/12			
1/13	-	5.8	6.7	8.1	7.8	-	-	8.8	7.4	7.4	7.1	-	10.2	8.2	8.3	8.9	-	-	7.6	7.2	6.3	-	-	7.8	7.4	7.1	6.5	-	-	8.0	8.8	7.9	-	-	-	6.8	7.6	9.9	-	-	8.3	7.6	1/13			
1/14	5.4	5.5	5.7	8.8	7.6	-	7.4	8.7	7.4	7.6	-	-	10.6	8.0	8.1	9.2	-	-	7.6	7.1	7.6	-	-	-	7.5	6.7	7.4	-	-	6.2	7.6	9.0	-	-	-	8.8	6.9	6.7	-	-	9.2	8.2	7.6	1/14		
1/15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7.2	9.7	6.9	6.3	-	-	8.4	8.2	7.1	6.8	-	-	7.1	5.8	8.1	8.7	-	6.3	9.1	8.9	6.8	-	-	9.6	9.6	7.6	7.4	1/15		
1/16	6.2	5.4	6.4	9.1	-	6.8	7.5	8.0	-	-	-	8.6	9.1	7.1	-	-	7.3	10.3	5.8	6.3	-	7.2	8.2	8.5	7.3	-	-	6.2	7.6	5.8	8.2	-	7.5	6.8	8.9	8.7	-	-	10.7	8.7	8.7	8.2	7.5	1/16		
1/17	5.4	5.8	7.4	-	7.2	6.7	7.5	8.6	-	8.2	6.5	8.5	10.2	-	-	9.4	7.5	9.5	6.8	-	6.1	7.1	8.0	7.9	-	-	6.4	6.1	8.4	6.2	-	-	7.6	7.6	8.8	8.5	-	6.6	10.2	9.1	8.5	-	7.5	1/17		
1/18	5.4	6.0	-	8.4	7.7	6.6	6.6	8.2	7.4	7.0	6.8	7.8	-	-	7.3	9.3	8.2	9.4	-	-	7.8	7.2	7.6	7.7	-	6.4	5.9	6.2	8.1	-	-	8.3	7.9	7.4	7.3	-	7.1	6.5	10.4	9.6	-	-	7.4	1/18		
1/19	4.6	-	7.0	7.2	7.2	7.4	7.2	-	7.6	7.6	6.0	7.0	-	8.3	8.2	8.7	7.3	-	-	6.5	7.9	6.7	7.3	-	8.0	6.9	6.5	6.4	-	-	7.1	8.8	7.9	7.3	-	-	7.1	6.4	10.4	9.7	-	7.9	7.3	1/19		
1/20	-	6.0	6.6	7.7	7.5	7.2	-	7.2	7.4	7.4</																																				

相馬市松川浦の定地水温(℃)

※気象庁発表の日別海面水温に合わせ、H3年～R2年の30年平均としています。次回更新はR8年です。

月日\年	S60	S61	S62	S63	H1	H2	H3	H4	H5	H6	H7	H8	H9	H10	H11	H12	H13	H14	H15	H16	H17	H18	H19	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30	H31	R2	R3	R4	R5	R6	R7	R8	平年値(※)			
2/3	-	5.4	5.2	6.5	6.0	5.8	-	6.2	6.5	5.8	6.3	-	8.6	7.8	7.6	7.6	-	-	5.5	6.5	7.1	6.4	-	-	7.2	6.4	6.2	5.9	-	7.6	6.3	6.9	7.2	-	-	8.7	6.2	6.4	7.3	-	9.3	6.3	6.9	2/3		
2/4	5.4	5.0	4.9	5.9	5.4	-	7.3	7.2	6.6	5.4	-	-	6.9	7.2	7.2	7.4	-	9.3	5.6	6.2	7.2	-	-	6.5	7.4	6.0	6.8	-	7.8	7.2	6.7	7.5	-	-	8.7	8.7	6.3	6.3	-	-	9.3	6.7	7.1	2/4		
2/5	5.7	4.7	5.8	6.6	-	5.7	6.5	7.0	6.2	-	-	5.7	7.0	7.0	7.3	-	6.2	9.8	5.6	6.0	-	-	7.4	6.2	7.5	6.2	-	-	7.3	6.4	6.8	7.6	-	6.6	7.8	8.9	6.1	-	-	9.8	9.1	7.4	7.0	2/5		
2/6	6.3	5.0	6.3	6.6	6.1	6.0	6.8	6.8	-	-	6.6	5.4	7.6	7.1	-	-	6.1	9.5	5.6	5.5	-	6.4	8.1	6.1	7.7	-	-	5.5	7.5	6.5	7.2	-	8.9	6.7	7.8	7.9	-	-	7.7	9.0	8.8	7.6	7.0	2/6		
2/7	6.7	4.7	6.4	-	6.2	6.3	7.2	7.2	-	6.8	6.8	5.6	7.5	-	-	8.1	5.6	9.8	5.9	-	6.4	6.5	7.8	6.0	-	-	7.1	6.0	7.2	6.6	-	-	8.6	6.7	8.4	6.7	-	6.3	8.2	8.1	8.8	-	7.0	2/7		
2/8	6.4	4.0	-	6.5	6.6	6.6	7.0	-	6.2	6.1	6.8	5.7	-	-	7.4	8.2	5.5	9.5	-	-	5.1	6.3	7.8	5.8	-	5.7	6.5	5.4	6.3	-	-	6.7	7.8	6.8	8.3	-	7.0	6.5	8.3	9.2	-	-	6.7	2/8		
2/9	6.4	-	7.3	6.7	6.4	5.6	-	-	5.3	7.1	7.0	6.2	-	6.5	7.3	8.0	5.6	-	-	6.3	6.6	5.8	8.3	-	6.5	6.2	6.6	5.2	-	-	6.7	7.6	7.5	6.9	-	-	5.9	6.8	7.8	9.3	-	6.2	6.7	2/9		
2/10	-	3.8	7.7	6.5	6.8	-	-	6.8	5.3	6.7	7.2	-	7.5	6.3	7.9	8.0	-	-	7.1	6.2	7.4	5.7	-	-	7.7	6.2	6.4	5.2	-	5.2	6.8	7.1	7.0	-	-	7.2	5.8	7.0	7.9	-	7.9	6.7	6.7	2/10		
2/11	-	-	-	-	-	-	-	-	5.8	-	-	-	-	-	-	7.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.8	2/11
2/12	7.0	5.0	8.2	6.5	-	-	6.2	7.1	6.2	-	-	-	8.3	6.8	7.6	-	-	6.5	7.1	6.7	-	-	-	6.7	7.6	4.9	-	-	5.6	4.8	7.2	7.7	-	-	7.6	7.5	6.1	-	-	-	7.2	7.3	6.8	2/12		
2/13	7.2	5.0	6.8	6.6	6.7	6.1	5.7	7.3	-	-	7.2	6.7	8.2	7.9	-	-	6.4	6.9	6.3	6.8	-	5.6	7.8	6.1	7.6	-	-	5.2	6.8	4.6	7.3	-	7.0	5.6	7.4	8.0	-	-	8.9	9.8	7.6	7.2	6.7	2/13		
2/14	7.1	5.4	6.8	-	6.3	5.9	5.9	7.4	-	5.2	7.3	6.9	8.1	-	7.9	6.5	7.1	6.3	-	6.1	6.6	7.9	5.4	-	-	6.8	5.7	6.8	5.0	-	-	7.0	5.8	7.7	8.5	-	6.7	9.0	11.2	6.7	-	6.7	2/14			
2/15	6.9	5.3	-	6.1	6.8	6.0	6.6	7.3	6.2	5.4	6.6	7.1	-	-	7.4	7.9	6.6	7.6	-	-	6.5	7.1	7.5	5.8	-	5.7	6.7	5.8	7.0	-	-	8.5	7.6	6.0	7.0	-	7.7	6.7	8.4	12.2	-	-	6.8	2/15		
2/16	6.0	-	6.3	5.7	7.4	6.0	7.4	-	6.4	6.2	6.7	6.6	-	7.4	7.5	7.2	6.8	-	-	6.8	6.1	6.9	6.6	-	7.8	5.3	6.1	5.7	-	-	5.7	8.3	7.7	5.8	-	-	7.2	6.7	8.0	11.3	-	7.9	6.7	2/16		
2/17	-	4.8	6.0	5.0	7.3	6.2	-	6.0	6.7	6.6	5.8	-	8.4	7.6	7.4	6.8	-	-	6.1	6.7	6.4	6.7	-	-	7.5	5.3	6.4	5.4	-	4.6	5.9	8.4	8.2	-	-	8.7	7.1	6.6	7.8	-	8.5	7.4	6.7	2/17		
2/18	6.1	5.0	6.0	5.1	6.8	-	6.0	6.3	6.2	7.2	-	-	8.3	7.5	7.9	6.3	-	8.3	6.3	5.6	6.7	-	-	5.6	7.1	5.1	6.9	-	6.6	4.8	5.9	7.9	-	-	7.1	8.7	6.9	6.1	-	-	7.3	7.8	6.7	2/18		
2/19	6.3	4.8	6.3	5.0	-	6.3	6.7	6.6	5.8	-	-	5.6	7.9	7.7	7.6	-	6.8	7.3	6.7	6.5	-	-	7.1	5.5	7.2	5.6	-	-	6.2	4.6	5.9	7.9	-	5.6	7.6	8.6	6.6	-	-	12.4	7.9	7.3	6.7	2/19		
2/20	6.4	4.0	6.2	4.8	6.3	6.5	5.9	5.8	-	-	6.6	5.3	7.5	8.3	-	-	6.4	7.5	6.9	6.2	-	7.1	8.1	6.0	6.6	-	-	5.1	6.2	5.2	6.5	-	7.4	6.2	7.7	8.2	-	-	7.9	12.5	8.1	7.0	6.7	2/20		
2/21	6.2	4.5	6.2	-	7.3	7.2	6.9	5.8	-	7.9	6.5	5.4	8.7	-	-	6.7	6.6	8.4	6.4	-	6.5	7.2	8.4	5.6	-	-	6.6	5.4	5.8	5.4	-	-	7.0	6.1	8.4	7.6	-	6.2	7.7	11.2	8.1	-	6.8	2/21		
2/22	5.5	4.4	-	4.7	5.7	7.2	6.8	-	6.6	6.0	6.8	5.6	-	-	7.2	6.0	7.3	8.2	-	-	5.8	7.4	8.9	6.1	-	5.9	6.8	5.4	5.8	-	-	7.0	6.8	6.3	8.1	-	7.5	6.0	7.5	9.0	-	-	6.7	2/22		
2/23	5.4	-	7.2	5.0	5.5	7.6	-	-	6.8	5.8	6.8	6.2	-	8.0	8.2	6.3	7.5	-	-	7.3	6.4	8.0	8.3	-	6.4	6.5	6.7	5.8	-	-	7.9	7.8	7.2	6.6	-	-	-	-	-	-	-	-	-	7.0	2/23	
2/24	-	5.6	7.8	5.0	-	-	-	6.0	6.8	5.2	7.2	-	7.5	8.0	8.4	6.2	-	-	6.6	6.8	6.3	7.7	-	-	5.6	6.9	7.7	5.9	-	6.2	8.1	7.7	6.0	-	-	-	6.5	6.2	8.0	-	-	8.9	6.8	2/24		
2/25	5.8	4.4	7.9	5.4	6.6	-	6.6	6.2	6.4	6.2	-	-	7.6	7.5	8.4	6.3	-	7.3	6.5	7.0	5.9	-	-	5.4	6.3	7.3	8.6	-	4.5	6.0	7.6	7.6	-	-	9.0	8.0	5.9	6.6	-	-	7.1	8.8	6.9	2/25		
2/26	5.6	4.5	6.9	5.6	-	7.9	6.1	6.3	6.6	-	-	6.6	8.6	7.2	8.5	-	5.9	7.3	6.5	7.6	-	-	7.6	5.9	6.2	7.7	-	-	4.6	5.6	7.1	7.5	-	6.9	8.9	8.1	6.3	-	-	9.4	8.0	8.4	7.0	2/26		
2/27	5.8	4.9	6.6	4.4	5.6	7.8	6.0	6.3	-	-	6.9	6.5	8.8	8.5	-	-	6.7	7.8	6.5	6.6	-	6.3	8.0	6.1	6.0	-	-	5.3	5.4	6.0	7.4	-	6.8	6.5	8.4	7.8	-	-	8.1	8.9	7.3	8.3	6.8	2/27		
2/28	5.9	4.4	6.4	-	6.5	7.0	6.8	6.6	-	7.0	6.7	6.7	8.5	-	-	7.1	7.2	8.0	5.8	-	6.3	6.0	8.5	5.6	-	-	7.5	5.6	6.8	6.9	-	-	6.8	6.9	8.7	7.7	-	6.8	8.4	9.0	8.2	-	7.0	2/28		
2/29	-	-	-	4.7	-	-	-	-	-	-	-	6.9	-	-	-	-	-	-	-	-	-	-	-	5.8	-	-	-	5.6	-	-	-	8.7	-	-	-	-	-	-	-	-	-	9.1	-	-	6.8	2/29
3/1	4.8	4.6	-	5.2	7.9	7.3	5.8	-	7.3	7.4	7.0	7.1	-	-	8.2	6.2	7.3	8.3	-	7.1	6.1	6.2	7.3	-	-	6.6	7.0	6.0	7.2	-	-	8.0	7.6	7.9	8.3	-	6.8	7.1	8.8	9.3	-	-	7.1	3/1		
3/2	5.8	-	6.4	4.6	5.5	7.3	5.8	6.6	7.2	7.2	7.2	-	-	7.6	8.0	6.4	6.8	-	-	6.7	5.9	6.5	7.9	-	6.5	5.6	6.7	6.3	-	-	6.3	7.8	7.9	5.8	-	8.2	8.3	7.5	9.0	-	-	8.4	6.9	3/2		
3/3	-	5.2	5.6	4.2	7.7	7.1	-	6.6	7.4	7.2	6.9	-	8.2	8.3	7.8	7.2	-	-	6.3	5.7	6.5	6.4	-	7.6	6.6	6.0	5.6	-	-	6.6	5.5	7.8	8.4	-	-	8.4	7.5	7.3	8.5	-	9.1	8.4	7.0	3/3		
3/4	5.3	5.1	6.6	4.9	8.0	-	6.2	6.4	7.7	7.6	-	6.0	8.3	8.5	8.1	-	-	7.3	5.7	6.1	5.5	-	-	7.3	6.4	6.3	4.9	-	6.8	6.4	6.3	7.8	-	-	8.4	8.3	7.9	7.2	-	9.7	8.3	7.0	6.9	3/4		
3/5	5.5	5.2	7.0	5.2	-	7.7	7.1	6.3	7.8	-	-	5.6	8.3	8.3	8.6	-	6.7	8.1	5.9	5.8	-	-	9.1	6.5	6.9	6.2	-	6.0	7.4	7.4	6.4	-	-	7.7	8.2	8.3	9.0	-	-	9.5	8.4	7.2	7.2	3/5		
3/6	5.4	5.0	7.1	-	7.4	7.6	7.5	5.2	-	-	7.0	5.3	8.1	8.4	-	7.4	6.5	8.3	5.9	-	-	6.9	8.9	6.8	7.3	-	-	6.2	8.0	6.4	6.9	-	8.9	6.9	8.7	7.9	-	-	8.4	9.1	8.9	8.0	7.2	3/6		
3/7	5.4	5.2	6.4	6.2	7.2	8.0	6.9	5.4	-	7.2	7.1	6.1	9.8	-	-	7.7	6.9	8.3	5.9	-	6.1	7.2	7.8	6.9	-	-	6.7	6.6	8.4	6.2	-	8.8	8.7	6.9	8.7	-	-	7.1	8.9	8.7	8.8	-	7.3	3/7		
3/8	6.3	5.6	-	5.8	6.7	7.4	6.8	-	5.5	7.2	7.2	6.3	-	-	8.1	7.0	6.0	7.8	-	5.5	6.3	7.3	7.7	-	-	6.8	6.2	6.4	8.7	-	-	9.1	8.3	7.0	8.2	-	9.1	7.1	9.5	7.2	-	-	7.1	3/8		
3/9	6.3	-	6.6	5.9	6.5	6.7	-	7.2	5.3	7.2	7.6	-	-	8.0	8.2	6.8	5.9	-	-	6.2	6.6	7.3	8.5	-	7.0	6.4	6.4	6.4	-	-	7.4	8.7	8.0	8.4	-	8.7	8.7	7.4	10.0	-	-	7.2	7.2	3/9		
3/10	-	6.4	6.6	5.9	7.0	-	-	7.4																																						

相馬市松川浦の定地水温(℃)

※気象庁発表の日別海面水温に合わせ、H3年～R2年の30年平均としています。次回更新はR8年です。

月日\年	S60	S61	S62	S63	H1	H2	H3	H4	H5	H6	H7	H8	H9	H10	H11	H12	H13	H14	H15	H16	H17	H18	H19	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30	H31	R2	R3	R4	R5	R6	R7	R8	平年値(※)	
3 /22	7.2	5.8	-	6.6	6.7	7.8	7.6	-	7.0	7.6	9.2	8.2	-	-	-	7.8	8.3	9.3	-	7.3	7.1	6.5	8.0	-	-	-	-	6.4	9.6	-	-	9.4	8.6	7.9	10.1	-	8.7	7.2	12.0	8.2	-	-	8.1	3/22
3 /23	7.0	-	7.4	7.6	7.8	8.0	-	6.5	7.8	7.5	8.4	-	-	8.5	7.2	7.6	8.4	-	-	7.2	7.6	6.5	8.3	-	8.8	7.4	-	6.9	-	-	9.4	9.4	8.6	7.6	-	8.6	8.8	6.8	12.7	-	-	8.8	7.9	3/23
3 /24	-	4.9	7.6	7.1	7.8	-	-	6.2	8.4	7.4	8.8	-	8.7	8.0	7.6	8.1	-	-	7.6	7.8	7.7	7.0	-	9.5	7.4	7.4	-	-	-	7.0	7.6	9.1	8.2	-	-	8.7	8.5	7.6	12.5	-	9.6	9.0	7.9	3/24
3 /25	7.3	4.6	8.2	6.4	8.4	-	8.6	6.5	8.8	7.2	-	7.2	8.9	8.5	8.7	-	-	8.8	7.9	8.1	7.6	-	-	9.3	7.2	6.8	-	-	9.0	7.1	8.4	8.6	-	-	8.8	8.6	9.3	8.2	-	10.8	10.1	9.1	8.1	3/25
3 /26	7.8	6.1	6.8	6.3	-	7.8	8.6	7.0	8.6	-	-	7.8	9.2	8.9	8.9	-	9.6	9.0	8.2	8.3	-	-	9.1	9.7	6.8	7.2	-	7.0	8.6	8.6	8.1	-	-	9.5	9.3	9.6	9.6	-	-	10.7	10.5	9.3	8.5	3/26
3 /27	6.6	7.4	6.8	-	8.4	8.1	8.6	7.0	-	-	7.6	8.2	9.2	9.3	-	7.3	7.6	9.7	8.7	-	-	7.7	8.6	10.0	6.8	-	-	7.0	8.6	8.6	7.9	-	7.4	9.4	9.4	9.6	-	-	10.5	9.1	10.6	9.6	8.4	3/27
3 /28	6.8	6.9	7.7	7.0	8.6	9.0	7.9	-	-	7.8	8.0	8.4	9.6	-	-	7.8	7.3	8.1	8.1	-	7.7	7.9	8.8	9.5	-	-	-	7.4	9.4	8.8	-	9.8	8.0	10.7	9.5	-	-	8.6	10.4	9.7	11.0	-	8.5	3/28
3 /29	7.1	6.0	-	6.8	8.8	9.1	8.5	-	7.2	8.2	7.4	8.8	-	-	7.5	8.8	7.2	8.9	-	8.8	7.8	7.8	9.0	-	-	7.0	-	7.1	10.2	-	-	9.7	9.0	11.7	9.4	-	11.4	8.6	10.9	11.6	-	-	8.5	3/29
3 /30	7.1	-	9.7	7.1	9.0	8.8	9.2	8.0	7.0	7.6	8.6	-	-	10.9	7.0	8.9	6.5	-	-	9.5	7.2	6.9	9.0	-	7.8	6.3	-	7.4	-	-	9.7	10.4	9.3	10.5	-	8.6	11.8	8.8	11.5	-	-	10.4	8.4	3/30
3 /31	-	7.4	8.8	6.5	8.4	9.4	-	9.5	7.9	8.4	10.0	-	9.7	10.3	7.2	8.8	-	-	8.4	9.5	7.3	6.5	-	8.8	8.4	7.3	-	-	-	9.5	10.4	10.6	8.3	-	-	9.2	11.6	9.7	12.3	-	9.4	10.5	8.8	3/31
4 /1	7.4	7.4	7.3	6.2	9.0	-	8.8	9.8	8.5	8.4	-	9.2	9.7	9.1	8.2	-	-	10.4	9.4	8.8	7.4	-	-	8.3	8.0	8.7	-	-	9.2	9.2	11.1	10.7	-	-	8.3	9.7	11.8	7.4	-	12.4	8.8	11.0	9.1	4/1
4 /2	7.3	7.8	7.5	7.6	-	10.3	8.4	10.8	8.8	-	-	9.4	10.1	7.7	9.8	-	7.5	10.9	9.4	8.4	-	-	10.5	8.9	8.4	8.2	-	7.2	9.3	9.8	10.4	-	-	12.6	8.4	10.0	11.8	-	-	11.7	8.4	9.8	9.3	4/2
4 /3	8.2	7.6	7.8	-	9.3	10.6	8.9	11.2	-	-	8.0	8.0	9.7	8.2	-	8.5	8.1	10.9	9.3	-	-	7.3	10.1	10.2	8.8	-	-	7.4	9.6	9.8	11.4	-	8.3	11.7	8.2	9.6	-	-	12.0	12.1	8.7	9.8	9.2	4/3
4 /4	8.8	7.5	8.4	10.3	10.0	9.6	9.0	11.4	-	9.0	8.3	8.0	10.3	-	-	8.9	7.8	11.0	9.6	-	8.4	7.2	9.8	10.3	-	-	-	7.6	10.6	10.2	-	10.6	8.8	12.2	8.5	-	-	9.4	12.3	12.7	8.8	-	9.4	4/4
4 /5	9.4	8.2	-	9.6	9.6	9.1	9.6	-	9.3	8.8	9.4	8.4	-	-	9.9	9.0	8.1	11.1	-	9.1	8.5	7.3	9.5	-	-	7.6	-	8.0	10.4	-	-	10.7	9.7	10.6	8.8	-	11.4	9.1	13.2	12.0	-	-	9.2	4/5
4 /6	9.3	-	8.8	9.4	10.2	8.5	10.0	10.8	9.2	8.8	9.7	-	-	9.0	9.3	9.2	9.3	-	-	10.1	8.9	7.6	9.4	-	9.3	9.4	-	8.8	-	-	10.9	11.4	10.5	10.3	-	9.2	11.1	9.8	14.2	-	-	12.2	9.6	4/6
4 /7	-	8.1	8.8	8.6	10.6	9.0	-	9.9	9.7	9.6	9.8	-	10.8	9.5	9.0	9.3	-	-	9.3	11.1	10.5	7.8	-	11.3	10.9	8.3	-	-	-	7.8	10.4	10.8	10.8	-	-	9.1	11.6	9.9	14.7	-	9.8	11.1	9.8	4/7
4 /8	8.8	8.0	9.8	7.2	10.4	-	9.6	9.0	9.5	10.8	-	9.3	11.2	10.6	8.7	-	-	11.0	9.4	10.6	11.1	-	-	10.9	11.2	8.4	-	-	10.2	9.0	9.4	11.5	-	-	9.4	10.6	11.2	9.8	-	15.4	10.3	9.9	10.1	4/8
4 /9	9.4	9.8	10.2	6.9	-	10.0	10.5	9.6	8.8	-	-	9.3	12.3	10.1	9.2	-	11.0	11.8	9.4	10.6	-	-	10.7	10.0	11.8	8.5	-	8.6	10.2	8.8	9.8	-	-	10.7	9.2	11.3	11.0	-	-	15.0	10.6	10.5	10.1	4/9
4 /10	9.2	10.2	10.2	-	11.4	11.4	10.4	9.3	-	-	10.2	9.0	10.7	11.2	-	9.8	11.9	11.2	8.9	-	-	7.8	10.4	9.9	12.6	-	-	8.8	10.8	10.8	9.8	-	9.9*	10.9*	9.1*	10.9*	-	-	11.5	12.3	11.0	10.4	10.2	4/10
4 /11	8.7	9.5	10.4	8.3	10.8	11.9	11.2	-	-	9.8	9.6	9.2	11.0	-	-	9.2	11.9	11.5	9.3	-	10.9	8.4	10.3	9.8	-	-	-	8.2	11.3	8.8	-	10.4	9.9	10.7	7.9	-	-	11.0	12.4	13.6	12.5	-	10.0	4/11
4 /12	8.2	8.3	-	8.0	9.6	11.9	12.7	-	8.8	10.0	10.0	9.0	-	-	9.4	9.4	12.2	11.3	-	11.2	10.0	8.4	10.6	-	-	9.6	-	9.2	10.4	-	-	10.7	10.3	11.3	9.2	-	12.8	11.1	12.7	14.6	-	-	10.2	4/12
4 /13	7.7	-	8.4	7.9	9.6	11.6	-	7.8	9.4	11.0	9.9	-	-	13.5	10.5	9.6	10.8	-	-	10.7	9.2	10.7	10.7	-	12.5	8.9	-	9.6	-	-	9.8	11.3	9.4	10.3	-	9.9	12.4	12.0	12.4	-	-	10.7	10.3	4/13
4 /14	-	9.3	8.4	9.5	10.2	-	-	8.2	9.3	10.6	10.0	-	10.6	13.5	10.1	9.7	-	-	10.7	10.8	9.4	10.5	-	10.2	12.6	9.6	-	-	-	10.4	10.4	10.6	10.1	-	-	8.5	11.9	11.8	12.7	-	11.1	11.7	10.3	4/14
4 /15	8.8	8.8	9.4	10.2	10.2	-	12.4	8.8	9.5	10.8	-	9.5	10.5	11.1	10.6	-	-	12.6	10.4	11.0	10.0	-	-	11.2	12.9	8.6	-	-	11.9	11.2	10.6	11.0	-	-	10.5	8.9	10.9	10.8	-	15.0	11.7	13.0	10.7	4/15
4 /16	9.3	9.3	9.8	10.2	-	10.0	13.2	9.9	9.8	-	-	10.6	10.3	11.2	11.4	-	11.0	13.2	11.4	11.1	-	-	10.5	10.7	12.8	8.0	-	9.8	11.2	11.4	11.8	-	-	11.0	10.2	10.1	11.6	-	-	16.2	11.3	12.7	10.9	4/16
4 /17	10.5	8.5	9.5	-	12.2	9.7	12.2	10.0	-	-	12.0	10.5	10.2	10.6	-	10.1	11.1	13.3	12.2	-	-	9.9	9.1	12.2	14.2	-	-	9.8	11.2	10.4	10.9	-	10.6	12.2	10.4	10.1	-	-	13.0	15.4	11.4	13.1	11.1	4/17
4 /18	10.8	9.2	10.8	12.4	11.7	9.6	12.2	11.0	-	10.0	11.4	10.2	11.3	-	-	11.2	11.6	11.9	12.6	-	10.1	10.3	9.5	11.8	-	-	11.8	10.8	11.0	10.0	-	12.8	11.2	12.4	10.9	-	-	11.5	12.9	15.4	12.7	-	11.2	4/18
4 /19	11.5	9.0	-	10.7	12.4	10.3	9.9	-	11.7	10.2	11.6	10.5	-	-	11.3	11.4	10.4	11.4	-	13.2	10.3	9.8	10.3	-	-	8.8	11.4	13.1	11.6	-	-	12.6	11.6	13.0	11.0	-	11.4	12.7	14.3	15.9	-	-	11.2	4/19
4 /20	10.4	-	11.0	10.2	14.0	10.6	10.0	10.8	11.0	10.2	11.0	-	-	12.0	12.5	10.0	12.4	-	-	14.1	10.6	9.9	11.3	-	11.7	8.8	8.9	13.4	-	-	11.1	12.8	11.5	13.0	-	9.5	12.1	11.7	15.4	-	-	14.3	11.2	4/20
4 /21	-	10.9	10.6	10.4	13.1	10.1	-	9.8	10.0	10.2	11.5	-	14.0	11.5	12.6	9.9	-	-	10.1	11.6	10.9	9.3	-	10.5	11.4	9.6	10.0	-	-	10.6	11.8	13.2	10.5	-	-	10.2	12.8	11.7	16.3	-	13.0	13.1	10.9	4/21
4 /22	10.9	12.2	10.3	9.8	13.0	-	10.2	9.8	10.9	10.8	-	9.8	13.6	12.9	12.8	-	-	11.7	11.0	12.5	11.8	-	-	11.5	12.3	8.7	10.3	-	9.2	10.8	11.7	12.6	-	-	11.0	11.4	12.7	12.0	-	16.1	13.9	11.7	11.2	4/22
4 /23	11.3	11.5	10.8	10.4	-	12.4	11.0	10.4	11.0	-	-	10.2	12.3	13.5	13.3	-	10.2	13.3	10.2	11.8	-	-	11.3	11.9	12.8	8.4	-	11.2	10.2	11.3	10.9	-	-	13.8	10.9	10.4	12.2	-	-	16.3	13.6	11.5	11.4	4/23
4 /24	12.0	12.6	11.5	-	12.4	12.1	12.4	10.6	-	-	12.0	12.0	10.8	15.6	-	11.6	11.3	13.7	9.9	-	-	11.1	11.4	11.3	12.4	-	-	11.6	12.2	11.6	11.4	-	12.8	14.6	11.4	10.2	-	-	12.1	15.7	13.6	12.2	11.9	4/24
4 /25	10.8	12.6	9.7	10.8	12.0	12.2	12.2	-	-	14.0	11.7	11.2	11.6	-	-	11.7	1																											

相馬市松川浦の定地水温(℃)

※気象庁発表の日別海面水温に合わせ、H3年～R2年の30年平均としています。次回更新はR8年です。

月日\年	S60	S61	S62	S63	H1	H2	H3	H4	H5	H6	H7	H8	H9	H10	H11	H12	H13	H14	H15	H16	H17	H18	H19	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30	H31	R2	R3	R4	R5	R6	R7	R8	平年値(※)	
5 /9	13.5	15.8	12.5	12.8	14.0	16.0	12.4	-	-	15.6	14.6	11.8	14.5	-	-	14.1	13.8	14.2	12.4	-	14.2	12.9	14.5	14.1	-	-	13.0	15.3	14.0	12.8	-	13.8	16.2	13.6	13.9	-	-	11.6	13.1	15.7	15.4	13.9	5/9	
5 /10	13.4	14.8	-	12.2	14.0	17.3	14.6	-	12.0	15.4	13.8	11.8	-	-	14.9	14.6	14.3	14.9	-	13.1	14.6	14.4	13.8	-	-	14.7	13.2	15.1	14.8	-	-	13.8	15.6	14.2	13.1	-	16.3	11.0	15.0	17.0	-	14.1	5/10	
5 /11	12.3	-	15.4	11.0	11.2	17.0	-	11.2	12.8	15.4	14.6	-	-	15.3	15.0	13.6	14.5	-	-	13.0	13.8	15.7	13.8	-	16.2	15.2	13.6	15.2	-	-	13.5	13.9	15.9	14.0	-	15.2	15.8	11.7	15.0	-	-	14.4	5/11	
5 /12	-	12.1	15.7	12.9	10.6	-	-	11.7	13.7	14.2	16.0	-	15.5	14.5	15.3	14.0	-	-	12.5	14.4	12.2	15.0	-	13.1	16.3	14.4	13.0	-	-	15.8	13.9	14.2	16.6	-	-	16.2	16.3	13.1	15.1	-	14.9	14.4	5/12	
5 /13	12.1	12.2	16.1	12.9	-	-	16.6	13.2	13.3	15.0	-	11.2	15.2	15.7	17.8	-	-	13.9	13.7	13.2	11.1	-	-	13.1	16.7	12.5	14.2	-	12.9	16.0	13.8	14.9	-	-	13.5	16.3	17.1	16.4	-	16.7	15.7	14.3	5/13	
5 /14	12.8	12.2	14.4	14.6	-	15.2	17.8	13.8	12.8	-	-	12.4	14.7	15.9	19.0	-	15.0	14.8	16.6	14.5	-	-	14.0	12.8	14.6	13.3	-	15.2	14.3	14.8	16.2	-	-	17.2	14.4	14.8	17.1	-	-	16.5	16.5	15.0	5/14	
5 /15	14.1	12.0	13.1	-	11.3	14.5	17.9	14.7	-	-	15.8	14.0	13.6	15.7	-	16.5	14.9	15.7	16.1	-	-	14.9	16.4	13.2	13.6	-	-	14.4	13.2	14.4	17.4	-	14.1	18.2	15.9	14.4	-	-	-	17.2	16.1	15.2	5/15	
5 /16	13.6	12.9	14.5	15.1	13.4	14.4	16.6	14.1	-	14.4	16.4	13.8	15.0	-	-	17.6	13.7	15.3	13.9	-	11.3	14.8	16.1	15.3	-	-	17.1	14.8	13.8	14.2	-	16.3	15.4	18.8	16.1	-	-	14.8	16.2	17.2	16.1	15.2	5/16	
5 /17	15.0	13.5	-	16.0	14.8	15.0	15.4	-	14.1	14.2	14.9	12.6	-	-	15.6	17.8	13.6	14.7	-	16.0	12.0	14.4	15.8	-	-	14.5	17.3	15.8	13.7	-	-	16.3	15.3	18.0	15.5	-	15.9	13.7	18.0	17.6	-	15.1	5/17	
5 /18	16.7	-	13.9	16.0	15.9	15.4	15.0	13.1	15.1	15.0	16.0	-	-	12.8	16.4	17.2	14.4	-	16.2	12.2	14.5	16.2	-	12.7	14.8	17.0	15.0	-	-	15.9	17.5	14.8	17.2	-	16.7	15.8	15.0	19.8	-	-	15.3	5/18		
5 /19	-	14.0	13.9	16.2	16.0	15.1	-	13.9	16.0	13.4	15.6	-	18.2	13.8	15.7	18.2	-	13.9	16.8	13.0	14.1	-	17.4	13.5	14.0	16.4	-	-	13.6	15.0	17.8	15.7	-	-	16.2	15.6	15.7	20.2	-	15.0	15.3	5/19		
5 /20	15.2	13.4	13.0	15.8	15.2	-	14.6	14.2	17.0	13.0	-	13.6	16.1	13.8	15.0	-	-	14.6	14.1	15.4	14.3	-	-	15.0	14.1	14.0	16.4	-	15.8	13.7	14.9	18.3	-	-	12.3	13.1	16.3	15.2	-	19.7	16.1	14.7	5/20	
5 /21	13.4	14.6	14.4	15.0	-	13.5	14.6	13.8	17.8	-	-	14.5	15.5	14.6	15.4	-	17.6	15.3	14.4	13.6	-	-	14.8	14.9	17.9	16.0	-	17.9	16.8	13.1	13.9	-	-	17.4	11.8	12.1	15.5	-	-	19.9	16.3	15.2	5/21	
5 /22	14.6	15.9	13.8	-	14.6	16.4	14.6	12.9	-	-	14.4	14.0	14.6	17.1	-	16.9	17.2	15.4	14.4	-	-	15.3	15.1	15.6	17.9	-	-	16.6	17.9	13.6	14.5	-	19.4	17.6	11.9	13.3	-	-	19.1	19.0	16.6	15.5	5/22	
5 /23	15.6	16.3	13.5	15.6	14.4	17.2	15.2	-	17.0	14.9	13.8	14.5	-	-	17.3	17.4	14.9	14.1	-	17.4	15.9	15.7	14.8	-	-	15.0	15.1	19.1	14.3	-	18.6	19.6	16.7	12.7	-	-	14.0	18.1	20.8	16.3	15.9	5/23		
5 /24	15.4	15.1	-	14.3	14.0	16.8	17.6	-	14.4	17.8	14.7	14.0	-	-	16.6	15.6	16.8	17.3	-	14.4	16.5	17.4	15.4	-	-	14.3	15.4	16.5	19.4	-	-	18.9	19.8	17.4	14.9	-	17.7	15.1	17.4	20.8	-	16.4	5/24	
5 /25	15.1	-	14.6	14.6	13.1	16.4	-	15.0	14.1	18.0	15.9	-	-	18.1	17.0	16.2	18.0	-	15.0	15.8	18.4	14.5	-	16.6	17.0	15.8	17.1	-	-	14.1	18.1	18.3	18.0	-	17.6	19.4	14.8	18.3	-	-	16.6	5/25		
5 /26	-	13.5	15.2	14.8	11.6	-	-	14.6	13.7	17.2	18.6	-	15.7	17.4	17.7	16.1	-	14.9	15.7	15.6	18.3	-	16.3	17.4	16.1	17.0	-	-	17.5	15.2	17.7	17.8	-	-	17.6	19.0	17.2	18.2	-	16.5	16.6	5/26		
5 /27	15.2	13.4	15.3	15.7	-	-	16.1	14.1	13.9	15.8	-	15.4	15.2	18.2	18.2	-	-	17.8	16.5	16.2	14.8	-	-	15.0	17.3	14.9	-	-	16.8	16.6	16.2	16.7	-	-	15.2	16.7	17.8	17.6	-	18.4	17.8	16.1	5/27	
5 /28	14.8	13.3	16.3	16.4	-	17.2	18.5	14.5	14.4	-	-	16.2	16.5	18.8	18.4	-	15.9	17.3	18.7	15.8	-	-	15.6	15.1	17.7	15.5	-	16.1	16.0	17.2	17.4	-	-	20.2	16.5	16.1	18.0	-	-	17.6	18.3	16.7	5/28	
5 /29	15.0	14.0	16.9	-	13.2	16.6	18.6	15.2	-	-	17.8	18.4	16.6	17.6	-	15.6	16.1	17.6	19.7	-	-	15.8	15.4	14.7	15.9	-	-	17.4	14.4	16.5	18.1	-	18.8	20.7	17.9	16.3	-	-	16.5	17.4	19.2	17.1	5/29	
5 /30	15.2	11.2	15.8	17.6	14.2	17.4	17.6	17.1	-	13.2	16.4	19.0	16.6	-	-	17.6	16.5	17.6	19.5	-	14.9	15.8	15.3	14.3	-	-	15.0	17.0	13.5	17.5	-	16.9	19.0	20.7	18.7	-	-	18.2	17.7	18.4	17.3	16.8	5/30	
5 /31	16.7	12.8	-	18.3	14.0	16.7	18.2	-	17.0	15.2	18.1	20.6	-	-	18.8	19.4	14.2	17.4	-	19.7	15.9	16.8	17.6	-	-	16.6	13.8	18.3	13.2	-	-	18.9	16.7	20.3	18.9	-	18.3	17.3	19.2	18.2	-	17.4	5/31	
6 /1	17.8	-	17.7	17.9	16.4	16.0	18.2	16.1	17.9	14.6	16.7	-	18.0	19.0	19.2	14.6	-	-	18.8	16.3	17.5	17.9	-	16.6	16.7	15.3	18.3	-	-	20.9	18.8	16.3	18.3	-	15.1	18.1	16.4	20.5	-	-	17.3	6/1		
6 /2	-	14.4	16.4	16.4	17.8	14.5	-	17.2	19.4	15.1	16.2	-	18.2	16.4	19.4	19.8	-	-	14.7	19.7	16.6	18.2	-	17.3	16.4	16.4	16.0	-	-	17.8	21.2	17.5	15.8	-	-	15.6	17.3	17.9	19.5	-	16.5	17.4	6/2	
6 /3	17.8	15.8	16.2	15.4	16.9	-	17.2	17.7	17.4	15.1	-	18.4	17.5	15.7	19.2	-	-	17.7	16.3	19.6	17.4	-	-	16.5	17.0	15.3	17.2	-	15.8	17.0	20.0	17.2	-	-	17.0	18.5	17.5	18.0	-	18.6	17.8	17.3	6/3	
6 /4	17.4	16.0	14.6	14.7	-	16.6	16.8	17.1	16.9	-	-	19.0	17.5	16.6	18.6	-	20.0	16.1	16.1	19.2	-	-	18.3	16.2	19.2	15.4	-	18.9	17.1	17.5	17.9	-	-	20.5	16.4	19.5	14.5	-	-	18.8	17.1	17.8	6/4	
6 /5	17.4	16.0	14.0	-	18.7	19.5	18.6	16.0	-	-	16.1	16.6	18.5	16.4	-	18.4	19.9	17.4	16.0	-	-	16.3	17.4	17.4	18.6	-	-	18.9	18.6	16.4	17.9	-	16.6	19.5	15.9	20.0	-	-	20.0	20.2	17.6	17.6	6/5	
6 /6	18.5	17.0	15.0	16.7	18.0	19.3	18.5	16.1	-	19.8	15.8	17.0	18.3	-	-	17.6	19.3	17.9	15.3	-	19.7	17.2	17.3	16.5	-	-	17.8	18.2	19.7	16.7	-	17.8	17.8	19.1	15.4	-	-	16.6	18.7	21.7	18.2	17.7	6/6	
6 /7	17.4	15.2	-	15.7	15.6	20.7	18.7	-	16.4	17.8	16.6	17.6	-	-	18.6	15.5	16.8	20.7	-	15.2	19.2	18.7	18.3	-	-	17.4	17.0	17.6	20.8	-	-	17.3	18.9	20.2	13.9	-	19.6	14.4	20.8	20.6	-	17.8	6/7	
6 /8	16.3	-	19.8	15.6	15.4	21.3	-	15.1	16.7	16.8	17.0	-	-	16.1	18.4	14.7	16.9	-	-	15.7	18.4	18.9	18.5	-	19.0	18.8	16.4	17.2	-	-	17.0	17.5	18.7	20.1	-	20.8	20.2	14.5	19.8	-	-	17.6	6/8	
6 /9	-	17.8	20.6	15.3	13.8	-	-	15.4	-	19.0	17.5	-	15.5	18.1	19.6	15.2	-	-	15.4	18.0	17.2	18.7	-	15.2	19.8	20.9	17.6	-	-	18.5	12.9	17.0	18.4	-	-	20.1	19.8	15.5	18.6	-	21.9	17.5	6/9	
6 /10	17.0	16.8	18.6	15.8	-	-	20.3	17.9	17.2	19.6	-	13.0	16.3	18.0	19.6	-	-	18.9	15.9	17.0	17.3	-	-	17.4	18.6	22.2	18.9	-	20.0	19.0	14.5	17.5	-	-	17.9	19.8	22.0	15.9	-	19.6	21.4	18.0	6/10	
6 /11	16.6	17.2	19.4	17.4	-	16.2	20.3	17.2	17.2	-	-	13.5	17.4	17.6	21.2	-</																												

相馬市松川浦の定地水温(℃)

※気象庁発表の日別海面水温に合わせ、H3年～R2年の30年平均としています。次回更新はR8年です。

月日\年	S60	S61	S62	S63	H1	H2	H3	H4	H5	H6	H7	H8	H9	H10	H11	H12	H13	H14	H15	H16	H17	H18	H19	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30	H31	R2	R3	R4	R5	R6	R7	R8	平年値(※)	
6/26	18.6	17.2	20.8	-	17.5	20.1	22.0	17.5	-	-	18.2	16.5	19.1	19.3	-	19.1	20.0	17.2	19.5	-	-	20.0	19.4	18.3	21.1	-	-	18.2	19.8	22.9	21.0	-	21.0	23.3	19.7	19.4	-	-	21.7	20.6	22.7	19.7	6/26	
6/27	17.8	17.8	19.6	19.0	17.8	18.9	23.3	-	-	19.8	18.8	18.7	18.8	-	-	20.1	20.1	17.3	19.4	-	19.4	21.4	21.3	18.5	-	-	19.1	19.6	19.0	22.5	-	20.1	19.5	22.6	20.6	-	-	22.0	23.3	21.6	21.5	20.0	6/27	
6/28	18.0	17.0	-	19.5	16.7	18.4	21.8	-	19.6	17.8	19.0	19.6	-	-	20.8	17.4	20.1	17.4	-	20.1	18.6	21.5	22.9	-	-	20.8	20.2	19.8	18.2	-	-	19.7	19.6	22.3	23.2	-	22.6	21.2	23.2	20.3	-	20.0	6/28	
6/29	18.4	-	17.5	21.0	16.8	18.5	21.2	20.8	19.6	18.2	19.2	-	-	19.7	19.8	20.8	18.8	-	-	19.8	19.4	21.5	21.6	-	20.7	19.7	21.8	18.3	-	-	20.6	20.8	19.9	22.7	-	20.1	21.7	21.8	24.2	-	-	20.2	6/29	
6/30	-	16.4	17.2	21.0	18.3	18.6	-	21.3	19.0	19.2	20.5	-	19.6	19.5	19.0	22.1	-	-	20.7	22.5	19.2	20.9	-	20.3	19.4	18.4	22.9	-	-	20.2	21.5	21.8	19.1	-	-	19.7	22.2	22.2	25.5	-	22.6	20.3	6/30	
7/1	19.0	17.3	18.0	19.0	19.6	-	21.0	18.2	18.6	18.8	-	19.8	20.0	19.8	18.6	-	-	17.4	19.8	23.6	19.0	-	-	22.1	17.2	21.4	22.2	-	20.1	21.6	20.5	22.2	-	-	20.6	18.4	21.7	22.3	-	20.5	21.0	20.0	7/1	
7/2	20.2	17.6	19.0	18.8	-	18.8	19.6	19.4	18.6	-	-	22.0	22.4	20.2	21.0	-	22.9	17.7	19.0	23.7	-	-	21.2	22.0	17.6	21.2	-	20.4	18.4	22.2	19.9	-	-	23.4	21.5	22.6	21.4	-	-	21.0	20.5	20.8	7/2	
7/3	19.6	16.9	18.7	-	16.9	18.3	20.3	20.1	-	-	19.0	21.3	21.8	23.1	-	23.2	23.9	18.3	19.6	-	-	20.9	20.9	22.4	19.5	-	-	21.1	17.2	21.5	19.7	-	21.5	23.5	20.6	23.6	-	-	26.4	23.7	21.6	21.0	7/3	
7/4	17.8	17.9	17.4	18.7	17.0	20.1	20.8	19.0	-	19.6	18.2	20.5	23.1	-	-	22.3	23.9	18.5	19.2	-	21.0	20.9	21.0	21.6	-	-	23.4	21.9	16.1	21.1	-	21.8	21.2	21.6	20.8	-	-	21.1	25.1	23.6	21.1	20.8	7/4	
7/5	17.8	19.2	-	19.6	19.0	20.6	20.0	-	19.6	23.6	17.8	19.6	-	-	21.3	21.0	24.4	19.3	-	21.2	20.2	19.7	19.8	-	-	22.9	21.6	21.6	19.0	-	-	20.6	22.6	20.0	21.5	-	21.3	19.0	24.5	24.6	-	20.8	7/5	
7/6	17.0	-	18.0	19.2	18.7	22.0	21.0	19.0	19.0	22.2	18.8	-	-	24.9	21.0	20.6	23.3	-	-	22.3	20.8	20.1	19.9	-	21.9	22.2	22.4	21.2	-	-	20.1	20.8	24.6	20.0	-	20.5	22.9	17.7	24.8	-	-	21.2	7/6	
7/7	-	19.4	18.5	21.2	19.1	20.2	-	19.6	19.4	19.6	19.0	-	23.0	25.3	20.7	20.2	-	-	19.1	22.8	21.8	21.3	-	20.4	22.4	21.9	21.7	-	-	22.3	20.2	21.2	25.0	-	-	21.1	23.0	22.2	23.7	-	26.0	21.3	7/7	
7/8	17.8	20.2	21.2	18.5	-	-	21.2	19.1	19.4	20.9	-	17.5	22.9	24.1	21.3	-	-	24.0	18.6	21.8	20.8	-	-	20.1	22.2	23.4	23.2	-	21.3	22.7	20.1	21.1	-	-	18.6	21.0	22.5	23.2	-	24.0	27.4	21.2	7/8	
7/9	19.4	20.7	21.2	19.5	-	20.1	23.1	19.2	18.8	-	-	18.6	21.6	24.3	20.6	-	23.5	23.4	18.6	22.3	-	-	21.7	18.0	22.3	25.1	-	20.6	22.6	22.8	19.2	-	-	22.3	19.1	21.2	22.1	-	-	22.4	27.4	21.3	7/9	
7/10	18.0	19.4	22.2	-	18.4	18.8	22.3	18.8	-	-	19.2	18.4	20.6	23.8	-	22.6	22.5	21.5	19.8	-	-	21.3	21.1	17.0	20.7	-	-	21.4	23.4	21.2	20.5	-	24.1	24.5	18.8	21.5	-	-	24.6	20.7	26.2	21.1	7/10	
7/11	18.1	18.5	22.1	19.8	19.4	19.2	22.2	-	-	21.6	21.8	19.6	20.5	-	-	21.6	21.0	20.4	21.1	-	21.9	22.6	20.8	17.7	-	-	24.2	23.2	21.4	21.8	-	22.6	24.2	25.1	20.7	-	-	25.4	24.5	20.7	23.3	21.7	7/11	
7/12	17.0	17.8	-	21.4	18.8	19.1	22.5	-	18.4	22.2	21.2	21.6	-	-	19.6	22.8	21.5	22.1	-	22.2	20.4	22.9	20.7	-	-	22.4	26.3	20.8	19.4	-	-	22.7	23.9	24.9	20.6	-	23.4	24.8	24.5	21.2	-	21.9	7/12	
7/13	20.2	-	20.0	20.4	20.0	18.8	-	20.9	19.8	21.8	21.8	-	-	20.6	20.4	23.1	23.3	-	-	22.2	20.5	22.4	21.1	-	18.1	20.9	27.2	19.0	-	-	25.1	22.5	22.8	24.4	-	20.6	23.1	24.9	24.8	-	-	21.8	7/13	
7/14	-	19.2	20.5	19.7	20.0	-	-	21.0	17.8	21.6	19.6	-	20.9	21.6	20.5	23.9	-	-	19.2	21.4	20.9	21.6	-	22.5	18.4	19.3	28.4	-	-	21.4	26.4	22.8	23.9	-	-	21.0	22.9	23.2	26.7	-	24.6	21.6	7/14	
7/15	22.0	19.0	20.5	19.6	20.8	-	20.8	19.6	17.4	21.6	-	22.9	21.5	20.8	20.8	-	-	21.3	19.8	21.8	20.5	-	-	24.8	18.3	20.4	28.9	-	-	22.7	26.7	22.4	-	-	-	20.4	23.4	22.9	-	-	24.2	21.7	7/15	
7/16	22.7	19.6	20.2	19.6	-	18.0	20.4	19.7	18.5	-	-	22.5	21.9	20.5	21.7	-	23.8	20.1	20.5	22.0	-	-	-	24.5	18.7	21.5	-	-	22.1	22.0	24.4	-	-	-	21.1	19.3	22.9	-	-	24.2	19.4	21.3	7/16	
7/17	21.7	19.5	21.2	-	20.3	20.7	20.3	19.8	-	-	19.5	22.8	23.5	19.9	-	24.6	23.7	21.4	19.1	-	-	-	18.8	23.9	19.7	-	-	22.8	21.0	21.5	23.4	-	-	24.7	21.2	19.8	-	-	-	24.0	17.3	21.6	7/17	
7/18	21.9	19.3	-	19.7	20.6	21.6	20.4	-	-	22.6	20.0	23.1	22.7	-	-	23.6	25.7	21.1	17.8	-	-	20.2	19.0	24.0	-	-	-	22.4	20.6	22.4	-	-	21.8	25.1	20.6	-	-	-	27.4	25.8	18.0	21.8	7/18	
7/19	22.6	21.3	-	19.6	21.7	23.4	20.6	-	18.6	24.6	19.6	22.8	-	-	20.8	22.7	24.6	21.7	-	-	24.6	19.9	19.7	-	-	-	25.9	22.1	21.2	-	-	26.2	22.2	24.7	20.8	-	24.9	22.5	25.8	26.0	-	22.3	7/19	
7/20	21.7	-	20.8	18.8	22.6	25.0	20.7	20.2	18.2	25.4	19.2	-	-	-	-	-	-	-	-	23.5	23.8	19.9	20.6	-	-	23.6	22.4	21.4	-	-	-	25.6	25.1	23.9	-	22.7	26.0	21.9	25.7	-	-	22.3	7/20	
7/21	-	19.9	22.2	19.7	21.6	23.0	-	20.2	18.2	26.2	20.4	-	-	22.9	20.9	21.8	-	-	22.8	22.3	19.8	-	-	22.6	23.8	19.8	-	-	-	22.3	24.2	26.1	-	-	21.5	27.9	23.3	24.9	-	-	22.1	7/21		
7/22	20.3	19.9	23.8	19.4	-	-	21.9	20.4	18.0	26.6	-	20.5	21.2	21.9	21.9	-	-	25.4	20.0	21.6	21.3	-	-	21.3	19.9	25.7	20.5	-	22.9	23.9	21.3	23.5	-	-	21.5	21.6	-	21.3	-	27.2	27.7	21.9	7/22	
7/23	21.0	20.6	24.4	19.4	-	24.0	23.2	21.2	18.8	-	-	20.2	22.1	21.9	24.8	-	25.6	25.4	19.6	22.1	-	-	21.7	20.9	20.0	28.1	-	20.8	21.5	25.0	22.0	-	-	26.8	21.7	-	-	-	-	27.2	28.1	22.5	7/23	
7/24	20.9	21.5	26.3	-	21.6	23.7	24.9	22.7	-	-	25.4	19.6	22.0	22.7	-	25.0	25.6	22.9	18.7	-	-	21.6	21.9	22.9	20.9	-	-	21.3	21.4	23.9	22.7	-	20.8	26.5	22.0	-	-	-	25.9	24.9	27.9	22.6	7/24	
7/25	20.2	20.9	24.7	18.4	21.0	23.8	23.7	-	-	22.6	25.4	21.0	21.6	-	-	22.9	25.0	22.7	18.4	-	20.7	21.7	23.3	22.7	-	-	23.6	21.2	20.4	25.3	-	24.4	21.7	27.4	23.1	-	-	25.8	26.4	24.2	27.0	22.8	7/25	
7/26	21.4	20.5	-	18.2	18.8	24.0	23.2	-	19.2	23.0	27.2	22.0	-	-	26.9	21.8	23.7	25.0	-	24.0	20.3	23.1	23.8	-	-	26.3	25.0	23.1	20.2	-	-	23.9	22.9	26.8	24.7	-	25.7	26.2	27.4	24.0	-	23.6	7/26	
7/27	20.6	-	24.7	20.1	17.2	23.0	-	24.2	20.8	23.2	27.6	-	-	22.1	27.4	22.3	23.5	-	-	21.0	21.9	23.4	25.3	-	23.4	26.4	24.6	21.5	-	-	24.2	22.8	23.0	25.9	-	20.7	24.5	26.3	27.7	-	-	23.6	7/27	
7/28	-	19.6	22.9	16.6	18.3	-	-	24.1	20.8	23.3	26.6	-	17.7	22.5	26.4	24.2	-	-	18.5	24.2	22.1	21.7	-	21.0	23.6	26.6	23.7	-	-	24.5	26.1	22.2	22.7	-	-	21.1	25.7	26.1	28.0	-	23.7	23.0	7/28	
7/29	25.2	21.7	23.3	17.8	22.8	-	23.2	23.6	20.6	25.1	-	25.8	17.9	22.7	24.0	-	-	23.1	19.2	24.9	22.3	-	-	23.0	23.5	23.8	24.0	-																

相馬市松川浦の定地水温(℃)

※気象庁発表の日別海面水温に合わせ、H3年～R2年の30年平均としています。次回更新はR8年です。

月日\年	S60	S61	S62	S63	H1	H2	H3	H4	H5	H6	H7	H8	H9	H10	H11	H12	H13	H14	H15	H16	H17	H18	H19	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30	H31	R2	R3	R4	R5	R6	R7	R8	平年値(※)	
9 /30	17.7	20.1	19.6	19.0	19.8	-	20.2	18.8	20.3	20.0	-	20.7	19.2	21.5	23.4	-	-	20.5	19.7	22.0	20.6	-	-	19.1	20.5	19.9	21.2	-	22.2	22.0	19.8	20.6	-	-	23.1	20.4	22.2	22.2	-	22.7	23.7	20.7	9/30	
10 /1	18.5	21.3	19.4	20.0	-	20.1	20.3	19.6	19.6	-	20.6	19.5	20.2	22.6	-	19.4	20.1	19.4	21.1	-	-	21.1	19.3	20.2	20.5	-	24.0	22.0	21.2	20.3	-	-	21.8	23.0	20.3	22.1	-	-	22.8	23.5	20.7	10/1		
10 /2	19.1	20.4	19.4	-	19.4	24.9	19.5	19.4	-	20.2	20.6	19.7	21.2	-	21.4	19.6	20.3	19.1	-	-	21.2	21.4	19.3	20.6	-	-	22.3	22.2	20.9	20.0	-	19.9	21.8	23.0	20.7	-	-	23.6	23.6	23.2	20.7	10/2		
10 /3	19.8	21.4	19.9	21.0	18.6	20.7	20.2	-	-	21.6	21.2	20.8	20.2	-	-	21.1	18.5	21.2	18.5	-	21.4	20.2	21.5	19.7	-	-	19.6	21.9	21.6	21.2	-	22.4	20.1	21.7	22.9	-	-	22.4	23.5	22.4	22.8	20.8	10/3	
10 /4	20.3	20.5	-	20.4	18.4	21.0	20.5	-	18.4	20.8	21.0	20.9	-	-	20.8	21.6	19.0	21.4	-	18.8	20.6	20.8	21.7	-	-	21.5	19.8	19.4	20.6	-	-	22.1	18.8	21.5	21.6	-	21.4	22.1	23.3	22.4	-	20.6	10/4	
10 /5	20.2	-	19.9	20.4	19.0	21.5	20.3	19.0	18.8	21.3	20.1	-	-	19.3	20.6	21.1	18.9	-	-	18.5	21.0	21.3	21.5	-	19.6	21.7	19.7	20.0	-	-	19.5	21.3	18.9	21.0	-	20.9	21.9	22.0	23.3	-	-	20.2	10/5	
10 /6	-	19.6	19.4	19.8	19.5	21.6	-	18.2	18.2	21.6	18.5	-	20.0	20.5	19.9	20.8	-	-	17.8	18.7	20.3	17.3	-	19.5	19.4	22.0	19.5	-	-	18.2	19.6	21.9	18.5	-	-	20.2	21.7	19.3	22.4	-	23.8	19.6	10/6	
10 /7	20.3	19.8	20.8	18.6	19.4	-	18.5	17.3	18.4	21.8	-	21.0	19.7	21.0	20.2	-	-	21.3	17.2	19.2	20.9	-	-	19.6	19.9	21.4	18.8	-	21.2	17.3	18.1	21.2	-	-	20.8	19.8	20.6	17.4	-	22.6	21.4	19.8	10/7	
10 /8	20.3	18.8	20.3	18.6	-	21.0	18.5	16.8	18.3	-	20.0	19.9	20.8	20.7	-	-	19.8	17.3	19.2	-	-	-	19.6	17.1	21.6	-	-	22.6	18.8	17.3	-	-	-	20.9	20.3	21.2	-	-	21.9	22.0	19.4	10/8		
10 /9	19.5	18.8	19.8	-	18.2	19.5	18.3	17.6	-	-	18.8	18.8	18.4	20.7	-	-	18.5	19.9	17.1	-	-	-	18.4	19.6	17.7	-	-	21.4	22.2	19.0	16.1	-	-	21.6	19.6	19.6	-	-	-	21.9	22.1	19.1	10/9	
10 /10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19.4	18.1	19.9	17.3	-	-	18.7	18.7	20.1	-	-	-	20.9	22.2	19.5	-	-	19.7	21.8	17.9	-	-	-	20.3	20.8	21.6	19.6	10/10	
10 /11	19.5	19.2	-	19.2	18.5	19.5	17.0	-	-	21.4	18.9	18.6	-	-	-	20.9	17.5	19.2	-	20.3	18.2	19.1	-	-	-	19.4	20.6	21.8	-	-	20.1	19.3	21.3	19.6	-	21.7	19.4	19.5	20.8	-	19.6	10/11		
10 /12	19.3	-	20.0	19.7	17.0	21.0	-	17.8	18.4	21.4	18.9	-	20.2	21.2	21.4	18.3	-	-	18.3	20.1	19.7	19.4	-	-	21.5	19.1	20.4	-	-	-	19.8	19.4	20.7	-	19.2	21.4	19.4	19.3	-	-	19.7	10/12		
10 /13	-	16.8	19.5	19.0	16.9	-	-	18.0	17.6	21.6	19.8	16.4	20.0	21.1	19.7	-	-	-	19.5	19.8	19.6	-	-	18.1	21.5	18.9	-	-	-	18.2	18.1	18.8	-	-	19.3	20.2	19.1	19.5	-	-	19.2	10/13		
10 /14	20.0	16.0	19.4	18.4	-	-	16.9	18.0	16.4	21.5	-	19.5	17.2	20.5	21.5	-	-	-	17.7	17.5	20.2	-	-	18.5	18.8	21.4	19.2	-	-	17.5	17.1	17.2	-	-	-	19.3	20.4	19.3	-	-	20.8	18.7	10/14	
10 /15	18.5	17.4	19.1	18.7	-	20.8	18.2	17.8	16.8	-	-	19.6	18.5	21.1	19.9	-	17.6	19.4	17.0	17.8	-	-	19.2	18.9	18.5	21.1	-	19.4	18.2	18.3	17.3	-	-	20.1	18.0	19.3	20.6	-	-	20.3	20.8	18.7	10/15	
10 /16	18.6	17.9	18.6	-	18.5	20.2	18.0	18.0	-	-	19.8	18.9	17.1	20.7	-	19.4	17.9	19.5	17.4	-	-	18.4	18.4	19.0	18.2	-	-	19.1	18.2	17.8	17.7	-	16.2	19.7	17.0	17.5	-	-	19.5	21.7	20.9	18.4	10/16	
10 /17	19.2	17.2	18.5	19.0	17.8	20.3	18.4	-	-	19.2	20.0	18.6	18.2	-	-	19.2	18.3	19.0	17.4	-	20.2	18.5	18.5	19.3	-	-	19.9	19.8	15.4	18.3	-	19.4	16.0	19.7	17.5	-	-	19.9	19.8	21.6	19.3	18.6	10/17	
10 /18	17.9	15.6	-	18.9	17.2	20.5	18.3	-	17.4	18.2	19.4	18.8	-	-	18.5	19.1	17.3	18.9	-	18.2	19.9	18.7	18.1	-	-	20.4	19.3	19.4	16.2	-	-	20.1	16.2	19.6	18.3	-	15.4	19.6	19.8	21.4	-	18.6	10/18	
10 /19	18.0	-	19.2	18.5	17.5	19.9	18.2	18.2	17.2	18.8	19.2	-	-	20.4	18.1	18.2	16.6	-	-	18.4	19.0	18.0	18.8	-	18.9	19.0	18.6	19.5	-	-	18.6	19.9	15.9	19.0	-	18.6	16.8	19.6	20.5	-	-	18.5	10/19	
10 /20	-	15.8	17.8	17.4	17.4	19.4	-	18.2	17.8	20.2	18.7	-	19.2	18.7	17.7	18.8	-	-	17.3	18.0	19.1	18.1	-	19.3	18.6	18.7	18.3	-	-	17.7	18.5	20.3	16.0	-	-	18.6	17.6	19.2	20.5	-	18.9	18.5	10/20	
10 /21	18.0	16.8	17.4	18.3	17.2	-	16.8	16.2	17.8	18.2	-	17.7	19.4	17.7	16.7	-	-	16.6	16.4	16.2	19.3	-	-	19.4	18.4	18.9	18.6	-	17.0	18.6	18.0	19.1	-	-	18.3	18.7	16.8	18.4	-	20.3	18.5	17.9	10/21	
10 /22	18.2	17.6	16.4	17.8	-	18.7	16.5	13.9	17.8	-	-	17.6	18.9	17.8	17.0	-	18.2	15.2	17.1	16.2	-	-	18.0	19.1	18.4	17.7	-	19.3	18.4	18.0	17.7	-	-	16.8	-	18.8	17.5	-	-	20.9	18.1	17.5	10/22	
10 /23	17.2	16.8	16.9	-	18.2	17.9	17.3	15.2	-	-	18.2	17.1	18.8	17.1	-	18.0	18.5	16.0	17.0	-	-	17.7	17.8	18.8	18.2	-	-	19.5	16.4	17.0	17.2	-	15.5	17.7	17.6	19.0	-	-	18.6	21.1	17.6	17.5	10/23	
10 /24	17.3	16.4	16.5	16.4	17.2	17.9	16.9	-	-	18.2	18.2	16.6	18.8	-	-	17.2	18.3	15.8	15.5	-	18.6	14.5	16.2	19.3	-	-	18.9	18.5	16.2	16.8	-	18.4	14.7	18.4	18.2	-	-	17.2	18.2	21.4	18.2	17.3	10/24	
10 /25	14.6	16.3	-	16.4	17.4	18.7	16.8	-	16.4	18.2	18.2	18.3	-	-	16.7	17.2	17.9	17.4	-	16.6	18.5	13.2	17.0	-	-	19.4	18.7	17.4	18.4	-	-	17.6	15.2	18.2	17.2	-	18.1	16.0	19.0	21.3	-	17.4	10/25	
10 /26	13.8	-	16.8	16.8	17.4	18.6	-	16.0	15.4	17.8	17.6	-	-	17.5	17.1	17.4	17.5	-	-	16.1	17.9	15.5	17.6	-	17.5	18.5	16.4	18.9	-	-	14.8	18.3	15.0	18.5	-	18.2	18.0	14.9	18.1	-	-	17.1	10/26	
10 /27	-	16.3	17.0	17.0	17.4	-	-	16.6	14.0	18.0	17.8	-	16.3	17.7	17.5	15.2	-	-	15.7	14.3	18.0	16.2	-	17.8	15.9	17.9	16.3	-	-	18.4	15.5	17.6	17.1	-	-	17.9	17.7	15.7	18.3	-	18.8	16.7	10/27	
10 /28	14.8	15.8	17.5	17.4	-	-	17.0	16.4	13.4	18.4	-	16.1	14.3	18.4	16.4	-	-	16.0	16.1	14.2	18.0	-	-	17.2	16.7	17.1	17.1	-	16.8	17.0	16.9	15.3	-	-	16.3	16.8	18.1	16.6	-	21.0	18.5	16.5	10/28	
10 /29	15.5	15.6	17.6	16.6	-	18.2	17.2	16.6	14.0	-	-	17.4	15.5	18.2	17.8	-	16.6	16.1	16.5	14.1	-	-	17.6	17.2	16.3	16.6	-	17.8	18.6	16.4	16.6	-	-	18.7	16.8	16.8	17.8	-	-	17.8	18.4	16.8	10/29	
10 /30	16.1	13.8	17.8	-	16.2	18.0	17.3	17.1	-	-	17.8	18.0	15.6	18.5	-	16.8	15.4	16.3	16.4	-	-	17.7	17.4	16.4	17.4	-	-	17.6	17.4	16.2	16.9	-	15.3	18.4	17.4	15.7	-	-	17.9	17.7	18.1	17.0	10/30	
10 /31	16.3	13.0	17.4	15.8	16.6	17.2	16.6	-	-	17.9	17.6	17.4	16.0	-	-	16.7	15.7	16.1	16.1	-	15.9	17.6	17.8	16.6	-	-	17.4	17.4	17.8	16.6	-	15.4	14.0	17.6	18.1	-	-	17.0	18.4	17.8	18.1	16.8	10/31	
11 /1	16.4	13.8	-	15.5	17.2	15.7	15.8	15.1	15.8	17.8	17.3	-	-	17.6	16.9	16.2	16.0	-	17.0	15.5	17.6	17.9	-	-	16.3	17.6	17.8	17.2	-	-	16.3	12.8	16.6	18.3	-	17.2	16.9	18.8	18.5	-	16.6	11/1		
11 /2	16.2	-	16.4	15.8	17.0	16.4	15.3	15.1	15.2	16.0	15.2	-	-	16.2	17.0	15.9	16.4	-	-	17.1	16.6	16.3	17.6	-	15.9	15.9	17.4	16.8	-	-	16.1	15.1	14.5											

相馬市松川浦の定地水温(℃)

※気象庁発表の日別海面水温に合わせ、H3年～R2年の30年平均としています。次回更新はR8年です。

月日\年	S60	S61	S62	S63	H1	H2	H3	H4	H5	H6	H7	H8	H9	H10	H11	H12	H13	H14	H15	H16	H17	H18	H19	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30	H31	R2	R3	R4	R5	R6	R7	R8	平年値(※)	
11 /17	-	11.4	14.2	12.4	14.8	15.3	-	14.7	14.8	12.8	13.6	-	15.0	15.7	14.7	14.5	-	-	14.9	15.6	13.4	14.2	-	15.6	13.9	14.4	14.6	-	-	13.4	16.3	13.8	12.0	-	-	14.7	13.7	14.8	15.7	-	14.4	14.4	11/17	
11 /18	14.1	11.4	13.2	12.1	14.6	-	14.6	13.6	15.2	13.9	-	13.4	14.8	13.8	12.9	-	-	11.5	14.3	15.7	13.5	-	-	15.5	13.0	13.6	14.1	-	14.2	12.8	16.4	13.6	-	-	15.3	15.1	14.3	14.3	-	17.0	14.1	14.1	11/18	
11 /19	13.7	12.0	13.7	11.6	-	15.2	14.5	13.8	15.2	-	-	12.6	14.5	13.0	14.9	-	13.7	10.6	14.2	15.1	-	-	14.2	14.9	13.1	13.2	-	14.0	14.4	12.8	15.5	-	-	13.7	15.7	15.4	15.2	-	-	16.9	13.2	14.0	11/19	
11 /20	13.7	11.7	12.1	-	14.4	15.2	13.6	14.4	-	-	13.0	11.6	14.0	11.9	-	13.2	13.8	11.2	13.9	-	-	13.5	14.0	13.9	13.0	-	-	13.8	14.0	12.1	15.4	-	11.6	13.0	14.9	15.8	-	-	15.2	16.5	13.4	13.4	11/20	
11 /21	13.6	11.7	12.8	11.0	14.0	15.1	12.6	-	-	15.2	11.8	13.6	14.3	-	-	13.4	13.6	11.9	14.3	-	13.0	13.5	13.4	13.9	-	-	14.0	13.6	13.6	12.4	-	14.1	11.6	13.5	13.7	-	-	14.2	14.5	16.5	13.8	13.4	11/21	
11 /22	13.2	12.3	-	11.1	14.4	15.0	12.9	-	14.2	14.2	11.6	13.0	-	-	13.8	12.5	13.7	11.0	-	14.2	12.5	13.8	12.8	-	-	14.8	13.1	13.3	13.6	-	-	14.6	11.7	13.9	13.4	-	15.2	13.8	14.8	16.8	-	13.3	11/22	
11 /23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11/23
11 /24	-	-	12.5	12.7	13.5	-	-	12.9	13.8	14.2	12.8	-	-	12.1	14.2	11.3	-	-	-	14.6	13.3	13.1	-	-	13.2	13.8	13.6	-	-	-	13.9	12.6	12.1	-	-	14.0	14.6	13.0	15.2	-	-	13.3	11/24	
11 /25	11.5	11.2	11.8	11.7	-	-	12.6	13.3	14.2	13.8	-	13.2	14.0	13.1	14.8	-	-	11.6	12.8	13.9	13.0	-	-	11.4	13.2	13.6	12.8	-	13.5	13.7	13.3	11.8	-	-	14.0	14.3	14.3	13.6	-	15.7	14.3	13.3	11/25	
11 /26	11.1	11.3	11.3	11.0	-	14.6	12.3	13.6	13.4	-	-	12.3	14.7	12.9	14.6	-	13.2	11.1	11.3	13.2	-	-	13.0	11.6	13.4	14.4	-	12.8	14.2	12.7	12.5	-	-	14.2	12.5	13.9	14.4	-	-	15.5	14.2	13.1	11/26	
11 /27	10.3	11.0	12.2	-	12.6	14.4	12.6	11.0	-	-	12.2	12.9	15.3	13.1	-	12.9	12.4	11.0	12.0	-	-	13.6	12.5	11.8	13.8	-	-	11.6	12.8	12.8	13.5	-	11.6	14.3	12.8	12.9	-	-	13.5	16.0	14.1	12.7	11/27	
11 /28	11.0	10.8	11.4	11.6	13.0	14.4	12.9	-	-	13.4	12.5	13.0	13.2	-	-	11.8	11.6	11.0	12.1	-	12.4	12.8	12.5	12.4	-	-	13.2	11.3	12.6	13.0	-	12.1	12.0	14.6	12.7	-	-	14.9	14.1	15.2	14.1	12.5	11/28	
11 /29	10.7	11.0	-	11.1	12.9	14.0	12.9	-	12.1	14.0	11.8	12.8	-	-	13.6	11.5	12.1	11.2	-	13.8	12.7	13.4	11.9	-	-	14.3	13.5	12.1	12.8	-	-	11.5	12.1	14.0	11.7	-	12.9	16.1	13.5	14.2	-	12.7	11/29	
11 /30	10.7	-	10.8	10.8	12.2	13.6	13.0	12.1	11.8	13.0	11.2	-	-	12.9	13.4	12.1	12.5	-	-	12.9	11.3	11.2	12.1	-	12.6	14.4	13.4	11.8	-	-	13.5	11.4	11.7	13.9	-	12.0	13.1	16.1	13.8	-	-	12.5	11/30	
12 /1	-	10.1	10.4	10.9	12.0	13.9	-	12.2	12.4	12.8	11.6	-	12.6	14.1	12.1	11.6	-	-	13.4	13.5	10.9	13.2	-	11.7	12.4	14.3	12.7	-	-	13.6	13.2	12.3	10.6	-	-	12.2	13.7	15.0	13.2	-	13.3	12.5	12/1	
12 /2	11.3	10.0	9.6	11.1	12.1	-	13.0	12.2	12.4	13.1	-	11.8	12.7	11.4	12.8	-	-	10.3	12.8	13.0	11.3	-	-	12.3	12.6	14.1	12.2	-	12.2	13.4	12.9	11.8	-	-	13.0	12.4	12.2	14.0	-	13.8	13.3	12.4	12/2	
12 /3	11.3	10.2	9.3	9.5	-	13.6	12.3	11.8	12.6	-	-	11.4	12.1	10.8	12.1	-	11.6	10.1	12.7	12.5	-	-	12.2	12.7	12.7	14.7	-	11.4	12.4	11.6	13.6	-	-	13.3	13.0	12.6	11.7	-	-	14.5	13.0	12.3	12/3	
12 /4	11.4	10.6	9.6	-	12.2	13.4	11.8	11.4	-	-	10.6	11.4	12.0	11.2	-	11.9	11.6	10.6	12.2	-	-	11.5	11.8	12.7	12.5	-	-	12.0	11.8	11.3	12.8	-	10.9	13.1	12.8	12.4	-	-	13.5	14.9	11.6	11.8	12/4	
12 /5	11.3	10.4	9.3	11.6	12.0	13.1	11.8	-	-	12.4	10.7	13.0	12.8	-	-	11.7	11.4	10.4	12.0	-	10.6	11.6	11.7	12.6	-	-	12.3	11.6	12.2	11.7	-	12.9	11.4	13.3	12.1	-	-	12.5	13.4	14.4	11.6	11.9	12/5	
12 /6	11.4	10.1	-	10.0	11.7	13.8	12.6	-	11.4	11.0	10.3	12.4	-	-	11.6	11.5	11.5	10.3	-	12.9	10.1	11.1	11.2	-	-	13.3	12.2	11.7	12.2	-	-	12.7	10.6	12.3	11.2	-	12.0	11.7	13.3	14.2	-	11.6	12/6	
12 /7	10.8	-	8.2	9.8	11.4	14.2	12.9	10.1	11.2	11.4	9.2	-	-	11.4	11.1	9.9	11.1	-	-	13.0	10.7	11.9	11.6	-	12.4	13.2	12.0	11.6	-	-	11.3	11.8	10.6	12.6	-	12.5	12.4	11.4	13.9	-	-	11.5	12/7	
12 /8	-	9.8	8.4	10.3	11.3	-	-	11.9	11.4	11.8	9.8	-	13.6	11.5	10.3	9.8	-	-	11.1	13.2	10.4	11.8	-	12.3	12.4	12.1	12.2	-	-	11.3	10.3	11.6	10.7	-	-	12.6	12.4	11.8	12.4	-	12.3	11.5	12/8	
12 /9	10.5	10.0	9.4	10.5	-	-	11.5	11.3	11.2	11.8	-	12.0	13.1	11.3	11.0	-	-	9.6	12.0	11.5	10.6	-	-	12.3	12.1	11.7	11.4	-	11.4	10.9	9.8	11.6	-	-	9.6	12.1	11.8	12.0	-	12.8	12.0	11.4	12/9	
12 /10	9.3	10.0	9.6	10.0	-	15.0	11.1	11.6	11.2	-	-	11.2	13.1	11.1	11.9	-	10.6	8.8	11.4	12.2	-	-	11.1	12.1	11.9	11.6	-	10.2	11.6	10.4	9.7	-	-	11.2	10.2	11.7	11.8	-	-	12.5	11.7	11.2	12/10	
12 /11	8.5	9.8	9.8	-	9.6	14.5	11.2	11.8	-	-	10.0	12.3	12.6	11.2	-	10.0	9.7	8.9	11.3	-	-	10.3	11.4	11.9	12.0	-	-	10.2	10.2	10.8	10.9	-	10.6	11.2	10.7	11.7	-	-	12.7	12.6	11.5	11.0	12/11	
12 /12	9.2	10.0	9.7	10.2	9.3	12.5	11.2	-	-	11.5	10.3	13.0	12.1	-	-	8.4	8.7	9.7	11.0	-	10.4	9.2	11.5	11.9	-	-	11.2	9.4	10.0	10.8	-	9.8	10.2	11.0	11.2	-	-	11.9	13.1	12.1	11.5	10.6	12/12	
12 /13	9.2	9.8	-	10.4	9.5	12.7	10.2	-	10.1	11.8	9.8	12.5	-	-	11.4	8.9	9.3	9.5	-	12.6	9.0	10.9	11.3	-	-	11.3	10.8	9.2	10.1	-	-	9.9	9.5	10.5	10.5	-	12.3	11.9	12.1	11.2	-	10.4	12/13	
12 /14	9.4	-	8.6	10.5	9.5	13.4	-	10.8	10.4	11.4	9.6	-	-	11.7	11.1	8.4	9.2	-	-	12.2	8.6	11.3	11.4	-	11.3	11.3	10.7	9.2	-	-	11.0	9.7	9.0	10.4	-	10.4	12.0	11.9	11.9	-	-	10.4	12/14	
12 /15	-	9.8	9.6	10.3	9.9	11.7	-	10.2	9.6	11.2	10.0	-	10.9	11.6	10.9	9.6	-	-	11.5	12.6	8.6	11.2	-	10.9	10.4	11.0	11.4	-	-	8.7	12.1	9.8	8.3	-	-	10.3	12.3	11.7	12.5	-	9.9	10.5	12/15	
12 /16	8.6	9.0	9.9	9.5	9.4	-	10.8	9.9	9.6	9.6	-	12.5	11.4	10.7	10.8	-	-	9.6	11.6	12.4	9.1	-	-	10.8	10.0	11.2	10.6	-	8.2	7.5	12.7	9.7	-	-	10.4	10.0	12.2	11.2	-	11.1	9.5	10.4	12/16	
12 /17	8.5	8.8	8.3	8.8	-	11.0	10.8	9.8	10.2	-	-	13.2	11.5	10.9	11.1	-	9.9	9.7	11.6	11.3	-	-	10.5	11.2	9.5	11.1	-	10.0	8.6	8.5	12.1	-	-	9.6	10.6	10.1	12.3	-	-	11.2	9.8	10.5	12/17	
12 /18	7.7	8.9	8.4	-	10.1	11.7	10.6	9.0	-	-	9.0	12.9	11.6	10.0	-	9.2	9.7	8.7	11.6	-	-	9.8	10.7	11.5	10.4	-	-	10.2	8.8	6.2	11.9	-	8.2	10.3	10.9	9.9	-	-	11.6	11.5	9.4	10.1	12/18	
12 /19	8.1	9.4	8.2	8.4	9.3	11.5	9.1	-	9.4	9.3	11.8	11.9	-	-	9.2	9.2	9.0	11.5	-	7.4	9.9	10.2	11.4	-	-	9.5	9.4	8.8	7.3	-	10.4	8.9	10.2	10.7	-	-	9.9	11.8	11.2	9.3	9.7	12/19		
12 /20	7.8	8.9	-	8.2	9.8	11.3	9.3	-	8.6	8.8	9.1	11.5	-	-	9.6	10.0	9.2	8.6	-	10.4	8.6	10.0	10.1	-	-	10.7	9.3	9.3	8.6	-	-	10.7	8.4	9.4	11.2	-	9.7	9.7	11.7	10.9	-	9.6	12/20	
12 /21																																												