

相馬市松川浦の定地水温(℃)															※気象庁発表の日別海面水温に合わせ、H8年～R7年の30年平均としています。次回更新はR13年です。																													
月日\年	S60	S61	S62	S63	H1	H2	H3	H4	H5	H6	H7	H8	H9	H10	H11	H12	H13	H14	H15	H16	H17	H18	H19	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30	H31	R2	R3	R4	R5	R6	R7	R8	平年値(※)	
1月平均	5.4	5.9	6.9	8.3	7.0	6.7	7.9	7.6	7.2	7.3	7.6	7.1	9.1	8.0	8.4	8.6	7.0	9.3	6.6	6.9	7.7	6.6	8.2	7.7	7.9	7.2	7.0	6.3	7.8	7.0	7.7	8.4	7.6	7.0	8.0	8.0	7.2	7.1	8.9	9.7	9.8	7.7	7.8	1月
2月平均	6.2	4.8	6.6	5.8	6.4	6.3	6.6	6.5	6.3	6.2	6.7	6.1	8.0	7.4	7.7	7.3	6.5	8.2	6.3	6.5	6.4	6.6	7.9	6.0	7.0	6.2	6.7	5.5	6.4	5.7	6.8	7.6	7.3	6.3	8.0	8.1	6.5	6.5	8.0	10.1	8.1	7.4	7.0	2月
3月平均	6.1	5.8	7.0	6.2	7.8	7.9	7.2	7.1	7.1	7.3	7.7	7.1	8.8	8.4	8.2	7.4	7.1	8.5	6.8	7.4	6.8	6.9	8.0	8.5	7.3	6.7	6.2	6.6	8.5	7.1	7.8	8.9	8.2	8.3	9.0	8.8	8.9	7.9	10.5	9.4	9.2	8.5	8.0	3月
4月平均	9.7	9.6	9.8	9.7	11.1	10.7	10.9	10.2	9.9	10.7	10.9	9.9	11.3	11.4	11.1	10.2	10.5	12.0	10.5	11.1	10.3	9.5	10.5	10.7	11.5	9.1	11.2	9.9	10.9	10.5	11.1	11.9	10.9	12.2	9.8	10.3	12.0	11.3	13.2	14.8	11.6	11.9	11.0	4月
5月平均	14.3	13.5	14.1	14.7	13.5	15.5	15.6	13.3	14.4	14.9	15.5	14.3	15.4	15.6	16.3	16.0	15.1	15.4	14.8	15.0	14.0	15.0	15.0	14.5	15.7	14.5	15.0	15.8	14.8	14.6	15.2	16.3	16.4	17.2	14.6	15.3	16.7	14.7	16.7	18.0	16.1	16.8	15.5	5月
6月平均	17.3	16.5	18.1	17.9	16.1	18.6	19.6	17.4	18.4	18.5	17.3	17.8	18.5	17.8	19.5	18.6	18.7	18.2	17.8	19.3	18.9	19.2	19.8	17.9	18.8	19.0	19.0	18.5	19.3	19.5	19.1	19.3	18.4	20.1	18.0	19.5	20.5	18.3	21.5	21.0	19.7	19.2	19.0	6月
7月平均	20.6	19.7	21.3	19.3	20.0	21.4	21.7	20.8	19.1	22.7	21.5	21.3	21.6	22.3	22.1	22.8	23.9	21.8	19.5	22.7	21.4	21.3	21.3	21.8	20.8	23.3	24.0	21.9	20.7	22.7	22.8	22.8	23.2	24.5	21.6	21.0	23.9	23.3	25.9	24.0	23.6	23.0	22.4	7月
8月平均	24.6	22.3	23.3	23.2	23.8	24.9	22.7	23.0	21.7	24.8	25.4	23.7	24.2	23.1	24.3	24.7	23.2	24.4	21.4	22.7	24.2	23.8	25.0	23.4	23.4	25.0	24.4	25.2	23.8	24.3	24.5	25.7	23.6	25.1	24.7	25.5	24.6	24.5	27.1	27.3	26.9	24.7	24.5	8月
9月平均	22.1	22.6	21.9	21.5	21.8	23.8	22.0	21.8	21.3	23.5	21.8	22.2	22.6	22.6	23.6	22.7	22.5	22.7	21.5	22.2	22.7	22.7	23.6	22.5	22.0	23.7	22.9	24.3	23.6	22.5	21.2	23.0	22.3	22.6	24.1	24.0	22.2	23.1	26.4	25.0	25.5	22.8	23.1	9月
10月平均	18.1	17.5	18.6	18.4	17.9	19.9	18.1	17.4	17.1	19.8	19.0	18.8	18.1	19.5	19.1	19.1	17.9	18.4	17.2	17.5	19.5	18.1	18.9	18.8	18.3	19.9	18.7	19.8	19.2	18.2	17.7	19.3	17.2	19.8	19.0	18.9	19.4	18.7	20.2	21.1	20.2	-	18.9	10月
11月平均	14.0	12.8	13.9	12.6	15.2	15.6	14.1	13.8	14.2	14.9	13.6	14.2	14.9	14.5	15.3	14.1	13.8	12.3	14.2	15.3	14.4	14.8	14.9	14.2	14.5	15.2	15.1	14.8	14.5	14.1	15.2	13.7	13.4	15.4	14.9	14.6	15.7	15.2	16.0	16.9	14.8	-	14.7	11月
12月平均	9.0	9.6	9.2	9.2	10.3	12.5	11.0	10.4	10.4	10.8	9.5	11.7	11.9	11.0	10.8	9.5	10.0	9.3	11.5	11.7	9.2	10.8	10.8	11.6	11.2	11.8	10.5	9.8	10.3	9.9	11.5	10.7	9.5	11.0	10.9	10.9	11.6	11.3	12.0	12.1	11.1	-	10.9	12月
最高値	27.9	25.7	26.3	26.6	26.2	27.8	26.1	26.8	24.2	29.2	28.1	26.8	26.7	25.3	27.4	26.9	26.5	27.7	25.0	26.5	26.4	27.1	27.4	26.0	26.1	28.3	28.9	28.5	26.4	27.9	28.2	27.9	26.1	28.5	27.2	27.8	27.9	27.8	30.2	29.5	29.3	28.1	27.4	Max.
最低値	4.6	3.8	4.9	4.2	5.4	4.5	5.7	5.2	5.3	5.2	5.8	5.1	6.4	6.2	7.0	6.0	5.5	6.4	4.8	5.5	5.1	5.6	6.6	5.4	5.6	4.9	4.9	5.1	4.5	4.6	5.5	6.4	6.0	5.0	7.0	6.7	5.8	6.0	7.1	7.2	6.7	6.2	5.8	Min.
平均値	14.2	13.6	14.4	14.0	14.3	15.5	15.0	14.2	14.0	15.3	14.9	14.7	15.5	15.3	15.7	15.2	14.9	15.3	14.2	15.0	14.8	14.7	15.5	15.0	15.0	15.3	16.0	15.0	15.2	14.9	15.2	15.7	15.0	16.0	15.4	15.5	15.9	15.3	17.4	17.6	16.6	15.9	15.4	Ave.
1 /1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1/1	
1 /2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1/2
1 /3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1/3
1 /4	7.2	7.6	-	8.5	7.2	8.6	9.2	8.2	8.2	9.2	8.8	6.8	-	-	7.9	8.0	8.3	8.4	-	-	9.7	6.6	7.7	9.1	-	7.7	8.4	7.6	8.0	-	-	10.5	9.0	7.2	7.6	-	8.3	7.6	8.1	11.4	-	-	8.3	1/4
1 /5	5.1	-	7.1	8.2	7.0	8.6	9.0	-	7.8	8.8	9.9	6.3	-	9.5	8.4	8.4	7.8	-	-	8.6	8.7	6.1	8.3	-	8.8	8.2	8.7	7.4	-	-	7.9	9.6	8.8	8.1	-	-	8.0	7.7	7.4	11.0	-	8.6	8.3	1/5
1 /6	-	7.0	7.4	7.9	6.4	8.6	-	8.0	7.0	8.1	8.8	-	10.2	10.4																														

相馬市松川浦の定地水温(℃)															※気象庁発表の日別海面水温に合わせ、H8年～R7年の30年平均としています。次回更新はR13年です。																														
月日＼年	S60	S61	S62	S63	H1	H2	H3	H4	H5	H6	H7	H8	H9	H10	H11	H12	H13	H14	H15	H16	H17	H18	H19	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30	H31	R2	R3	R4	R5	R6	R7	R8	平年値(※)		
2 /3	-	5.4	5.2	6.5	6.0	5.8	-	6.2	6.5	5.8	6.3	-	8.6	7.8	7.6	7.6	-	-	5.5	6.5	7.1	6.4	-	-	7.2	6.4	6.2	5.9	-	7.6	6.3	6.9	7.2	-	-	8.7	6.2	6.4	7.3	-	9.3	6.3	7.1	2/3	
2 /4	5.4	5.0	4.9	5.9	5.4	-	7.3	7.2	6.6	5.4	-	-	6.9	7.2	7.2	7.4	-	9.3	5.6	6.2	7.2	-	-	6.5	7.4	6.0	6.8	-	7.8	7.2	6.7	7.5	-	-	8.7	8.7	6.3	6.3	-	-	9.3	6.7	7.2	2/4	
2 /5	5.7	4.7	5.8	6.6	-	5.7	6.5	7.0	6.2	-	-	5.7	7.0	7.0	7.3	-	6.2	9.8	5.6	6.0	-	-	7.4	6.2	7.5	6.2	-	-	7.3	6.4	6.8	7.6	-	6.6	7.8	8.9	6.1	-	-	9.8	9.1	7.4	7.2	2/5	
2 /6	6.3	5.0	6.3	6.6	6.1	6.0	6.8	6.8	-	-	6.6	5.4	7.6	7.1	-	-	6.1	9.5	5.6	5.5	-	6.4	8.1	6.1	7.7	-	-	5.5	7.5	6.5	7.2	-	8.9	6.7	7.8	7.9	-	-	7.7	9.0	8.8	7.6	7.2	2/6	
2 /7	6.7	4.7	6.4	-	6.2	6.3	7.2	7.2	-	6.8	6.8	5.6	7.5	-	-	8.1	5.6	9.8	5.9	-	6.4	6.5	7.8	6.0	-	-	7.1	6.0	7.2	6.6	-	-	8.6	6.7	8.4	6.7	-	6.3	8.2	8.1	8.8	-	7.2	2/7	
2 /8	6.4	4.0	-	6.5	6.6	6.6	7.0	-	6.2	6.1	6.8	5.7	-	-	7.4	8.2	5.5	9.5	-	-	5.1	6.3	7.8	5.8	-	5.7	6.5	5.4	6.3	-	-	6.7	7.8	6.8	8.3	-	7.0	6.5	8.3	9.2	-	-	6.9	2/8	
2 /9	6.4	-	7.3	6.7	6.4	5.6	-	-	5.3	7.1	7.0	6.2	-	6.5	7.3	8.0	5.6	-	-	6.3	6.6	5.8	8.3	-	6.5	6.2	6.6	5.2	-	-	6.7	7.6	7.5	6.9	-	-	5.9	6.8	7.8	9.3	-	6.2	6.8	2/9	
2 /10	-	3.8	7.7	6.5	6.8	-	-	6.8	5.3	6.7	7.2	-	7.5	6.3	7.9	8.0	-	-	7.1	6.2	7.4	5.7	-	-	7.7	6.2	6.4	5.2	-	5.2	6.8	7.1	7.0	-	-	7.2	5.8	7.0	7.9	-	7.9	6.7	6.8	2/10	
2 /11	-	-	-	-	-	-	-	-	5.8	-	-	-	-	-	-	7.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7.8	2/11
2 /12	7.0	5.0	8.2	6.5	-	-	6.2	7.1	6.2	-	-	-	8.3	6.8	7.6	-	-	6.5	7.1	6.7	-	-	-	6.7	7.6	4.9	-	-	5.6	4.8	7.2	7.7	-	-	7.6	7.5	6.1	-	-	-	7.2	7.3	6.8	2/12	
2 /13	7.2	5.0	6.8	6.6	6.7	6.1	5.7	7.3	-	-	7.2	6.7	8.2	7.9	-	-	6.4	6.9	6.3	6.8	-	5.6	7.8	6.1	7.6	-	-	5.2	6.8	4.6	7.3	-	7.0	5.6	7.4	8.0	-	-	8.9	9.8	7.6	7.2	7.0	2/13	
2 /14	7.1	5.4	6.8	-	6.3	5.9	5.9	7.4	-	5.2	7.3	6.9	8.1	-	7.9	6.5	7.1	6.3	-	6.1	6.6	7.9	5.4	-	-	6.8	5.7	6.8	5.0	-	-	7.0	5.8	7.7	8.5	-	6.7	9.0	11.2	6.7	-	7.1	7.1	2/14	
2 /15	6.9	5.3	-	6.1	6.8	6.0	6.6	7.3	6.2	5.4	6.6	7.1	-	-	7.4	7.9	6.6	7.6	-	-	6.5	7.1	7.5	5.8	-	5.7	6.7	5.8	7.0	-	-	8.5	7.6	6.0	7.0	-	7.7	6.7	8.4	12.2	-	-	7.3	2/15	
2 /16	6.0	-	6.3	5.7	7.4	6.0	7.4	-	6.4	6.2	6.7	6.6	-	7.4	7.5	7.2	6.8	-	-	6.8	6.1	6.9	6.6	-	7.8	5.3	6.1	5.7	-	-	5.7	8.3	7.7	5.8	-	-	7.2	6.7	8.0	11.3	-	7.9	7.0	2/16	
2 /17	-	4.8	6.0	5.0	7.3	6.2	-	6.0	6.7	6.6	5.8	-	8.4	7.6	7.4	6.8	-	-	6.1	6.7	6.4	6.7	-	-	7.5	5.3	6.4	5.4	-	4.6	5.9	8.4	8.2	-	-	8.7	7.1	6.6	7.8	-	8.5	7.4	7.0	2/17	
2 /18	6.1	5.0	6.0	5.1	6.8	-	6.0	6.3	6.2	7.2	-	-	8.3	7.5	7.9	6.3	-	8.3	6.3	5.6	6.7	-	-	5.6	7.1	5.1	6.9	-	6.6	4.8	5.9	7.9	-	-	7.1	8.7	6.9	6.1	-	-	7.3	7.8	6.8	2/18	
2 /19	6.3	4.8	6.3	5.0	-	6.3	6.7	6.6	5.8	-	-	5.6	7.9	7.7	7.6	-	6.8	7.3	6.7	6.5	-	-	7.1	5.5	7.2	5.6	-	-	6.2	4.6	5.9	7.9	-	5.6	7.6	8.6	6.6	-	-	12.4	7.9	7.3	7.0	2/19	
2 /20	6.4	4.0	6.2	4.8	6.3	6.5	5.9	5.8	-	-	6.6	5.3	7.5	8.3	-	-	6.4	7.5	6.9	6.2	-	7.1	8.1	6.0	6.6	-	-	5.1	6.2	5.2	6.5	-	7.4	6.2	7.7	8.2	-	-	7.9	12.5	8.1	7.0	7.1	2/20	
2 /21	6.2	4.5	6.2	-	7.3	7.2	6.9	5.8	-	7.9	6.5	5.4	8.7	-	-	6.7	6.6	8.4	6.4	-	6.5	7.2	8.4	5.6	-	-	6.6	5.4	5.8	5.4	-	-	7.0	6.1	8.4	7.6	-	6.2	7.7	11.2	8.1	-	7.1	7.1	2/21
2 /22	5.5	4.4	-	4.7	5.7	7.2	6.8	-	6.6	6.0	6.8	5.6	-	-	7.2	6.0	7.3	8.2	-	-	5.8	7.4	8.9	6.1	-	5.9	6.8	5.4	5.8	-	-	7.0	6.8	6.3	8.1	-	7.5	6.0	7.5	9.0	-	-	6.9	2/22	
2 /23	5.4	-	7.2	5.0	5.5	7.6	-	-	6.8	5.8	6.8	6.2	-	8.0	8.2	6.3	7.5	-	-	7.3	6.4	8.0	8.3	-	6.4	6.5	6.7	5.8	-	-	7.9	7.8	7.2	6.6	-	-	-	-	-	-	-	-	-	7.1	2/23
2 /24	-	5.6	7.8	5.0	-	-	-	6.0	6.8	5.2	7.2	-	7.5	8.0	8.4	6.2	-	-	6.6	6.8	6.3	7.7	-	-	5.6	6.9	7.7	5.9	-	6.2	8.1	7.7	6.0	-	-	-	6.5	6.2	8.0	-	-	8.9	7.0	2/24	
2 /25	5.8	4.4	7.9	5.4	6.6	-	6.6	6.2	6.4	6.2	-	-	7.6	7.5	8.4	6.3	-	7.3	6.5																										

相馬市松川浦の定地水温(℃)															※気象庁発表の日別海面水温に合わせ、H8年～R7年の30年平均としています。次回更新はR13年です。																													
月日\年	S60	S61	S62	S63	H1	H2	H3	H4	H5	H6	H7	H8	H9	H10	H11	H12	H13	H14	H15	H16	H17	H18	H19	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30	H31	R2	R3	R4	R5	R6	R7	R8	平年値(※)	
3 /22	7.2	5.8	-	6.6	6.7	7.8	7.6	-	7.0	7.6	9.2	8.2	-	-	-	7.8	8.3	9.3	-	7.3	7.1	6.5	8.0	-	-	-	-	6.4	9.6	-	-	9.4	8.6	7.9	10.1	-	8.7	7.2	12.0	8.2	-	-	8.4	3/22
3 /23	7.0	-	7.4	7.6	7.8	8.0	-	6.5	7.8	7.5	8.4	-	-	8.5	7.2	7.6	8.4	-	-	7.2	7.6	6.5	8.3	-	8.8	7.4	-	6.9	-	-	9.4	9.4	8.6	7.6	-	8.6	8.8	6.8	12.7	-	-	8.8	8.2	3/23
3 /24	-	4.9	7.6	7.1	7.8	-	-	6.2	8.4	7.4	8.8	-	8.7	8.0	7.6	8.1	-	-	7.6	7.8	7.7	7.0	-	9.5	7.4	7.4	-	-	-	7.0	7.6	9.1	8.2	-	-	8.7	8.5	7.6	12.5	-	9.6	9.0	8.3	3/24
3 /25	7.3	4.6	8.2	6.4	8.4	-	8.6	6.5	8.8	7.2	-	7.2	8.9	8.5	8.7	-	-	8.8	7.9	8.1	7.6	-	-	9.3	7.2	6.8	-	-	9.0	7.1	8.4	8.6	-	-	8.8	8.6	9.3	8.2	-	10.8	10.1	9.1	8.5	3/25
3 /26	7.8	6.1	6.8	6.3	-	7.8	8.6	7.0	8.6	-	-	7.8	9.2	8.9	8.9	-	9.6	9.0	8.2	8.3	-	-	9.1	9.7	6.8	7.2	-	7.0	8.6	8.6	8.1	-	-	9.5	9.3	9.6	9.6	-	-	10.7	10.5	9.3	8.8	3/26
3 /27	6.6	7.4	6.8	-	8.4	8.1	8.6	7.0	-	-	7.6	8.2	9.2	9.3	-	7.3	7.6	9.7	8.7	-	-	7.7	8.6	10.0	6.8	-	-	7.0	8.6	8.6	7.9	-	7.4	9.4	9.4	9.6	-	-	10.5	9.1	10.6	9.6	8.7	3/27
3 /28	6.8	6.9	7.7	7.0	8.6	9.0	7.9	-	-	7.8	8.0	8.4	9.6	-	-	7.8	7.3	8.1	8.1	-	7.7	7.9	8.8	9.5	-	-	-	7.4	9.4	8.8	-	9.8	8.0	10.7	9.5	-	-	8.6	10.4	9.7	11.0	-	8.9	3/28
3 /29	7.1	6.0	-	6.8	8.8	9.1	8.5	-	7.2	8.2	7.4	8.8	-	-	7.5	8.8	7.2	8.9	-	8.8	7.8	7.8	9.0	-	-	7.0	-	7.1	10.2	-	-	9.7	9.0	11.7	9.4	-	11.4	8.6	10.9	11.6	-	-	9.1	3/29
3 /30	7.1	-	9.7	7.1	9.0	8.8	9.2	8.0	7.0	7.6	8.6	-	-	10.9	7.0	8.9	6.5	-	-	9.5	7.2	6.9	9.0	-	7.8	6.3	-	7.4	-	-	9.7	10.4	9.3	10.5	-	8.6	11.8	8.8	11.5	-	-	10.4	8.8	3/30
3 /31	-	7.4	8.8	6.5	8.4	9.4	-	9.5	7.9	8.4	10.0	-	9.7	10.3	7.2	8.8	-	-	8.4	9.5	7.3	6.5	-	8.8	8.4	7.3	-	-	-	9.5	10.4	10.6	8.3	-	-	9.2	11.6	9.7	12.3	-	9.4	10.5	9.2	3/31
4 /1	7.4	7.4	7.3	6.2	9.0	-	8.8	9.8	8.5	8.4	-	9.2	9.7	9.1	8.2	-	-	10.4	9.4	8.8	7.4	-	-	8.3	8.0	8.7	-	-	9.2	9.2	11.1	10.7	-	-	8.3	9.7	11.8	7.4	-	12.4	8.8	11.0	9.3	4/1
4 /2	7.3	7.8	7.5	7.6	-	10.3	8.4	10.8	8.8	-	-	9.4	10.1	7.7	9.8	-	7.5	10.9	9.4	8.4	-	-	10.5	8.9	8.4	8.2	-	7.2	9.3	9.8	10.4	-	-	12.6	8.4	10.0	11.8	-	-	11.7	8.4	9.8	9.5	4/2
4 /3	8.2	7.6	7.8	-	9.3	10.6	8.9	11.2	-	-	8.0	8.0	9.7	8.2	-	8.5	8.1	10.9	9.3	-	-	7.3	10.1	10.2	8.8	-	-	7.4	9.6	9.8	11.4	-	8.3	11.7	8.2	9.6	-	-	12.0	12.1	8.7	9.8	9.5	4/3
4 /4	8.8	7.5	8.4	10.3	10.0	9.6	9.0	11.4	-	9.0	8.3	8.0	10.3	-	-	8.9	7.8	11.0	9.6	-	8.4	7.2	9.8	10.3	-	-	-	7.6	10.6	10.2	-	10.6	8.8	12.2	8.5	-	-	9.4	12.3	12.7	8.8	-	9.7	4/4
4 /5	9.4	8.2	-	9.6	9.6	9.1	9.6	-	9.3	8.8	9.4	8.4	-	-	9.9	9.0	8.1	11.1	-	9.1	8.5	7.3	9.5	-	-	7.6	-	8.0	10.4	-	-	10.7	9.7	10.6	8.8	-	11.4	9.1	13.2	12.0	-	-	9.6	4/5
4 /6	9.3	-	8.8	9.4	10.2	8.5	10.0	10.8	9.2	8.8	9.7	-	-	9.0	9.3	9.2	9.3	-	-	10.1	8.9	7.6	9.4	-	9.3	9.4	-	8.8	-	-	10.9	11.4	10.5	10.3	-	9.2	11.1	9.8	14.2	-	-	12.2	9.9	4/6
4 /7	-	8.1	8.8	8.6	10.6	9.0	-	9.9	9.7	9.6	9.8	-	10.8	9.5	9.0	9.3	-	-	9.3	11.1	10.5	7.8	-	11.3	10.9	8.3	-	-	-	7.8	10.4	10.8	10.8	-	-	9.1	11.6	9.9	14.7	-	9.8	11.1	10.1	4/7
4 /8	8.8	8.0	9.8	7.2	10.4	-	9.6	9.0	9.5	10.8	-	9.3	11.2	10.6	8.7	-	-	11.0	9.4	10.6	11.1	-	-	10.9	11.2	8.4	-	-	10.2	9.0	9.4	11.5	-	-	9.4	10.6	11.2	9.8	-	15.4	10.3	9.9	10.4	4/8
4 /9	9.4	9.8	10.2	6.9	-	10.0	10.5	9.6	8.8	-	-	9.3	12.3	10.1	9.2	-	11.0	11.8	9.4	10.6	-	-	10.7	10.0	11.8	8.5	-	8.6	10.2	8.8	9.8	-	-	10.7	9.2	11.3	11.0	-	-	15.0	10.6	10.5	10.5	4/9
4 /10	9.2	10.2	10.2	-	11.4	11.4	10.4	9.3	-	-	10.2	9.0	10.7	11.2	-	9.8	11.9	11.2	8.9	-	-	7.8	10.4	9.9	12.6	-	-	8.8	10.8	10.8	9.8	-	9.9*	10.9*	9.1*	10.9*	-	-	11.5	12.3	11.0	10.4	10.4	4/10
4 /11	8.7	9.5	10.4	8.3	10.8	11.9	11.2	-	-	9.8	9.6	9.2	11.0	-	-	9.2	11.9	11.5	9.3	-	10.9	8.4	10.3	9.8	-	-	-	8.2	11.3	8.8	-	10.4	9.9	10.7	7.9	-	-	11.0	12.4	13.6	12.5	-	10.4	4/11
4 /12	8.2	8.3	-	8.0	9.6	11.9	12.7		8.8	10.0	10.0	9.0	-	-	9.4	9.4	12.2	11.3	-	11.2	10.0	8.4	10.6	-	-	9.6	-	9.2	10.4	-	-	10.7	10.3	11.3	9.2	-								

相馬市松川浦の定地水温(℃)															※気象庁発表の日別海面水温に合わせ、H8年～R7年の30年平均としています。次回更新はR13年です。																														
月日\年	S60	S61	S62	S63	H1	H2	H3	H4	H5	H6	H7	H8	H9	H10	H11	H12	H13	H14	H15	H16	H17	H18	H19	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30	H31	R2	R3	R4	R5	R6	R7	R8	平年値(※)		
5 /9	13.5	15.8	12.5	12.8	14.0	16.0	12.4	-	-	15.6	14.6	11.8	14.5	-	-	14.1	13.8	14.2	12.4	-	14.2	12.9	14.5	14.1	-	-	13.0	15.3	14.0	12.8	-	13.8	16.2	13.6	13.9	-	-	11.6	13.1	15.7	15.4	-	13.9	5/9	
5 /10	13.4	14.8	-	12.2	14.0	17.3	14.6	-	12.0	15.4	13.8	11.8	-	-	14.9	14.6	14.3	14.9	-	13.1	14.6	14.4	13.8	-	-	14.7	13.2	15.1	14.8	-	-	13.8	15.6	14.2	13.1	-	16.3	11.0	15.0	17.0	-	-	14.3	5/10	
5 /11	12.3	-	15.4	11.0	11.2	17.0	-	11.2	12.8	15.4	14.6	-	-	15.3	15.0	13.6	14.5	-	-	13.0	13.8	15.7	13.8	-	16.2	15.2	13.6	15.2	-	-	13.5	13.9	15.9	14.0	-	15.2	15.8	11.7	15.0	-	-	13.3	14.5	5/11	
5 /12	-	12.1	15.7	12.9	10.6	-	-	11.7	13.7	14.2	16.0	-	15.5	14.5	15.3	14.0	-	-	12.5	14.4	12.2	15.0	-	13.1	16.3	14.4	13.0	-	-	15.8	13.9	14.2	16.6	-	-	16.2	16.3	13.1	15.1	-	14.9	13.7	14.6	5/12	
5 /13	12.1	12.2	16.1	12.9	-	-	16.6	13.2	13.3	15.0	-	11.2	15.2	15.7	17.8	-	-	13.9	13.7	13.2	11.1	-	-	13.1	16.7	12.5	14.2	-	12.9	16.0	13.8	14.9	-	-	13.5	16.3	17.1	16.4	-	16.7	15.7	15.2	14.6	5/13	
5 /14	12.8	12.2	14.4	14.6	-	15.2	17.8	13.8	12.8	-	-	12.4	14.7	15.9	19.0	-	15.0	14.8	16.6	14.5	-	-	14.0	12.8	14.6	13.3	-	15.2	14.3	14.8	16.2	-	-	17.2	14.4	14.8	17.1	-	-	16.5	16.5	17.0	15.2	5/14	
5 /15	14.1	12.0	13.1	-	11.3	14.5	17.9	14.7	-	-	15.8	14.0	13.6	15.7	-	16.5	14.9	15.7	16.1	-	-	14.9	16.4	13.2	13.6	-	-	14.4	13.2	14.4	17.4	-	14.1	18.2	15.9	14.4	-	-	-	17.2	16.1	16.4	15.2	5/15	
5 /16	13.6	12.9	14.5	15.1	13.4	14.4	16.6	14.1	-	14.4	16.4	13.8	15.0	-	-	17.6	13.7	15.3	13.9	-	11.3	14.8	16.1	15.3	-	-	17.1	14.8	13.8	14.2	-	16.3	15.4	18.8	16.1	-	-	14.8	16.2	17.2	16.1	-	15.3	5/16	
5 /17	15.0	13.5	-	16.0	14.8	15.0	15.4	-	14.1	14.2	14.9	12.6	-	-	15.6	17.8	13.6	14.7	-	16.0	12.0	14.4	15.8	-	-	14.5	17.3	15.8	13.7	-	-	16.3	15.3	18.0	15.5	-	15.9	13.7	18.0	17.6	-	-	15.4	5/17	
5 /18	16.7	-	13.9	16.0	15.9	15.4	15.0	13.1	15.1	15.0	16.0	-	-	12.8	16.4	17.2	14.4	-	16.2	12.2	14.5	16.2	-	12.7	14.8	17.0	15.0	-	-	15.9	17.5	14.8	17.2	-	16.7	15.8	15.0	19.8	-	-	18.9	15.6	5/18		
5 /19	-	14.0	13.9	16.2	16.0	15.1	-	13.9	16.0	13.4	15.6	-	18.2	13.8	15.7	18.2	-	-	13.9	16.8	13.0	14.1	-	17.4	13.5	14.0	16.4	-	-	13.6	15.0	17.8	15.7	-	-	16.2	15.6	15.7	20.2	-	15.0	17.8	15.7	5/19	
5 /20	15.2	13.4	13.0	15.8	15.2	-	14.6	14.2	17.0	13.0	-	13.6	16.1	13.8	15.0	-	-	14.6	14.1	15.4	14.3	-	-	15.0	14.1	14.0	16.4	-	15.8	13.7	14.9	18.3	-	-	12.3	13.1	16.3	15.2	-	19.7	16.1	18.1	15.1	5/20	
5 /21	13.4	14.6	14.4	15.0	-	13.5	14.6	13.8	17.8	-	-	14.5	15.5	14.6	15.4	-	17.6	15.3	14.4	13.6	-	-	14.8	14.9	17.9	16.0	-	17.9	16.8	13.1	13.9	-	-	17.4	11.8	12.1	15.5	-	-	19.9	16.3	16.7	15.4	5/21	
5 /22	14.6	15.9	13.8	-	14.6	16.4	14.6	12.9	-	-	14.4	14.0	14.6	17.1	-	16.9	17.2	15.4	14.4	-	-	15.3	15.1	15.6	17.9	-	-	16.6	17.9	13.6	14.5	-	19.4	17.6	11.9	13.3	-	-	19.1	19.0	16.6	15.4	16.0	5/22	
5 /23	15.6	16.3	13.5	15.6	14.4	17.2	15.2	-	-	17.0	14.9	13.8	14.5	-	-	17.3	17.4	14.9	14.1	-	17.4	15.9	15.7	14.8	-	-	15.0	15.1	19.1	14.3	-	18.6	19.6	16.7	12.7	-	-	14.0	18.1	20.8	16.3	-	16.2	5/23	
5 /24	15.4	15.1	-	14.3	14.0	16.8	17.6	-	14.4	17.8	14.7	14.0	-	-	16.6	15.6	16.8	17.3	-	14.4	16.5	17.4	15.4	-	-	14.3	15.4	16.5	19.4	-	-	18.9	19.8	17.4	14.9	-	17.7	15.1	17.4	20.8	-	-	16.7	5/24	
5 /25	15.1	-	14.6	14.6	13.1	16.4	-	15.0	14.1	18.0	15.9	-	-	18.1	17.0	16.2	18.0	-	15.0	15.8	18.4	14.5	-	16.6	17.0	15.8	17.1	-	-	14.1	18.1	18.3	18.0	-	17.6	19.4	14.8	18.3	-	-	16.4	16.9	5/25		
5 /26	-	13.5	15.2	14.8	11.6	-	-	14.6	13.7	17.2	18.6	-	15.7	17.4	17.7	16.1	-	-	14.9	15.7	15.6	18.3	-	16.3	17.4	16.1	17.0	-	-	17.5	15.2	17.7	17.8	-	-	17.6	19.0	17.2	18.2	-	16.5	18.0	16.9	5/26	
5 /27	15.2	13.4	15.3	15.7	-	-	16.1	14.1	13.9	15.8	-	15.4	15.2	18.2	18.2	-	-	17.8	16.5	16.2	14.8	-	-	15.0	17.3	14.9	-	-	16.8	16.6	16.2	16.7	-	-	15.2	16.7	17.8	17.6	-	18.4	17.8	19.5	16.6	5/27	
5 /28	14.8	13.3	16.3	16.4	-	17.2	18.5	14.5	14.4	-	-	16.2	16.5	18.8	18.4	-	15.9	17.3	18.7	15.8	-	-	15.6	15.1	17.7	15.5	-	16.1	16.0	17.2	17.4	-	-	20.2	16.5	16.1	18.0	-	-	17.6	18.3	21.2	17.0	5/28	
5 /29	15.0	14.0	16.9	-	13.2	16.6	18.6	15.2	-	-	17.8																																		

相馬市松川浦の定地水温(℃)															※気象庁発表の日別海面水温に合わせ、H8年～R7年の30年平均としています。次回更新はR13年です。																																
月日\年	S60	S61	S62	S63	H1	H2	H3	H4	H5	H6	H7	H8	H9	H10	H11	H12	H13	H14	H15	H16	H17	H18	H19	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30	H31	R2	R3	R4	R5	R6	R7	R8	平年値(※)				
6 /26	18.6	17.2	20.8	-	17.5	20.1	22.0	17.5	-	-	18.2	16.5	19.1	19.3	-	19.1	20.0	17.2	19.5	-	-	20.0	19.4	18.3	21.1	-	-	18.2	19.8	22.9	21.0	-	21.0	23.3	19.7	19.4	-	-	21.7	20.6	22.7	19.9	20.0	6/26			
6 /27	17.8	17.8	19.6	19.0	17.8	18.9	23.3	-	-	19.8	18.8	18.7	18.8	-	-	20.1	20.1	17.3	19.4	-	19.4	21.4	21.3	18.5	-	-	19.1	19.6	19.0	22.5	-	20.1	19.5	22.6	20.6	-	-	22.0	23.3	21.6	21.5	-	20.3	6/27			
6 /28	18.0	17.0	-	19.5	16.7	18.4	21.8	-	19.6	17.8	19.0	19.6	-	-	20.8	17.4	20.1	17.4	-	20.1	18.6	21.5	22.9	-	-	20.8	20.2	19.8	18.2	-	-	19.7	19.6	22.3	23.2	-	22.6	21.2	23.2	20.3	-	-	20.5	6/28			
6 /29	18.4	-	17.5	21.0	16.8	18.5	21.2	20.8	19.6	18.2	19.2	-	-	19.7	19.8	20.8	18.8	-	-	19.8	19.4	21.5	21.6	-	20.7	19.7	21.8	18.3	-	-	20.6	20.8	19.9	22.7	-	20.1	21.7	21.8	24.2	-	-	22.1	20.7	6/29			
6 /30	-	16.4	17.2	21.0	18.3	18.6	-	21.3	19.0	19.2	20.5	-	19.6	19.5	19.0	22.1	-	-	20.7	22.5	19.2	20.9	-	20.3	19.4	18.4	22.9	-	-	20.2	21.5	21.8	19.1	-	-	19.7	22.2	22.2	25.5	-	22.6	21.9	20.9	6/30			
7 /1	19.0	17.3	18.0	19.0	19.6	-	21.0	18.2	18.6	18.8	-	19.8	20.0	19.8	18.6	-	-	17.4	19.8	23.6	19.0	-	-	22.1	17.2	21.4	22.2	-	20.1	21.6	20.5	22.2	-	-	20.6	18.4	21.7	22.3	-	20.5	21.0	22.4	20.4	7/1			
7 /2	20.2	17.6	19.0	18.8	-	18.8	19.6	19.4	18.6	-	-	22.0	22.4	20.2	21.0	-	22.9	17.7	19.0	23.7	-	-	21.2	22.0	17.6	21.2	-	20.4	18.4	22.2	19.9	-	-	23.4	21.5	22.6	21.4	-	-	21.0	20.5	21.1	21.0	7/2			
7 /3	19.6	16.9	18.7	-	16.9	18.3	20.3	20.1	-	-	19.0	21.3	21.8	23.1	-	23.2	23.9	18.3	19.6	-	-	20.9	20.9	22.4	19.5	-	-	21.1	17.2	21.5	19.7	-	21.5	23.5	20.6	23.6	-	-	26.4	23.7	21.6	19.7	21.6	7/3			
7 /4	17.8	17.9	17.4	18.7	17.0	20.1	20.8	19.0	-	19.6	18.2	20.5	23.1	-	-	22.3	23.9	18.5	19.2	-	21.0	20.9	21.0	21.6	-	-	23.4	21.9	16.1	21.1	-	21.8	21.2	21.6	20.8	-	-	21.1	25.1	23.6	21.1	-	21.4	7/4			
7 /5	17.8	19.2	-	19.6	19.0	20.6	20.0	-	19.6	23.6	17.8	19.6	-	-	21.3	21.0	24.4	19.3	-	21.2	20.2	19.7	19.8	-	-	22.9	21.6	21.6	19.0	-	-	20.6	22.6	20.0	21.5	-	21.3	19.0	24.5	24.6	-	-	21.2	7/5			
7 /6	17.0	-	18.0	19.2	18.7	22.0	21.0	19.0	19.0	22.2	18.8	-	-	24.9	21.0	20.6	23.3	-	-	22.3	20.8	20.1	19.9	-	21.9	22.2	22.4	21.2	-	-	20.1	20.8	24.6	20.0	-	20.5	22.9	17.7	24.8	-	-	20.7	21.6	7/6			
7 /7	-	19.4	18.5	21.2	19.1	20.2	-	19.6	19.4	19.6	19.0	-	23.0	25.3	20.7	20.2	-	-	19.1	22.8	21.8	21.3	-	20.4	22.4	21.9	21.7	-	-	22.3	20.2	21.2	25.0	-	-	21.1	23.0	22.2	23.7	-	26.0	19.5	22.2	7/7			
7 /8	17.8	20.2	21.2	18.5	-	-	21.2	19.1	19.4	20.9	-	17.5	22.9	24.1	21.3	-	-	24.0	18.6	21.8	20.8	-	-	20.1	22.2	23.4	23.2	-	21.3	22.7	20.1	21.1	-	-	18.6	21.0	22.5	23.2	-	24.0	27.4	20.1	21.9	7/8			
7 /9	19.4	20.7	21.2	19.5	-	20.1	23.1	19.2	18.8	-	-	18.6	21.6	24.3	20.6	-	23.5	23.4	18.6	22.3	-	-	21.7	18.0	22.3	25.1	-	20.6	22.6	22.8	19.2	-	-	22.3	19.1	21.2	22.1	-	-	22.4	27.4	21.0	21.8	7/9			
7 /10	18.0	19.4	22.2	-	18.4	18.8	22.3	18.8	-	-	19.2	18.4	20.6	23.8	-	22.6	22.5	21.5	19.8	-	-	21.3	21.1	17.0	20.7	-	-	21.4	23.4	21.2	20.5	-	24.1	24.5	18.8	21.5	-	-	24.6	20.7	26.2	21.4	21.6	7/10			
7 /11	18.1	18.5	22.1	19.8	19.4	19.2	22.2	-	-	21.6	21.8	19.6	20.5	-	-	21.6	21.0	20.4	21.1	-	21.9	22.6	20.8	17.7	-	-	24.2	23.2	21.4	21.8	-	22.6	24.2	25.1	20.7	-	-	25.4	24.5	20.7	23.3	-	22.0	7/11			
7 /12	17.0	17.8	-	21.4	18.8	19.1	22.5	-	18.4	22.2	21.2	21.6	-	-	19.6	22.8	21.5	22.1	-	22.2	20.4	22.9	20.7	-	-	22.4	26.3	20.8	19.4	-	-	22.7	23.9	24.9	20.6	-	23.4	24.8	24.5	21.2	-	-	22.3	7/12			
7 /13	20.2	-	20.0	20.4	20.0	18.8	-	20.9	19.8	21.8	21.8	-	-	20.6	20.4	23.1	23.3	-	-	22.2	20.5	22.4	21.1	-	18.1	20.9	27.2	19.0	-	-	25.1	22.5	22.8	24.4	-	20.6	23.1	24.9	24.8	-	-	23.2	22.4	7/13			
7 /14	-	19.2	20.5	19.7	20.0	-	-	21.0	17.8	21.6	19.6	-	20.9	21.6	20.5	23.9	-	-	19.2	21.4	20.9	21.6	-	22.5	18.4	19.3	28.4	-	-	21.4	26.4	22.8	23.9	-	-	21.0	22.9	23.2	26.7	-	24.6	23.4	22.5	7/14			
7 /15	22.0	19.0	20.5	19.6	20.8	-	20.8	19.6	17.4	21.6	-	22.9	21.5	20.8	20.8	-	-	21.3	19.8	21.8	20.5	-	-	24.8	18.3	20.4	28.9	-	-	22.7	26.7	22.4	-	-	-	20.4	23.4	22.9	-	-	24.2	24.7	22.3	7/15			
7 /16	22.7	19.6	20.2	19.6	-	18.0	20.4	19.7	18.5	-	-	22.5	2																																		

相馬市松川浦の定地水温(℃)															※気象庁発表の日別海面水温に合わせ、H8年～R7年の30年平均としています。次回更新はR13年です。																													
月日\年	S60	S61	S62	S63	H1	H2	H3	H4	H5	H6	H7	H8	H9	H10	H11	H12	H13	H14	H15	H16	H17	H18	H19	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30	H31	R2	R3	R4	R5	R6	R7	R8	平年値(※)	
8 /13	24.1	20.4	24.3	21.3	-	25.2	21.2	22.1	20.6	-	-	26.6	24.4	23.1	25.0	-	22.3	24.9	23.0	26.5	-	-	26.7	25.4	21.7	22.3	-	25.6	23.2	21.2	26.9	-	-	26.2	27.2	23.9	21.7	-	-	26.9	24.8	24.3	24.5	8/13
8 /14	26.9	19.8	23.8	-	25.1	25.3	22.1	22.0	-	-	26.0	26.4	24.6	23.8	-	23.4	22.9	25.8	21.5	-	-	23.5	26.4	26.0	23.7	-	-	26.0	26.0	22.6	25.2	-	23.2	26.2	26.5	24.7	-	-	29.6	26.9	25.4	23.5	25.0	8/14
8 /15	27.9	21.4	22.9	23.5	24.0	25.5	22.9	-	-	23.4	24.0	25.1	24.3	-	-	26.0	22.6	24.7	19.7	-	23.0	23.0	26.8	26.0	-	-	26.2	26.1	26.3	23.0	-	26.7	23.1	26.6	26.9	-	-	22.0	29.5	27.4	24.2	-	25.0	8/15
8 /16	27.3	22.6	-	22.3	24.2	25.4	22.8	-	22.2	23.6	25.6	23.9	-	-	25.1	26.3	23.2	24.4	-	23.0	23.7	23.5	26.5	-	-	23.2	24.8	26.3	24.8	-	-	27.3	22.8	25.4	23.6	-	21.1	21.9	29.1	28.4	-	-	24.7	8/16
8 /17	26.4	-	23.0	22.8	25.8	25.6	22.4	22.8	22.1	25.1	25.6	-	-	22.0	25.7	24.5	24.4	-	-	22.9	25.2	24.6	25.7	-	24.3	23.7	24.4	27.7	-	-	24.4	25.5	22.6	24.5	-	26.7	21.2	21.9	28.0	-	-	23.9	24.5	8/17
8 /18	-	22.8	23.6	21.4	25.0	-	-	22.8	22.2	27.3	24.8	-	24.3	22.1	25.1	24.4	-	-	18.9	21.8	26.1	23.4	-	24.1	26.1	24.8	23.1	-	-	23.9	25.4	25.3	22.3	-	-	27.4	23.1	20.6	27.0	-	25.4	23.8	24.0	8/18
8 /19	24.7	23.5	23.9	23.2	24.4	-	22.9	21.1	22.2	28.0	-	23.8	25.1	22.8	26.4	-	-	24.1	19.4	23.9	25.3	-	-	24.2	25.4	24.3	22.1	-	25.0	24.1	24.7	26.2	-	-	23.9	27.8	23.5	21.5	-	29.2	26.7	23.1	24.5	8/19
8 /20	25.2	23.3	23.9	23.8	-	26.8	23.4	20.8	22.5	-	-	23.1	25.0	24.3	24.9	-	23.8	24.8	20.0	23.6	-	-	25.3	24.2	24.8	25.1	-	24.2	25.4	25.3	24.4	-	-	23.7	24.1	27.1	24.8	-	-	29.5	28.1	23.3	24.8	8/20
8 /21	25.0	22.6	23.8	-	24.2	26.0	22.5	22.3	-	-	25.1	23.2	24.3	24.8	-	22.8	23.2	23.1	20.3	-	-	27.1	25.7	23.1	23.5	-	-	21.7	23.4	26.3	25.0	-	23.1	24.9	23.6	26.8	-	-	27.8	27.9	28.4	24.2	24.5	8/21
8 /22	24.1	21.8	24.8	23.6	24.0	25.5	25.2	-	-	20.6	27.5	23.7	23.7	-	-	22.9	23.4	23.2	21.3	-	24.8	25.6	24.4	19.9	-	-	22.8	21.6	23.4	26.4	-	26.2	24.0	27.4	23.9	-	-	23.9	27.4	28.0	28.1	-	24.4	8/22
8 /23	25.0	22.4	-	24.4	23.8	23.4	24.0	-	22.3	20.6	26.5	24.0	-	-	25.6	23.8	23.2	23.0	-	21.7	25.0	25.0	24.5	-	-	27.9	23.1	24.2	23.2	-	-	24.3	24.4	28.5	24.4	-	24.3	25.2	26.1	27.1	-	-	24.7	8/23
8 /24	24.8	-	24.0	24.0	23.8	21.9	-	23.1	22.8	22.2	27.6	-	-	24.9	26.4	24.3	23.1	-	-	20.4	22.6	25.2	24.4	-	23.1	27.7	23.6	25.1	-	-	24.1	25.1	24.3	27.0	-	26.1	24.9	27.0	25.0	-	-	25.5	24.7	8/24
8 /25	-	22.8	25.2	26.6	24.0	-	-	26.4	24.2	23.4	28.1	-	22.1	24.8	25.6	24.5	-	-	24.1	21.9	24.0	25.4	-	21.7	23.5	27.3	24.8	-	-	25.1	22.7	25.7	24.2	-	-	26.7	24.1	25.6	22.9	-	28.2	27.8	24.5	8/25
8 /26	25.3	21.9	25.6	26.2	-	-	24.1	26.8	21.8	24.2	-	23.9	22.6	24.0	26.0	-	-	21.7	25.0	22.5	21.1	-	-	20.6	23.9	26.7	24.7	-	23.6	24.1	20.8	25.5	-	-	25.1	26.7	24.9	25.4	-	27.7	28.7	28.1	24.3	8/26
8 /27	26.9	21.9	24.3	25.8	-	23.2	23.7	26.0	22.0	-	-	23.8	23.7	24.1	24.8	-	23.3	22.7	22.9	22.8	-	-	26.4	21.7	23.3	26.2	-	25.4	24.4	22.1	21.0	-	-	23.8	26.1	26.0	25.4	-	-	27.2	28.0	27.2	24.3	8/27
8 /28	26.9	22.8	23.8	-	22.5	22.9	23.4	24.6	-	-	26.6	22.6	23.8	21.5	-	26.8	23.0	24.2	21.9	-	-	23.5	24.5	23.0	22.6	-	-	26.5	22.3	22.8	20.7	-	22.9	24.1	24.9	25.6	-	-	27.6	25.2	27.7	25.5	24.0	8/28
8 /29	26.8	22.2	21.9	26.0	24.1	23.1	23.2	-	-	24.3	25.6	22.5	24.9	-	-	26.9	23.1	23.6	22.9	-	23.4	22.1	24.6	22.2	-	-	25.8	27.6	22.6	23.5	-	23.5	24.0	23.6	24.4	-	-	23.4	29.3	24.4	27.1	-	24.3	8/29
8 /30	26.8	21.4	-	24.1	24.2	22.6	22.8	-	23.6	24.5	24.0	22.7	-	-	24.3	25.9	23.2	23.8	-	22.0	23.7	21.4	24.5	-	-	25.9	25.5	28.5	24.2	-	-	24.1	23.6	23.8	25.3	-	25.1	23.2	30.2	25.2	-	-	24.6	8/30
8 /31	25.2	-	22.9	24.2	24.5	23.8	21.5	24.2	24.2	24.6	24.0	-	-	20.3	24.8	26.5	22.4	-	-	22.9	24.6	23.4	23.7	-	20.6	25.8	25.0	27.9	-	-	21.4	22.7	23.1	23.8	-	26.1	25.0	23.2	29.5	-	-	23.2	24.1	8/31
9 /1	-	24.7	23.7	25.0	24.2	26.5	-	24.0	24.0	26.2	24.6	-	25.6	20.6	25.7	26.2	-	-	21.3	22.6	24.7	23.5	-	22.9	20.0	26.0	25.2	-	-	23.9	22.2	24.0	22.6	-	-	24.4	24.8	23.4	27.6	-	26.9	23.9	24.0	9/1
9 /2	22.5	24.2	23.2	24.8	24.8	-	21.3	23.6	23.9																																			

相馬市松川浦の定地水温(℃)															※気象庁発表の日別海面水温に合わせ、H8年～R7年の30年平均としています。次回更新はR13年です。																													
月日\年	S60	S61	S62	S63	H1	H2	H3	H4	H5	H6	H7	H8	H9	H10	H11	H12	H13	H14	H15	H16	H17	H18	H19	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30	H31	R2	R3	R4	R5	R6	R7	R8	平年値(※)	
9 /30	17.7	20.1	19.6	19.0	19.8	-	20.2	18.8	20.3	20.0	-	20.7	19.2	21.5	23.4	-	-	20.5	19.7	22.0	20.6	-	-	19.1	20.5	19.9	21.2	-	22.2	22.0	19.8	20.6	-	-	23.1	20.4	22.2	22.2	-	22.7	23.7	21.5	21.2	9/30
10 /1	18.5	21.3	19.4	20.0	-	20.1	20.3	19.6	19.6		-	20.6	19.5	20.2	22.6	-	19.4	20.1	19.4	21.1	-	-	21.1	19.3	20.2	20.5	-	24.0	22.0	21.2	20.3	-	-	21.8	23.0	20.3	22.1	-	-	22.8	23.5		21.1	10/1
10 /2	19.1	20.4	19.4	-	19.4	24.9	19.5	19.4	-		20.2	20.6	19.7	21.2	-	21.4	19.6	20.3	19.1	-	-	21.2	21.4	19.3	20.6	-	-	22.3	22.2	20.9	20.0	-	19.9	21.8	23.0	20.7	-	-	23.6	23.6	23.2		21.2	10/2
10 /3	19.8	21.4	19.9	21.0	18.6	20.7	20.2	-	-	21.6	21.2	20.8	20.2	-	-	21.1	18.5	21.2	18.5	-	21.4	20.2	21.5	19.7	-	-	19.6	21.9	21.6	21.2	-	22.4	20.1	21.7	22.9	-	-	22.4	23.5	22.4	22.8		21.2	10/3
10 /4	20.3	20.5	-	20.4	18.4	21.0	20.5	-	18.4	20.8	21.0	20.9	-	-	20.8	21.6	19.0	21.4	-	18.8	20.6	20.8	21.7	-	-	21.5	19.8	19.4	20.6	-	-	22.1	18.8	21.5	21.6	-	21.4	22.1	23.3	22.4	-		21.0	10/4
10 /5	20.2	-	19.9	20.4	19.0	21.5	20.3	19.0	18.8	21.3	20.1	-	-	19.3	20.6	21.1	18.9	-	-	18.5	21.0	21.3	21.5	-	19.6	21.7	19.7	20.0	-	-	19.5	21.3	18.9	21.0	-	20.9	21.9	22.0	23.3	-	-		20.6	10/5
10 /6	-	19.6	19.4	19.8	19.5	21.6	-	18.2	18.2	21.6	18.5	-	20.0	20.5	19.9	20.8	-	-	17.8	18.7	20.3	17.3	-	19.5	19.4	22.0	19.5	-	-	18.2	19.6	21.9	18.5	-	-	20.2	21.7	19.3	22.4	-	23.8		20.1	10/6
10 /7	20.3	19.8	20.8	18.6	19.4	-	18.5	17.3	18.4	21.8	-	21.0	19.7	21.0	20.2	-	-	21.3	17.2	19.2	20.9	-	-	19.6	19.9	21.4	18.8	-	21.2	17.3	18.1	21.2	-	-	20.8	19.8	20.6	17.4	-	22.6	21.4		20.0	10/7
10 /8	20.3	18.8	20.3	18.6	-	21.0	18.5	16.8	18.3		-	20.0	19.9	20.8	20.7	-	-	19.8	17.3	19.2	-	-	-	19.6	17.1	21.6	-	-	22.6	18.8	17.3	-	-	-	20.9	20.3	21.2	-	-	21.9	22.0		20.1	10/8
10 /9	19.5	18.8	19.8	-	18.2	19.5	18.3	17.6	-	-	18.8	18.8	18.4	20.7	-	-	18.5	19.9	17.1	-	-	-	18.4	19.6	17.7	-	-	21.4	22.2	19.0	16.1	-	-	21.6	19.6	19.6	-	-	-	21.9	22.1		19.6	10/9
10 /10	-	-	-	-	-	-	-	-	-	-	-	-		-	-	19.4	18.1	19.9	17.3	-	-	18.7	18.7	20.1	-	-	-	20.9	22.2	19.5	-	-	19.7	21.8	17.9	-	-	-	20.3	20.8	21.6		19.8	10/10
10 /11	19.5	19.2	-	19.2	18.5	19.5	17.0	-	-	21.4	18.9	18.6	-	-	-	20.9	17.5	19.2	-		20.3	18.2	19.1	-	-	-	19.4	20.6	21.8	-	-	20.1	19.3	21.3	19.6	-	21.7	19.4	19.5	20.8	-		19.9	10/11
10 /12	19.3	-	20.0	19.7	17.0	21.0	-	17.8	18.4	21.4	18.9		-	20.2	21.2	21.4	18.3	-	-	18.3	20.1	19.7	19.4	-	-	21.5	19.1	20.4	-	-	-	19.8	19.4	20.7	-	19.2	21.4	19.4	19.3	-	-		19.9	10/12
10 /13	-	16.8	19.5	19.0	16.9	-	-	18.0	17.6	21.6	19.8		16.4	20.0	21.1	19.7	-	-	-	19.5	19.8	19.6	-	-	18.1	21.5	18.9	-	-	-	18.2	18.1	18.8	-	-	19.3	20.2	19.1	19.5	-	-		19.3	10/13
10 /14	20.0	16.0	19.4	18.4	-	-	16.9	18.0	16.4	21.5	-	19.5	17.2	20.5	21.5	-	-	-	17.7	17.5	20.2	-	-	18.5	18.8	21.4	19.2	-	-	17.5	17.1	17.2	-	-	-	19.3	20.4	19.3	-	-	20.8		19.1	10/14
10 /15	18.5	17.4	19.1	18.7	-	20.8	18.2	17.8	16.8	-	-	19.6	18.5	21.1	19.9	-	17.6	19.4	17.0	17.8	-	-	19.2	18.9	18.5	21.1	-	19.4	18.2	18.3	17.3	-	-	20.1	18.0	19.3	20.6	-	-	20.3	20.8		19.1	10/15
10 /16	18.6	17.9	18.6	-	18.5	20.2	18.0	18.0	-	-	19.8	18.9	17.1	20.7	-	19.4	17.9	19.5	17.4	-	-	18.4	18.4	19.0	18.2	-	-	19.1	18.2	17.8	17.7	-	16.2	19.7	17.0	17.5	-	-	19.5	21.7	20.9		18.6	10/16
10 /17	19.2	17.2	18.5	19.0	17.8	20.3	18.4	-	-	19.2	20.0	18.6	18.2	-	-	19.2	18.3	19.0	17.4	-	20.2	18.5	18.5	19.3	-	-	19.9	19.8	15.4	18.3	-	19.4	16.0	19.7	17.5	-	-	19.9	19.8	21.6	19.3		18.8	10/17
10 /18	17.9	15.6	-	18.9	17.2	20.5	18.3	-	17.4	18.2	19.4	18.8	-	-	18.5	19.1	17.3	18.9	-	18.2	19.9	18.7	18.1	-	-	20.4	19.3	19.4	16.2	-	-	20.1	16.2	19.6	18.3	-	15.4	19.6	19.8	21.4	-		18.7	10/18
10 /19	18.0	-	19.2	18.5	17.5	19.9	18.2	18.2	17.2	18.8	19.2	-	-	20.4	18.1	18.2	16.6	-	-	18.4	19.0	18.0	18.8	-	18.9	19.0	18.6	19.5	-	-	18.6	19.9	15.9	19.0	-	18.6	16.8	19.6	20.5	-	-		18.6	10/19
10 /20	-	15.8	17.8	17.4	17.4	19.4	-	18.2	17.8	20.2	18.7	-	19.2	18.7	17.7	18.8	-	-	17.3	18.0	19.1	18.1	-	19.3	18.6	18.7	18.3	-	-	17.7	18.5	20.3	16.0	-										

相馬市松川浦の定地水温(℃)															※気象庁発表の日別海面水温に合わせ、H8年～R7年の30年平均としています。次回更新はR13年です。																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
月日＼年	S60	S61	S62	S63	H1	H2	H3	H4	H5	H6	H7	H8	H9	H10	H11	H12	H13	H14	H15	H16	H17	H18	H19	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30	H31	R2	R3	R4	R5	R6	R7	R8	平年値(※)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
11 /17	-	11.4	14.2	12.4	14.8	15.3	-	14.7	14.8	12.8	13.6	-	15.0	15.7	14.7	14.5	-	-	14.9	15.6	13.4	14.2	-	15.6	13.9	14.4	14.6	-	-	13.4	16.3	13.8	12.0	-	-	14.7	13.7	14.8	15.7	-	14.4		14.5	11/17																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
11 /18	14.1	11.4	13.2	12.1	14.6	-	14.6	13.6	15.2	13.9		13.4	14.8	13.8	12.9	-	-	11.5	14.3	15.7	13.5	-	-	15.5	13.0	13.6	14.1	-	14.2	12.8	16.4	13.6	-	-	15.3	15.1	14.3	14.3	-	17.0	14.1		14.2	11/18																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
11 /19	13.7	12.0	13.7	11.6	-	15.2	14.5	13.8	15.2	-	-	12.6	14.5	13.0	14.9	-	13.7	10.6	14.2	15.1	-	-	14.2	14.9	13.1	13.2	-	14.0	14.4	12.8	15.5	-	-	13.7	15.7	15.4	15.2	-	-	16.9	13.2		14.1	11/19																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
11 /20	13.7	11.7	12.1	-	14.4	15.2	13.6	14.4	-	-	13.0	11.6	14.0	11.9	-	13.2	13.8	11.2	13.9	-	-	13.5	14.0	13.9	13.0	-	-	13.8	14.0	12.1	15.4	-	11.6	13.0	14.9	15.8	-	-	15.2	16.5	13.4		13.6	11/20																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
11 /21	13.6	11.7	12.8	11.0	14.0	15.1	12.6	-	-	15.2	11.8	13.6	14.3	-	-	13.4	13.6	11.9	14.3	-	13.0	13.5	13.4	13.9	-	-	14.0	13.6	13.6	12.4	-	14.1	11.6	13.5	13.7	-	-	14.2	14.5	16.5	13.8		13.7	11/21																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
11 /22	13.2	12.3	-	11.1	14.4	15.0	12.9	-	14.2	14.2	11.6	13.0	-	-	13.8	12.5	13.7	11.0	-	14.2	12.5	13.8	12.8	-	-	14.8	13.1	13.3	13.6	-	-	14.6	11.7	13.9	13.4	-	15.2	13.8	14.8	16.8	-		13.6	11/22																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
11 /23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-